Author Index to Volume 26

Abbas, K. B. See Knutsson, B. A., 2347
Abbott, T. P.
—; James, C.: Grafting of 2-Butenyl Acrylate onto Starch, 207
Abdel-Rehim, T. Z. See Moharram, M. A., 921
Abou-Zeid, N. Y. See Hebeish, A., 2713
Abu-Sedira, A. A. See Badran, B. M., 933, 941
Adeoye, I. O. See Olayemi, J. Y., 2639
Agarwal, P. K. See Weiss, R. A., 449
Agarwal, V. K. See Gupta, A. K., 3599
Agur, E. E.
—; Vlachopoulos, J.: Heat Transfer to Molten Polymer Flow in Tubes, 765
Akaike, T. See Ogata, N., 2293, 4207
Akelah, A.
—; Sherrington, D. C.: Synthesis of Some Vinyl Derivatives of Cellulose and Their Grafting Copolymerization with Styrene, 3377
Alfonso, G. C. See Valenti, B., 3643
Alince, B. See Lepoutre, P., 791
—; Lepoutre, P.: Sintering of Latex Particles in Pigmented Coatings. II. Influence of the Latex Particle Size, 799
Allam, E. See Hebeish, A., 2713
Allen, S. R.
—; Filippov, A. G.; Farris, R. J.; Thomas, E. L.: Macrostructure and Mechanical Behavior of Fibers of Poly-*p*-Phenylene Benzobisthiazole, 291
Andersen, D. M. See Parks, E. J., 2967
Andrade, J. D. See Sung, Y. K., 3719
Andrady, A. L.
—; Llorente, M. A.; Sharaf, M. A.; Rahalkar, R. R.; Mark, J. E.; Sullivan, J. L.; Yu, C. U.; Falender, J. R.: Model Networks of End-Linked Polydimethylsiloxane Chains. XII. Dependence of Ultimate Properties of Dangling-Chain Irregularities, 1829
Angulo-Sanchez, J. L.
—; Jimenez-Valdez, L. L.; Campos-Lopez, E.: Storage Hardening and "Abnormal" Groups in Guayule Rubber, 1511
Anji, Y. See Jingsheng, B., 1211
Antal, I.
—; Fuzes, L.; Samay, G.; Csillag, L.: Kinetics of Epoxy Resin Synthesis on the Basis of GPC Measurements (Note), 2783
Apicella, A. See Nicodemo, L., 129
Appelt, B.
—; Porter, R. S.: Ultradrawing of Polystyrene by Solid-State Coextrusion: Shear-Induced Crystallization in Isotactic Polystyrene, 2841
Aracil, J. See Jodra, L. G., 3271
Arakawa, K. See Hegazy, E-S. A., 1361
Argyropoulos, D.
—; Lenk, R. S.: Condensation Products from Imidobis(sulfuryl Chloride), 3073
Arnold, F. E. See Reinhardt, B. A., 2679
Artymyshyn, B. See Jordan, E. F., Jr., 61, 463
Assink, R. A.
—; Wilkes, G. L.: Study of Domain Structure in Linear and Crosslinked Polyurethanes Using Pulsed Proton NMR, 3689

Badran, B. M.
—; Sherif, S.; Abu-Sedira, A. A.: Poly(Methyl Methacrylate)–Cellulose Nitrate Copolymers. I. Preparation, 933
—; Sherif, S.; El-Sheltawi, Sh. T.; Abu-Sedira, A. A.: Poly(methyl Methacrylate)–Cellulose Nitrate Copolymers. II. Physical and Mechanical Properties, 941
Bair, H. E.
—; Falcone, D. R.; Hellman, M. Y.; Johnson, G. E.; Kelleher, P. G.: Hydrolysis of Polycarbonate to Yield BPA, 1777
Hydrolysis of Polycarbonate to Yield BPA, 1777
Balasubramanian, N. See Rao, R. M. V. G. K., 4069
Balcerzyk, E.
—; Kozlowski, W.; Wesolowska, E.; Lewaszkiewicz, W.: Intrinsic Birefringence of Nylon 6, 2573
Balko, E. N.
—; Chaklos, J. T.: Effects of Ionizing Radiation on Perfluorosulfonic Acid Ion-Exchange Polymer, 1519
Ballistreri, A.
—; Foti, S.; Maravigna, P.; Montaudo, G.; Scamporrino, E.: Critical Comments to "Thermal Degradation of Polyurathanes. Model Compounds" (Note), 2781
Barker, P.
—; Guthrie, J. T.; Davis, M. J.; Godfrey, A. A.; Green, P. N.: Sensitized Photoinitiated Grafting of *N*-Vinyl-2-Pyrrolidone (NVP) to Woolen Substrates, 521
Barlow, J. W. See Barnum, R. S., 3917; Lindsey, C. R., 1, 9; Smith, W. A., 4233
Barnum, R. S.
—; Goh, S. H.; Paul, D. R.; Barlow, J. W.: Miscible Blends of Poly(styrene-co-Allyl Alcohol) with Poly-ϵ-caprolactone, 3917
Barth, H. G. See Gelman, R. A., 2099
Bateup, B. O.
—; Souren, I.: The Adhesion of Viscoelastic Polymers to Wool and Polyethylene, 4193
Baum, J. S.
—; Schultz, J. M.: Rapid Measurements of Elastic Modulus and Density in Polypropylene Sheet During Aging, 1579
Bayazeed, A. M. See Hebeish, A., 3245, 3253
Beati, E.
—; Pegoraro, M.; Briano, M.: Grafting of Methyl Methacrylate on EPR and EPDR: Impact Properties of Polyvinyl Chloride–Grafted Polymer Blends, 2185
Bednas, M. E.
—; Day, M.; Ho, K.; Sander, R.; Wiles, D. M.: Combustion and Pyrolysis of Poly(ethylene Terephthalate). I. The Role of Flame Retardants on Products of Pyrolysis, 277
Bell, V. L.
—; Kilzer, L.; Hett, E. M.; Stokes, G. M.: Polyimide Structure–Property Relationships. III. Polyimides from Multiring Diamines, 3805
Bellobono, I. R.
—; Tolusso, F.; Selli, E.; Calgari, S.; Berlin, A.: Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. I. Grafting of 4-(*N*-Ethyl, *N*-2-Acryloxyethyl) Amino, 4′-Nitro, Azobenzene onto Polyamide and Polypropylene Fibers, 619
Beltrame, P. L. See Focher, B., 1989
Berlin, A. See Bellobono, I. R., 619
Berrod, G.
—; Vidal, A.; Papirer, E.; Donnet, J. B.: Reinforcement of Siloxane Elastomers by Silica. Chemical Interactions between an Oligomer of Poly(dimethylsiloxane) and a Fumed Silica, 833

—; Vidal, A.; Papirer, E.; Donnet, J. B.: Reinforcement of Siloxane Elastomers by Silicas. Comparison between Fumed and Precipitated Silicas in their Interactions with an Oligomer of Poly(dimethylsiloxane), 1015
Berry, G. C. See Dror, M., 1741
Bersted, B. H.
—; Slee, J. D.; Richter, C. A.: Prediction of Rheological Behavior of Branched Polyethylene from Molecular Structure, 1001
Bhardwaj, I. S. See Sharma, Y. N., 3213
Bheda, J.
—; Fellers, J. F.; White, J. L.: Wet Spinning of Liquid Crystalline Solutions of Cellulose Acetate Butyrate and Cellulose Triacetate (Note), 3955
Bhowmick, A. K. See Chakraborty, S. K., 4011
—; De, S. K.: Effect of Curing Temperature and Curing System on Network Structure and Technical Properties of Polybutadiene and Styrene–Butadiene Rubber, 529
Bianco, P. See Mengoli, G., 4247
Bigg, D. M.
—; Epstein, M. M.; Fiorentino, R. J.; Smith, E. G.: Continuous Extrusion of High-Modulus Semicrystalline Polymers, 395
Billingham, N. C.
—; Calvert, P. D.; Manke, A. S.: Solubility of Phenolic Antioxidants in Polyolefins, 3543
Biswas, M.
—; Mishra, G. C.: Cation Exchange Resin from Sulfonated *N*-Vinylcarbazole and Divinylbenzene Copolymer, 1719
Bittencourt, E.
—; Stannett, V.; Williams, J. L.; Hopfenberg, H. B.: Novel Ion-Containing Reverse Osmosis Membranes I. Preparation and Selected Properties, 879
—; Stannett, V.; Hopfenberg, H. B.; Williams, J. L.: Novel Ion-Containing Reverse Osmosis Membranes. II. Reverse Osmosis Properties, 2897
Bleha, M. See Horak, D., 411
Bogoczek, R.
—; Surowiec, J.: Synthesis of Phosphorous-Containing Wofatit Cation Exchangers and Their Affinity Toward Selected Cations, 4161
Bolotnikova, L. S. See Lipatov, Yu. S., 499
Bone, T. See Vijayendran, B. R., 1351
Bonner, D. C. See Dangayach, K. C. B., 559
Borsus, J. M.
—; Jerome, R.; Teyssie, Ph.: Catalysis of the Reaction between Isocyanates and Protonic Substrates. I. Metal Salt–Amine Complexes as Catalysts in the Polyurea Foaming Process, 3027
Bose, P. J. See Venkatesh, G. M., 223
Boussias, C. M.
—; Peters, R. H.; Still, R. H.: Copolyester Studies. VII. The Dyeing Behavior of Undrawn Fibers Derived from Tetramethylene Terephthalate: Poly(tetramethylene Oxide) Random Block Copolymers, 4125
Bowden, M. J.
Contrast Enhancement in Multicomponent Polymer Systems (Note), 1421
Bowmer, T. N.
—; Davis, D. D.; Kwei, T. K.; Vroom, W. I.: Radiation Crosslinking of Poly(vinyl Chloride) with Trimethylolpropane Trimethacrylate. I. Dose Dependence and the Effects of Thermal Treatment, 3669
Boyer, R. F. See Keinath, S. E., 2077
Bradfield, D. Z. See Schabron, J. F., 2479
Brauman, S. K.
Char Formation in Polyvinyl Chloride. III. Mechanistic Aspects of Isothermal Degradation of PVC Containing Some Dehydrochlorination/Charring Agents, 353
Briano, M. See Beati, E., 2185
Brinckman, F. E. See Parks, E. J., 2967
Brittain, J. O. See Hong, J., 2459, 2471
Brodman, B. W.
—; Lampner, N.; Devine, M. P.: Hydrogen Bonding of 2,4-Dinitrotoluene to Unesterified Hydroxyl Groups in Nitrocellulose (Note), 1739
—; Devine, M. P.: Microbial Attack of Nitrocellulose, 997
Broer, D. J.
—; Luijks, W.: Penetration of *p*-xylylene Vapor into Small Channels Prior to Polymerization, 2415
Broutman, L. J. See Diamant, Y., 3015; Marom, G., 1493
Brown, W. See Nystrom, B., 3385
—; Johnsen, R. M.: Transport from an Aqueous Phase through Cellulosic Gels and Membranes, 4135
Bryant, L. A. See Spiewak, J. W., 4331
Buckley, C. P.
—; Habibullah, M.: Physical Aging of Drawn Polypropylene Fibers, 2613
Burns, C. M. See Narasimhan, V., 1295

Calgari, S. See Bellobono, I. R., 619
Callihan, C. D. See Verma, S., 1105
Calvert, P. D. See Billingham, N. C., 3543
Camargo, R. E. See Castro, J. M., 2067
Campos-Lopez, E. See Angulo-Sanchez, J. L., 1511
Carlson, B. A. See Hogsed, M. J., 1257
Carlsson, D. J. See Colin, G., 509
Carniti, P. See Focher, B., 1989
Carra, S.
—; Morbidelli, M.; Santacesaria, E.; Niederjaufner, G.: Polymer Purification Through Solvent Addition: Physical Implications and Modeling of Separation Units, 1497
Carroll, R. J. See Jordan, E. F., Jr., 61
Cassidy, P. E.
—; Fawcett, N. C.; Thomas, R. W.: Reinvestigation of Parabanic Acid–Formaldehyde Polymerization, 3819
Castelli, V. J. See Parks, E. J., 2967
Castro, J. M.
—; Lopez-Serrano, F.; Camargo, R. E.; Macosko, C. W.; Tirrell, M.: Onset of Phase Separation in Segmented Urethane Polymerization, 2067
Cattaneo, M. See Focher, B., 1989
Cerrella, E. G.
—; Massaldi, H. A.: Water Transport Mechanisms through Asymmetric Membranes, 1243
Chaklos, J. T. See Balko, E. N., 1519
Chakraborty, S. K.
—; Bhowmick, A. K.; De, S. K.: Structure-Property Relations of Carboxylated Nitrile Rubber, 4011
Chan, R. W.-C.
—; Krieger, B. B.: Kinetics of Dielectric-Loss Microwave Degradation of Polymers: Lignin, 1533
Chance, L .H.
Some Theoretical Aspects of Bromine-Containing Triazine Flame Retardants, 2959
Chanda, M. See Rao, R. M. V. G. K., 4069
Chandra, R.
Thermal and Photo-Oxidative Degradation of Poly-1-butene Film in the Presence of Zinc Thiopicoline Anilide, 2509
Chang, E-P. See Chao, L-C., 603
Chang, H. See Jingsheng, B., 1211
Chang, W. V.
Enhancement of Adhesive Joint Strength by Surface Texturing, 1759
Chao, L-C.
—; Chang, E-P.: Interaction of Anhydrous Ferric Chloride with Nylon 6, 603
Chasalow, F. I. See Pitt, C. G., 3779
Chee, K. K.
Effects of Polydispersity on Critical Concentration of Polymer Solutions, 4299
Chen, C-Y. See Kuo, J-F., 1117
Chen, F. C. See Choy, C. L., 2325
Chen, T. C.
—; Spencer, H. G.: Transient Sorption in Multilaminate Slabs: Calculation of Diffusant Concentrations and Mass Fractions in Model Systems (Note), 2797
Cheng, A. T. Y.
—; Rodriguez, F.: Mechanical Properties of Borate Crosslinked Poly(vinyl Alcohol) Gels, 3895
Chiu, W-Y. See Lin, C-C., 1327

Chonde, Y.
—; Krieger, I. M.: Emulsion Polymerization of Styrene with Ionic Comonomer in the Presence of Methanol, 1819
Choy, C. L.
—; Ong, E. L.; Chen, F. C.: Thermal Diffusivity and Conductivity of Crystalline Polymers, 2325
Chu, C. C.
Hydrolytic Degradation of Polyglycolic Acid: Tensile Strength and Crystallinity Study, 1727
Chung, W. H.
Polymer Gamma Dosimeter, 2181
Ciferri, A. See Valenti, B., 3643
Clark, D. T. See Peeling, J., 3761
Clark, E. See Uraneck, C. A., 107
Cochoy, R. E. See Shaffer, A. A., 3965
Cohen, C. See Ware, R. A., 2975
Cohen, M. D. See Mathiowitz, E., 809
Colin, G.
—; Cooney, J. D.; Carlsson, D. J.; Wiles, D. M.: Deterioration of Plastic Films under Soil Burial Conditions, 509
Cooney, J. D. See Colin, G., 509
Cooper, G. K.
—; Sandberg, K. R.; Hinck, J. F.: Trimethylsilyl Cellulose as Precursor to Regenerated Cellulose Fiber, 3827
Cooper, S. L. See Wang, C. B., 2989
Cottart, J-J.
—; Loucheux, C.; Lablache-Combier, A.: Photochemistry of Polymeric Systems. IV. Photocrosslinking of Copolymers Including Pyridinium Dicyanomethylide Groups, 1233
Csillag, L. See Antal, I., 2783

Dangayach, K. C. B.
—; Karim, K. A.; Bonner, D. C.: Interactions of Organic Solvents with Aromatic Heterocyclic Polymers. I. *m*-Phenylene Polybenzimidazole, 559
Danielewicz, M.
—; Kubin, M.: High-Performance Column Adsorption Chromatography of Random Copolymers Styrene–Acrylics, 951
Danilatos, G. D.
—; Postle, R.: Dynamic Mechanical Properties of Keratin Fibers during Water Absorption and Desorption, 193
Das, D. P. See Samal, R. K., 41, 2221
Das, S. See Maiti, S., 957
Dash, P. C. See Samal, R. K., 2221
Davidson, R. G. See Pearce, P. J., 2363
Davis, D. D. See Bowmer, T. N., 3669
—; Taylor, G. N.; Kwei, T. K.: Compatibility in a Blend of Poly(2,3-Dichloro-1-Propyl Acrylate) and Poly(glycidyl Methacrylate–*co*–Ethyl Acrylate), 2001
Davis, M. J. See Barker, P., 521
Day, D. R.
—; Lando, J. B.: Conduction in Polydiacetylene Bilayers, 1605
Day, M. See Bednas, M. E., 277
—; Suprunchuk, T.; Wiles, D. M.: Combustion and Pyrolysis of Poly(ethylene Terephthalate). II. A Study of the Gas-Phase Inhibition Reactions of Flame Retardant Systems, 3085
De, S. K. See Bhowmick, A. K., 529; Chakraborty, S. K., 4011
Dealy, J. M.
—; Tsang, Wm. K.-W.: Structural Time Dependency in the Rheological Behavior of Molten Polymers, 1149
Dellinger, J. A.
—; Roberts, C. W.: Synthesis, Photodegradation, and Energy Transfer in a Series of Poly(ethylene Terephthalate–*co*–4,4′-Biphenyldicarboxylate) Copolymers, 321
Demetrescu, I. See Tomescu, M., 4103
Dessouki, A. M. See Hegazy, E-S. A., 3871
Devine, M. P. See Brodman, B. W., 997, 1739
Diamant, Y.
—; Marom, G.; Broutman, L. J.: Effect of Network Structure on Moisture Absorption of Epoxy Resins, 3015
Dickson, J. M. See Huang, R. Y. M., 1135, 1907
Dogra, R. See Misra, B. N., 3789
Dohi, H. See Matsuda, H., 1931
Donnet, J. B. See Berrod, G., 833, 1015
Dror, M.
—; Elsabee, M. Z.; Berry, G. C.: Gradient Interpenetrating Polymer Networks. I. Poly(ether Urethane) and Polyacrylamide IPN, 1741
Duda, J. L. See Ju, S. T., 3735
Duffy, J. V. See Warfield, R. W., 1437
Dunn, D. A. See Hagnauer, G. L., 1837
Durst, F.
—; Haas, R.; Kaczmar, B. U.: Flows of Dilute Hydrolyzed Polyacrylamide Solutions in Porous Media under Various Solvent Conditions, 3125
Dwight, D. W. See Kotzev, D. L., 1941

Ebisawa, F. See Sato, Y., 2053
El-Aref, A. T. See Hebeish, A., 2713
Eldin, S. H.
—; Stockinger, F.; Lohse, F.; Rihs, G.: New Epoxy Resin/Hardener System with Variable Processing and End Properties, 3609
—; Tlach, H.: Water-Soluble Hydantoin Epoxide/Polyamine System as a Wet-Strength Additive for Paper (Note), 1431
El-Kashouti, M. A. See Hebeish, A., 171, 3995
El-Kharadly, E. A. See Hebeish, A., 2713
El-Rafie, M. H. See Khalil, M. I., 149
El-Rafie, M. M. See Hebeish, A., 3995
Elsabee, M. Z. See Dror, M., 1741
El-Shahed, M. F.
—; Shalaby, S. E.; Hebeish, A.: Improving Antistatic Properties of Poly(methylvinylpyridine)–Poly(ethylene Terephthalate) Graft Copolymers Via Alkylation, 1129
El-Sheltawi, Sh. T. See Badran, B. M., 941
El-Sisi, F. See Hebeish, A., 3995
El-Thalouth, I. A. See Hebeish, A., 171
Emmons, H. W.
Spontaneous Ignition of Styrene-Butadiene Rubber, 2447
Endo, R. See Nakamura, K., 2657
Enssani, E. See Martin, G. C., 1465
Epstein, M. M. See Bigg, D. M., 395; Lustiger, A., 1049
Erilli, R. See Niezette, J., 1073

Falcone, D. R. See Bair, H. E., 1777
Falender, J. R. See Andrady, A. L., 1829
Fan, L. T. See Nassar, R., 3745
Fane, A. G. See Waters, A. G., 3007
Farris, R. J. See Allen, S. R., 291
Fawcett, N. C. See Cassidy, P. E., 3819
Feairheller, S. H. See Jordan, E. F., Jr., 61, 463
Felder, R. M. See Koros, W. J., 2805
Feldman, D.
Natural and Accelerated Weathering of Some Polyblends, 3493
Fellers, J. F. See Bheda, J., 3955; Matsumoto, K., 85; Shimamura, K., 2165
Felty, D. C.
—; Murayama, T.: Dynamic Mechanical Analysis and Image Analysis Characterization of Crimped Yarns, 987
Filippov, A. G. See Allen, S. R., 291
Fiorentino, R. J. See Bigg, D. M., 395
Fischer, E. See Mathiowitz, E., 809
Focher, B.
—; Marzetti, A.; Cattaneo, M.; Beltrame, P. L.; Carniti, P.: Effects of Structural Features of Cotton Cellulose on Enzymatic Hydrolysis, 1989
Fornes, R. E.
—; Memory, J. D.; Naranong, N.: Effect of 1.33 MeVγ Radiation and 0.5 MeV Electrons on the Mechanical Properties of Graphite Fiber Composites, 2061
Foti, S. See Ballistreri, A., 2781
Franey, J. P. See Graedel, T. E., 3933
Frederick, J. E. See Kaneko, S., 4175

Frenkel, R. A. See Lenk, R. S., 2801
—; Lenk, R. S.: Flow Through Regular Polygonal Channels (Note), 3939
Fujiki, T. See Rokudai, M., 1343
Fujimura, H. See Ogata, N., 4149
Fujiwara, Y. See Minoura, N., 1301, 2117
—; Zeronian, S. H.: Thermal Properties of Photo-Oxidized Nylon 6 Fibers, 3729
Fukuda, A. See Sumita, O., 1659
Fukuzaki, H. See Ishigaki, I., 1585
Fuzes, L. See Antal, I., 2783

Gajria, C. See Vijayendran, B. R., 1351
Galeski, A. See Kalinski, R., 4047
Gallucci, R. R.
Preparation and Reactions of Carbamate-Modified Polyethylene, 249
Garcia-Ochoa, F. See Jodra, L. G., 3271
Gardlund, Z. G. See Laverty, J. J., 3657
Gdoutos, E. E.
Crack-Tip Plastic Zones in Glassy Polymers under Small-Scale Yielding, 1919
Geetha, C. K. See Varma, S. K., 571
Gelman, R. A.
—; Barth, H. G.: Atypical Viscosity Behavior of Dilute Solutions of Xanthan Gum (Note), 2099
Geurts, R. See Niezette, J., 1073
Ghanem, N. A.
—; Messiha, N. N.; Ikladious, N. E.; Shaaban, A. F.: Organotin Polymers. IV. Binary and Ternary Copolymerizations of Tributyltin Acrylate and Methacrylate with Styrene, Allyl Methacrylate, Butyl Methacrylate, Butyl Acrylate, and Acrylonitrile, 97
Ghatge, N. D.
—; Murthy, R. A. N.: Rubbery Products From Castor Oil Tris(thioglycolate)—A New Polythiol, 201
Gill, K. D. See Misra, B. N., 3789
Gillberg, G.
—; Kemp, D.: Surface Characterization of Polyester Fibers, 2023
Gillham, J. K. See Manzione, L. T., 889, 907
Giordani, P. See Valenti, B., 3643
Godfrey, A. A. See Barker, P., 521
Goh, S. H. See Barnum, R. S., 3917
Goldsmid, J. M. See Howes, V. R., 3623
Gomza, Yu. P. See Lipatov, Yu. S., 2763
Gorbatenko, A. N. See Lipatov, Yu. S., 499
Goring, D. A. I. See Revol, J.-F., 1275
Goto, Y. See Nakano, S., 4217
Graedel, T. E.
—; Franey, J. P.: Covercoat Retardation of Permeation through Sheet Molding Compound, 3933
Graham, S. G. See Warwicker, J. O., 3045
Green, P. N. See Barker, P., 521
Gregonis, D. E. See Sung, Y. K., 3719
Gryte, C. C. See Hollander, A. F., 2123
Gunesin, B. Z.
—; Piirma, I.: Block Copolymers Obtained by Free Radical Mechanism. II. Butyl Acrylate and Methyl Methacrylate, 3103
Gupta, A. K.
—; Singhal, R. P.; Agarwal, V. K.: Effect of Heat Treatment on Dielectric Relaxation of Polyacrylonitrile: Reversible Thermally Induced Structural Change, 3599
Gupta, S. K.
—; Naik, C. D.; Tandon, P.; Kumar, A.: Simulation of Molecular Weight Distribution and Cyclic Oligomer Formation in the Polymerization of Nylon 6, 2153
Gupta, V. B.
—; Kumar, S.: Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. I. Structural Changes, 1865
—; Kumar, S.: Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. II. The Elastic Modulus and Its Dependence on Structure, 1877
—; Kumar, S.: Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. III. Anelastic Properties and Their Dependence on Structure, 1885
—; Kumar, S.: Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. IV. Tensile Properties Other Than Modulus and Their Dependence on Structure, 1897
Guthrie, J. T. See Barker, P., 521

Haas, R. See Durst, F., 3125
Habibullah, M. See Buckley, C. P., 2613
Haga, T.
Case II Swelling of Poly(ethylene Terephthalate) in Organic Solvents, 2649
Hagnauer, G. L.
—; Dunn, D. A.: Dicyandiamide Analysis and Solubility in Epoxy Resins, 1837
Hajek, K. See Kastanek, A., 4117
Hancock, T. A. See White, J. L., 3157
Hannigan, M. V. See Jordan, E. F., Jr., 61
Hansen, C. M.
Diffusion Coefficient Measurements by Solvent Absorption in Concentrated Polymer Solution, 3311
Harada, K.
Dry Etching Durability of Positive Electron Resists, 3395
Plasma Etching Durability of Poly(methyl Methacrylate), 1961
Plasma Polymerized Protective Film for Plated Magnetic Disks, 3707
Harada, M. See Nomura, M., 17
Hargest, S. C. See Michel, J., 743
Haruvy, Y.
—; Rajbenbach, A. L.: Nylon 6 Water-Permeable Membranes Prepared by Electron Beam Radiation-Induced Graft Copolymerization, 3065
Hashimoto, M. See Kunugi, T., 213, 1951
Hattori, S. See Nakanishi, F., 3505
Hawthorne, J. M.
Stress Relaxation Behavior of Biaxially Oriented Poly(ethylene Terephthalate), 3317
Hayashi, O. See Takahama, T., 2211
Healy, E. M.
—; Ramsley, A. O.; Herz, M. L.: Rate Characteristics for the Reaction of Carboxyl-Modified Polyamide with Potassium Hydroxide, 3305
Hebeish, A. See El-Shahed, M. F., 1129; Khalil, M. I., 149
—; El-Thalouth, I. A.; El-Kashouti, M. A.: Chemical Modification of Starch. II. Cyanoethylation, 171
—; El-Rafie, M. M.; El-Kashouti, M. A.; El-Sisi, F.: Graft Copolymerization of Vinyl Monomers on Modified Cottons. XVIII. Grafting of Methyl Methacrylate and Acrylonitrile on Cotton Treated with *N*-Methylol Crosslinking Agents using Tetravalent Cerium as Initiator, 3995
—; Shalaby, S. E.; Bayazeed, A. M.: Graft Polymerization of Methyl Methacrylate on Poly(ethylene Terephthalate) Fibers Using H_2O_2 as Initiator, 3253
—; Shalaby, S. E.; Bayazeed, A. M.: H_2O_2-Induced Graft Polymerization of Acrylic Acid on Poly(ethylene Terephthalate) Fibers, 3245
—; Abou-Zeid, N. Y.; El-Kharadly, E. A.; El-Aref, A. T.; Allam, E.; Shalaby, S.: Mechanisms of Degradation of Cotton and Effects of Mercerization-Stretching upon the Course of These Mechanisms. V. Weathering, 2713
Hegazy, E-S. A.
—; Ishigaki, I.; Okamoto, J.: Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. I. Kinetic Study of Preirradiation Grafting onto Poly(tetrafluoroethylene), 3117
—; Seguchi, T.; Arakawa, K.; Machi, S.: Radiation-Induced Oxidative Degradation of Isotactic Polypropylene, 1361
—; Seguchi, T.; Machi, S.: Radiation-Induced Oxidative Degradation of Poly(vinyl Chloride), 2947

—; Ishigaki, I.; Rabie, A.; Dessouki, A. M.; Okamoto, J.: Study on Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. II. Properties of Membrane Obtained by Preirradiation Grafting onto Poly(tetrafluoroethylene), 3871
Heimbuch, A. H. See Hsu, M.-T. S., 1975
Hellman, M. Y. See Bair, H. E., 1777
Hellmuth, E. W. See Sharma, A. K., 2197, 2205
Herz, M. L. See Healy, E. M., 3305
Hett, E. M. See Bell, V. L., 3805
Heuvel, H. M.
—; Huisman, R.: Effects of Winding Speed, Drawing and Heating on the Crystalline Structure of Nylon 6 Yarns, 713
Hibionada, Y. M. See Pitt, C. G., 3779
Higashide, F. See Nozawa, Y., 2103
Hinck, J. F. See Cooper, G. K., 3827
Hiratani, K.
—; Onishi, Y.; Nakagawa, T.: Reaction with Metal Ions of Chloromethylated Polystyrene Resin Containing Dithiocarbamate Group, 1475
Hirose, S.
—; Yasukawa, E.; Nose, T.: Wet Poly(vinyl Chloride) Membrane, 1039
Hivert, M. See Messadi, D., 667
Ho, K. See Bednas, M. E., 277
Hoff, A.
—; Jacobsson, S.: Thermo-Oxidative Degradation of Low-Density Polyethylene Close to Industrial Processing Conditions, 3409
Hoff, R. E.
—; Pullukat, T. J.; Shida, M.: Chromic Titanate Catalysts for High-Melt-Index Polyethylene by the Particle-Form Process, 2927
Hogsed, M. J.
—; Carlson, B. A.; Maerov, S. B.: Polyester Chain Scission by Selective Chemical Site Attack, 1257
Hollander, A. F.
—; Somasundaran, P.; Gryte, C. C.: Adsorption Characteristics of Polyacrylamide and Sulfonate-Containing Polyacrylamide Copolymers on Sodium Kaolinite, 2123
Hong, J.
—; Brittain, J. O.: Correlation between the Mechanical Behavior and Relaxation Processes in the Plastically Deformed Polycarbonate, 2471
—; Brittain, J. O.: Thermally Stimulated Depolarization Current Studies on Strain-Induced Relaxations in Polymers, 2459
Hope, P. S.
—; Richardson, A.; Ward, I. M.: Manufacture of Ultrahigh-Modulus Poly(oxymethylenes) by Die Drawing, 2879
Hopfenberg, H. B. See Bittencourt, E., 879, 2897
Horak, D.
—; Pelzbauer, Z.; Bleha, M.; Ilavsky, M.; Svec, F.; Kalal, J.: Reactive Polymers. XXXII. Effect of Composition of Polymerization Feed on Morphology and Some Physical Properties of Macroporous Suspension Copolymers Glycidyl Methacrylate–Ethylene Dimethacrylate, 411
—; Pelzbauer, Z.; Svec, F.; Kalal, J.: Reactive Polymers. XXXIII. The Influence of the Suspension Stabilizer on the Morphology of a Suspension Polymer, 3205
Horn, W. See Sugama, T., 1453
Hoshino, H. See Kawaguchi, H., 2015
Hoshino, M. See Sato, Y., 2053
Hourston, D. J.
—; Hughes, I. D.: Binary and Ternary Blends of Poly(vinyl Chloride), Hytrel, and a Polyurethane, 3467
—; Hughes, I. D.: Polymeric Systems for Acoustic Damping. III. Blends of Poly(vinyl Chloride), Segmented Poly(ether Ester), and Poly(methyl Acrylate), 3487
Howard, G. J.
—; Midgley, C. A.: Formation and Structure of Suspension-Polymerized Styrene–Divinylbenzene Copolymers, 3845
—; Shanks, R. A.: Influence of Filler Particles and Polymer Structure on the Mobility of Polymer Molecules, 3099
Howes, V. R.
—; Goldsmid, J. M.; Silk, R. K.; Were, A. V.: Impact Testing of a Thermosetting Polymer (Allyl Diglyol Carbonate—CR39), 3623
Hsu, C. C. See Lee, D-H., 653
Hsu, M.-T. S.
—; Rosenberg, M. L.; Parker, J. A.; Heimbuch, A. H.: Characterization of Cured Polystyrylpyridine by Model Compounds, 1975
Hsu, S. L. See Venkatesh, G. M., 223
Huang, R. Y. M. See MacDonald, R. W., 2239; Narasimhan, V., 1295; Shantora, V., 3223
—; Kim, U. Y.; Dickson, J. M.; Lloyd, D. R.; Peng, C. Y.: Investigations on Nylon 4 Membranes. Synthesis and Transport Properties. I. Synthesis of Nylon 4 Polymer, 1135
—; Kim, U. Y.; Dickson, J. M.; Lloyd, D. R.; Peng, C. Y.: Investigations on Nylon 4 Membranes: Synthesis and Transport Properties. II. Transport Properties of Nylon 4 Polymer Membranes, 1907
Huff, T. See Stehling, F. C., 2693
Hughes, I. D. See Hourston, D. J., 3467, 3487
Huisman, R. See Heuvel, H. M., 713
Huynh-Ba-Gia
—; Jerome, R.; Teyssie, P.: Star-Shaped Block Copolymers. IV. Emulsifying Activity in the Water–Oil Emulsions, 343

Igarashi, T. See Kondo, S., 2337
Iijima, T. See Tak, T-M., 3325
Ikemura, T. See Sawaguchi, T., 1267
Ikladious, N. E. See Ghanem, N. A., 97
Ilavsky, M. See Horak, D., 411
Inagaki, N.
—; Yasuda, H.: Adhesion of Glow Discharge Polymers to Metals and Polymers, 3333
—; Yasuda, H.: Distribution of Polymer Deposition in Glow Discharge Polymerization in a Capacitively Coupled System, 3425
—; Yasuda, H.: Initial and Terminating Stage of Glow Discharge Polymerization Investigated by Thickness Monitor, 3557
Ingamells, W.
—; Lilou, S. H.; Peters, R. H.: The Accessibility of Sulphonic Acid Groups in Basic Dyeable Polyester Fibers. I. The Prevention of Fiber Hydrolysis during Dyeing, 4087
—; Lilou, S. H.; Peters, R. H.: The Accessibility of Sulphonic Acid Groups in Basic Dyeable Polyester Fibers. II. The Influence of Plasticization on the Ion Exchange Process, 4095
Ishida, S.
Polymerization of Formaldehyde and the Physical Properties of the Polymerization Products. I, 2743
Ishigaki, I. See Hegazy, E-S. A., 3117, 3871
—; Fukuzaki, H.; Okada, T.; Okada, T.; Okamoto, J.; Machi, S.: Synthesis of Cationic Flocculant by Radiation-Induced Copolymerization of Methyl Chloride Salt of *N,N*-Dimethylaminoethyl Methacrylate with Acrylamide in Aqueous Solution. II. Copolymerization at Higher Monomer Concentration, 1585
—; Okada, T.; Sasuga, T.; Takehisa, M.; Machi, S.: Synthesis of High-Molecular Weight Polymer of Methyl Chloride Salt of *N,N*-Dimethylaminoethyl Methacrylate by Radiation-Induced Polymerization at High Pressure (Note), 741
Ito, K.
—; Kodaira, K.; Onishi, Y.: Copolymerization of 2-Methoxy-4-Vinylphenol with Fluorinated Acrylic Monomers: Water-Repellent Properties of Copolymer, 423
Ito, M. See Watanabe, H., 3455
Iwatsu, T. See Mizutani, K., 3447

Jacobsson, S. See Hoff, A., 3409
Jameel, H.
—; Waldman, J.; Rebenfeld, L.: Effects of Orientation and Crystallinity on the Solvent-Induced Crystallization of Poly(ethylene Terephthalate). I. Sorption- and Diffusion-Related Phenomena, 1795

James, C. See Abbott, T. P., 207
Jankowska, M. See Strumik, M. I., 3537
Jansson, J. F. See Stenberg, B., 3773
Jayaraman, K. S. See Rao, K. P., 3343
Jerome, R. See Borsus, J. M., 3027; Huynh-Ba-Gia, 343
Jimenez-Valdez, L. L. See Angulo-Sanchez, J. L., 1511
Jingsheng, B.
—; Anji, Y.; Shengqing, Z.; Shufan, Z.; Chang, H.: Studies on the Semirigid Chain Polyamide—Poly(1,4-Phenyleneterephthalamide), 1211
Jodra, L. G.
—; Romero, A.; Garcia-Ochoa, F.; Aracil, J.: Analysis of the Impurities in Industrial ϵ-Caprolactam. Hypothesis of Formation, 3271
John, M. S. See Sung, Y. K., 3719
Johnsen, R. M. See Brown, W., 4135
Johnson, D. C. See Yan, J. F., 1623
Johnson, G. E. See Bair, H. E., 1777
Jordan, E. F., Jr.
—; Carroll, R. J.; Hannigan, M. V.; Artymyshyn, B.; Feairheller, S. H.: Polymer–Leather Composites. III. Morphology and Water Absorptivities of Selected Acrylic Polymer–Leather Composite Materials, 61
—; Artymyshyn, B.; Feairheller, S. H.: Polymer–Leather Composites. IV. Mechanical Properties of Selected Acrylic Polymer–Leather Composites, 463
Joseph, E.
—; Wilkes, G.; Park, K.: Structure-Property Relationships of an Electron Beam Cured Model Urethane Prepolymer, 3355
Joseph, K. T. See Rao, K. P., 3343
Joshi, M. G.
Dependence of Initial Rate on Initial Initiator Concentration in Photoinitiated Polymerizations (Note), 3945
Ju, S. T.
—; Liu, H. T.; Duda, J. L.; Vrentas, J. S.: Solvent Diffusion in Amorphous Polymers, 3735

Kaczmar, B. U. See Durst, F., 3125
Kaetsu, I. See Yoshida, M., 687
Kagiyama, Y. See Mizutani, Y., 271
Kajiyama, T. See Takahara, A., 1085
Kalal, J. See Horak, D., 411, 3205
Kaleem, K.
—; Reddy, C. R.; Rajadurai, S.: Grafting of Acrylate Monomers onto Chlorinated Rubber, 2305
Kalfoglou, N, K.
Property–Composition Dependence of Polyurethane–Poly(vinyl Chloride) Polyblends, 823
Kalinski, R.
—; Galeski, A.; Kryszewski, M.: Low-Density Polyethylene Filled with Chalk and Liquid Modifier, 4047
Kalpagam, V. See Kumar, G. S., 3623
Kambour, R. P.
Flammability Resistance Synergism in BPA Polycarbonate–Silicone BPA 2 Flammability Resistance Synergism in BPA Polycarbonate–Silicone Block Polymers, 861
—; Klopfer, H. J.; Smith, S. A.: Limiting Oxygen Indices of Silicone Block Polymers, 847
Kamezawa, M. See Yamada, K., 49
Kaneko, N. See Ohtsuka, Y., 2423
Kaneko, S.
—; Frederick, J. E.; Mcintyre, D.: Void Formation in a Filled SBR Rubber Determined by Small-Angle X-Ray Scattering, 4175
Kanniappan, E. P. See Rao, K. P., 3343
Karim, K. A. See Dangayach, K. C. B., 559
Kaspar, K. See Snuparek, J., Jr., 4081
Kastanek, A.
—; Zelenka, J.; Hajek, K.: Molecular Weight Distribution of an Unsaturated Polyester, 4117
Kataoka, K. See Ogata, N., 2293, 4207
Kato, M. See Nakanishi, F., 3505
Kato, T.
—; Yanagihara, N.: Multiple Molecular Relaxations of Hot-Drawn and Quenched Polymers above Their Glass Transition Temperatures, 2139
Katuscak, S.
—; Tomas, M.; Schiessl, O.: Kinetics of Polycondensation of Urea with Formaldehyde. Molecular Weight Distribution, Average Molecular Weight, and Polydispersity Parameters, 381
Katz, M. G.
—; Wydeven, T., Jr.: Selective Permeability of PVA Membranes. I. Radiation-Crosslinked Membranes, 2935
Kawabata, N.
—; Okuyama, B.; Yamashita, S.: Reclamation of Vulcanized Rubber by Chemical Degradation. XV. Degradation of Vulcanized Synthetic Isoprene by the Phenylhydrazine–Iron (II) Chloride System (Note), 1417
Kawaguchi, H. See Ohtsuka, Y., 1637
—; Sugi, Y.; Ohtsuka, Y.: Copolymerization of Styrene With Acrylamide Derivatives in an Emulsifier-Free Aqueous Medium, 1649
—; Hoshino, H.; Ohtsuka, Y.: Preparation of Amphoteric Latex by Modification of Styrene–Acrylamide Copolymer Latex, 2015
Keinath, S. E.
—; Boyer, R. F.: Thermomechanical Analysis of T_g and T T_g Transitions in Polystyrene, 2077
Kelleher, P. G. See Bair, H. E., 1777
Kemp, D. See Gillberg, G., 2023
Khalil, M. I.
—; El-Rafie, M. H.; Hebeish, A.: Pentavalent Vanadium Ion-Induced Grafting of Methyl Methacrylate onto Cotton Cellulose, 149
Khan, A. H. See Venkatesh, G. M., 223
Khandelwal, B. L. See Varma, S. K., 571
Kilzer, L. See Bell, V. L., 3805
Kim, U. Y. See Huang, R. Y. M., 1135, 1907
Kimtiene, D. See Salkauskas, M., 2097
Kiparissides, C. See Lynch, D., 1283
Kirtiwar, M. S. See Roy-Chowdhury, P., 543
Kiss, G.
—; Kovacs, A. J.; Wittmann, J. C.: *In Situ* Polymerization in Binary Polymer/Monomer Mixtures: A Novel Route to Polymeric Composites, 2665
—; Kiss, K.; Kovacs, A. J.; Wittmann, J. C.: Morphological Effects on the Bulk Polymerization of Trioxane in the Solid State by γ-Radiation, 2485
Kiss, K. See Kiss, G., 2485
Kitamura, E. See Ogata, N., 4207
Klein, A. J.
—; Yu, H.; Yen, W. M.: Inhibition of Photoinitiated Degradation of Polycarbonate by Cerium(III) Overcoating, 2381
Klimas, D. M. See Pitt, C. G., 3779
Klopfer, H. J. See Kambour, R. P., 847
Knutsson, B. A.
—; White, J. L.; Abbas, K. B.: Rheological and Extrusion Characteristics of Glass Fiber-Reinforced Polycarbonate, 2347
Kobayashi, A.
—; Munemura, M.; Ohtani, N.: Local Disturbances Preceding a Running Crack Front in a Viscoelastic Solid, 2147
Kobayashi, Y. See Yokouchi, M., 431, 3435, 4307
Kodaira, K. See Ito, K., 423
Kok, C. M.
—; Rudin, A.: Prediction of Osmotic Pressures of Polymer Solutions, 3575
—; Rudin, A.: Prediction of Second Virial Coefficients from Intrinsic Viscosities, 3583
Kokufuta, E.
—; Watanabe, N.; Nakamura, I.: On the Function of the Polyion Complex of Methemoglobin and Polyelectrolytes as Cyanide Ion Exchanger, 2601
Kolawole, E. G.
—; Scott, G.: Stabilization of ABS with Bound Synergistic Stabilizers Added as Masterbatches, 2581
Komiyama, J. See Tak, T-M., 3325
Kondo, S.
—; Igarashi, T.; Nakamura, T.: Rayleigh–Brillouin Scattering from Reacting Epoxy Resins: Comparison with Torsional Braid Analysis, 2337

Konishi, T. See Kurokawa, M., 1613
Koros, W. J.
—; Smith, G. N.; Stannett, V.: High-Pressure Sorption of Carbon Dioxide in Solvent-Cast Poly(methyl Methacrylate) and Poly(ethyl Methacrylate) Films, 159
—; Wang, J.; Felder, R. M.: Oxygen Permeation Through FEP Teflon and Kapton Polyimide (Note), 2805
Kosiyanon, R.
—; McGregor, R.: Free Volume Theory of Diffusion: Method of Predicting Activation Energies of Diffusion for Gases in Elastomers, 629
Kotzev, D. L.
—; Ward, T. C.; Dwight, D. W.: Assessment of the Adhesive Bond Properties of Allyl 2-Cyanoacrylate, 1941
Kovacs, A. J. See Kiss, G., 2485, 2665
Kozakiewicz, J.
—; Kujawa-Penczek, B.; Penczek, P.; Puton, K.: Factors Affecting Initial Bond Strength in Solvent-Based Contact Adhesives, 3699
Kozlowski, W. See Balcerzyk, E., 2573
Krieger, B. B. See Chan, R. W.-C., 1533
Krieger, I. M. See Chonde, Y., 1819
Kroenke, W. J. See Lattimer, R. P., 1191
Metal Smoke Retarders for Poly(vinyl Chloride), 1167
Krolikowski, W. See Strumik, M. I., 3537
Krustev, V. P. See Stoyanov, A. I., 1813
Kryszewski, M. See Kalinski, R., 4047
Krzystek, H. See Ostrowska, B., 643
Ku, H-C. See Lin, C-C., 1327
Kubin, M. See Danielewicz, M., 951
Kujawa-Penczek, B. See Kozakiewicz, J., 3699
Kukacka, L. E. See Sugama, T., 1453; Yeo, R. S., 1159
Kultys, A. See Podkoscielny, W., 1143
Kumar, A. See Gupta, S. K., 2153
—; Nath, R.: Space Charge Limited Currents in Pure and Iodinated Cellulose Acetate Films, 1787
Kumar, G. S.
—; Kalpagam, V.; Nandi, U. S.; Vasantharajan, V. N.: Biodegradation of Gelatin–*g*-Poly(ethyl Acrylate) Copolymers, 3623
Kumar, S. See Gupta, V. B., 1865, 1877, 1885, 1897
Kunugi, T.
—; Suzuki, A.; Hashimoto, M.: Mechanical Properties and Superstructure of High-Modulus and High-Strength PET Fiber Prepared by Zone Annealing, 1951
—; Suzuki, A.; Hashimoto, M.: Preparation of High-Modulus and High-Strength Poly(ethylene Terephthalate) Fiber by Zone Annealing, 213
Kuo, J-F.
—; Chen, C-Y.: Method of Calculating Copolymerization Reactivity Ratios, 1117
Kurokawa, M.
—; Nohara, N.; Konishi, T.: Morphological Changes in Twisted Nylon Monofilament, 1613
Kuroki, T. See Sawaguchi, T., 1267
Kusukoto, K. See Mizutani, Y., 271
Kuze, E. See Sumita, O., 1659
Kwei, T. K. See Bowmer, T. N., 3669; Davis, D. D., 2001

Lablache-Combier, A. See Cottart, J-J., 1233; Roucoux, C., 1221
Lampner, N. See Brodman, B. W., 1739
Lando, J. B. See Day, D. R., 1605
Lattimer, R. P.
—; Kroenke, W. J.: Functional Role of Molybdenum Trioxide as a Smoke Retarder Additive in Rigid Poly(vinyl Chloride), 1191
Laverty, J. J.
—; Gardlund, Z. G.: Poly(vinyl Chloride)–Polyol $(AB)_x$ Block Copolymers: Synthesis, Characterization, and Mechanical Properties, 3657
Lee, C. H.
Synthetic Membranes Containing Schardinger Cyclodextrin Additives, 489
Lee, D-H.
—; Hsu, C. C.: Polymerization of Butadiene in Toluene with Nickel(II) Stearate–Diethyl Aluminum Chloride Catalyst. II. Kinetic Study, 653
Lenk, R. S. See Argyropoulos, D., 3073; Frenkel, R. A., 3939
Flow in Elliptical Channels (Note), 3171
—; Frenkel, R. A.: Pressure Drop Through Tapered Wide-Slit Dies. A Revised Version (Note), 2801
Lenka, S. See Mishra, M. K., 2593, 2769; Nayak, P. L., 733, 2437; Tripathy, A. K., 1413, 2109
—; Nayak, P. L.; Mishra, M. K.: Grafting Vinyl Monomers onto Cellulose. IV. Graft Copolymerization of Methyl Methacrylate onto Modified Cellulose using Peroxydiphosphate as the Initiator, 3151
—; Nayak, P. L.; Mishra, M.; Tripathy, A. K.: Grafting Vinyl Monomers onto Polyester Fibers. II. Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Fibers Using a Pentavalent Vanadium Ion (Note), 2773
Lenz, R. W. See Siadat, B., 1027
Lepoutre, P. See Alince, B., 799
—; Alince, B.: Dry Sintering of Latex Particles in Pigmented Coatings. I. Influence on Coating Structure and Propertites, 791
Levin, G. See Marian, S., 3295
Lewaszkiewicz, W. See Balcerzyk, E., 2573
Lilou, S. H. See Ingamells, W., 4087, 4095
Lin, C-C.
—; Ku, H-C.; Chiu, W-Y.: Simulation Model for the Emulsion Copolymerization of Acrylonitrile and Styrene in Azeotropic Composition, 1327
—; Wang, Y-F.: Suspension Polymerization of Methyl Methacrylate. I. Modeling of Reaction Kinetics, 3909
Lindsey, C. R.
—; Barlow, J. W.; Paul, D. R.: Blends from Reprocessed Coextruded Products, 9
—; Paul, D. R.; Barlow, J. W.: Mechanical Properties of HDPE–PS–SEBS Blends, 1
Lindstrom, T. See Westman, L., 2519, 2533, 2545, 2561
Lipatov, Yu. S.
—; Shilov, V. V.; Gomza, Yu. P.: Formation and Peculiarities of Heterogeneity in Polyethylene Samples Obtained by Extrusion, 2763
—; Shumsky, V. F.; Gorbatenko, A. N.; Panov, Yu. N.; Bolotnikova, L. S.: Viscoelastic Properties of Polystyrene–Polycarbonate Blends in Melt, 499
Liu, H. T. See Ju, S. T., 3735
Llorente, M. A. See Andrady, A. L., 1829
Lloyd, D. R. See Huang, R. Y. M., 1135, 1907
Lohse, F. See Eldin, S. H., 3609
Lopez-Serrano, F. See Castro, J. M., 2067
Loucheux, C. See Cottart, J-J., 1233; Roucoux, C., 1221
Luijks, W. See Broer, D. J., 2415
Lustiger, A.
—; Markham, R. L.; Epstein, M. M.: Environmental Stress Crack Growth in Medium-Density Polyethylene Pipe (Note), 1049
Lynch, D.
—; Kiparissides, C.: Numerical Simulation of a Tubular Polymerization Reactor, 1283

MacDonald, R. W.
—; Huang, R. Y. M.: Permeation of Gases through Modified Polymer Films. V. Permeation and Diffusion of Helium, Nitrogen, Methane, Ethane, and Propane through γ-Ray Crosslinked Polyethylene, 2239
Machi, S. See Hegazy, E-S. A., 1361, 2947; Ishigaki, I., 741, 1585; Watanabe, H., 2751, 3455
Macosko, C. W. See Castro, J. M., 2067
Maerov, S. B. See Hogsed, M. J., 1257
Maffezzoni, C. See Penati, A., 1059
Mai, Y. W.
Cyclic Fatigue and Thermal Softening of Polypropylene (Note), 3947
Maiti, S.
—; Das, S.: Synthesis and Properties of Polyesterimides and their Isomers, 957

Manke, A. S. See Billingham, N. C., 3543
Manson, J. A. See Swatling, D. K., 591
Manzione, L. T.
—; Gillham, J. K.; McPherson, C. A.: Rubber-Modified Epoxies. II. Morphology and Mechanical Properties, 907
—; Gillham, J. K.; Mcpherson, C. A.: Rubber-Modified Epoxies. I. Transitions and Morphology, 889
Maravigna, P. See Ballistreri, A., 2781
Marian, S.
—; Levin, G.: Modification of Polyvinylchloride in Solution or Suspension by Nucleophilic Substitution, 3295
Mark, J. E. See Andrady, A. L., 1829
Markham, R. L. See Lustiger, A., 1049
Marom, G. See Diamant, Y., 3015
—; Broutman, L. J.: Measuring Diffusion Coefficients by Hygroelasticity, 1493
Marrucci, G. See Valenti, B., 3643
Martin, G. C.
—; Enssani, E.; Shen, M.: Mechanical Behavior of Gradient Polymers, 1465
Marzetti, A. See Focher, B., 1989
Mashelkar, R. A. See Ravindranath, K., 3179
Massaldi, H. A. See Cerrella, E. G., 1243
Mathiowitz, E.
—; Raziel, A.; Cohen, M. D.; Fischer, E.: Photochemical Rupture of Microcapsules: A Model System, 809
Matsuda, H.
—; Dohi, H.: Adhesive Properties of Systems of Partially Neutralized Carboxyl-Terminated Liquid Rubber–Anhydride–Bisepoxide, 1931
Matsumoto, I. See Takigami, S., 4317
Matsumoto, K.
—; Fellers, J. F.; White, J. L.: Uniaxial and Biaxial Orientation Development and Mechanical Properties of Polystyrene Films, 85
Matsumoto, T. See Okubo, M., 1675
Matsuoka, S. See Mizutani, Y., 2113
McCormick, C. L.
—; Park, L. S.: Water-Soluble Copolymers. I. Synthesis of Model Dextran-*g*-Polyacrylamides by $Fe(II)/H_2O_2$ Initiation and Characterization by Aqueous Size Exclusion Chromatography, 1705
McGrath, J. E. See Mohajer, Y., 2827
McGregor, R. See Kosiyanon, R., 629
McHugh, A. J. See Nagy, D. J., 1555, 1567
McIlhenny, R. C. See Verma, S., 1105
Mcintyre, D. See Kaneko, S., 4175
Mcpherson, C. A. See Manzione, L. T., 889, 907
Mehta, I. K. See Misra, B. N., 3789
Memory, J. D. See Fornes, R. E., 2061
Mengoli, G.
—; Munari, M. T.; Bianco, P.; Musiani, M. M.: Anodic Synthesis of Polyaniline Coatings onto Fe Sheets, 4247
Messadi, D.
—; Vergnaud, J-M.; Hivert, M.: A New Approach to the Study of Plasticizer Migration From PVC onto Methanol, 667
—; Vergnaud, J. M.: Simultaneous Diffusion of Benzyl Alcohol into Plasticized Poly(vinyl Chloride) and of Plasticizer from Polymer into Liquid, 2315
Messiha, N. N. See Ghanem, N. A., 97
Michel, J.
—; Hargest, S. C.; Sperling, L. H.: Theoretical Phase Domain Sizes in IPNs and Related Materials (Note), 743
Midgley, C. A. See Howard, G. J., 3845
Millich, F. See Sharma, A. K., 2197, 2205
Minoura, N.
—; Fujiwara, Y.; Nakagawa, T.: Gas Permeability of Copolypeptide Membranes Composed of γ-Methyl L-glutamate and γ-Benzyl L-glutamate, 1301
—; Fujiwara, Y.; Nakagawa, T.: Permeability of Poly-L-leucine and Polyglutamic Acid Ester Membranes to Oxygen Dissolved in Water (Note), 2117
Mishra, G. C. See Biswas, M., 1719
Mishra, M. See Lenka, S., 2773
Mishra, M. K. See Lenka, S., 3151; Nayak, P. L., 733, 2437; Tripathy, A. K., 2109
—; Lenka, S.; Tripathy, A. K.: Graft Copolymerization of Acrylamide onto Nylon 6 Using Quinquevalent Ion, 2593
—; Tripathy, A. K.; Lenka, S.; Nayak, P. L.: Grafting Vinyl Monomers onto Cellulose. V. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using a Hexavalent Chromium Ion (Note), 2769
Misra, B. N.
—; Dogra, R.; Mehta, I. K.; Gill, K. D.: Grafting onto Wool. XI. Graft Copolymerization of Poly(vinyl Acetate) and Poly(methyl Acrylate) onto Reduced Wool in Presence of Potassium Persulfate–Ferrous Ammonium Sulfate (KPS—FAS) System as Redox Initiator, 3789
—; Sood, D. S.; Sharma, R. K.: Grafting onto Wool. XIV. Graft Copolymerization of Vinyl Monomers by Use of $Mn(AcAc)_3$ as an Initiator, 3797
Miyahara, Y. See Vivatpanachart, S., 1485
Mizutani, K.
—; Iwatsu, T.: Influence of External Environments on Fracture Toughness of Epoxy Resin, 3447
Mizutani, Y.
—; Kusukoto, K.; Kagiyama, Y.: Copolymerization of Glycidylmethacrylate–Methylmethacrylate–Divinylbenzene in Cyclohexane, 271
—; Nishimura, M.: Microstructure of Cation Exchange Membranes Prepared by the Paste Method (Erratum), 3175
—; Matsuoka, S.: Preparation of Fine Powdery Copolymer of Styrene–Maleic Anhydride–Divinylbenzene (Note), 2113
Mody, P. C.
—; Wilkes, G. L.; Wagener, K. B.: Structure–Property Relationships of a New Series of Segmented Polyether–Polyester Copolymers, 2853
Mohajer, Y.
—; Wilkes, G. L.; McGrath, J. E.: Influence of Tacticity and Sorbed Water on the Material Properties of Poly(*N,N'*-Dimethylacrylamide), 2827
Moharram, M. A.
—; Sekkina, M. M. A.; Rabie, S. M.: Electrical Conductivity of δ-Irradiated and Chemically Oxidized Wool (Note), 2791
—; Abdel-Rehim, T. Z.; Rabie, S. M.: Infrared Study of the Effect of Heat on Wool, 921
Montaudo, G. See Ballistreri, A., 2781
Morbidelli, M. See Carra, S., 1497
Moretti, E. See Penati, A., 1059
Mori, J. See Yokouchi, M., 3435
Mori, K.
—; Nakamura, Y.: Study on Triazine Thiols. II. Curing Reaction of Unsaturated Polyesters by 6-Dibutylamino-1,3,5-triazine-2,4-dithiol (Note), 4335
Morimoto, M.
Acrylonitrile–Styrene Copolymer Grafted onto Ethylene–Propylene–Diene Terpolymer, 261
Morris, C. E. M. See Pearce, P. J., 2363
Moseley, M. E. See Nystrom, B., 3385
Mullin, C. E. See Parks, E. J., 2967
Munari, M. T. See Mengoli, G., 4247
Munemura, M. See Kobayashi, A., 2147
Murayama, T. See Felty, D. C., 987
Murthy, R. A. N. See Ghatge, N. D., 201
Musiani, M. M. See Mengoli, G., 4247
Myers, G. E.
Investigation of Urea–Formaldehyde Polymer Cure by Infrared, 747

Nagy, D. J.
—; Silebi, C. A.; McHugh, A. J.: Resolution in Column Chromatography of Polymer Latexes. I. The Light Scattering Behavior of Polystyrene and Its Effect on Signal Resolution in HDC, 1555
—; Silebi, C. A.; McHugh, A. J.: Resolution in Column Chromatography of Polymer Latexes. II. A Comparison of Porous and Nonporous Packing Systems, 1567

Naik, C. D. See Gupta, S. K., 2153
Nakagawa, T. See Hiratani, K., 1475; Minoura, N., 1301, 2117
Nakamae, K. See Okubo, M., 1675
Nakamura, I. See Kokufuta, E., 2601
Nakamura, K.
—; Endo, R.: Change in GPC Elution Volume of Polymers by Adsorption onto Porous Glass as Column Packing, 2657
Nakamura, T. See Kondo, S., 2337
Nakamura, Y. See Mori, K., 4335; Takigami, S., 4317
Nakanishi, F.
—; Nakanishi, H.; Kato, M.; Tawata, M.; Hattori, S.: Dry-Process Recording Material by Use of Photosensitized Solid-State Reaction of *m*-Phenylenediacrylic Acid (Note), 3505
Nakanishi, H. See Nakanishi, F., 3505
Nakano, S.
—; Goto, Y.: Development of Automatic Cross Fractionation: Combination of Crystallizability Fractionation and Molecular Weight Fractionation, 4217
Nandi, U. S. See Kumar, G. S., 3623
Naranong, N. See Fornes, R. E., 2061
Narasimhan, V.
—; Huang, R. Y. M.; Burns, C. M.: Effect of Concentration and Second Polymer on Elution Volumes in Gel Permeation Chromatography, 1295
Narebska, A. See Ostrowska, B., 643
Narkis, M. See Rosenzweig, N., 2787
Nassar, R.
—; Too, J. R.; Fan, L. T.: Stochastic Modeling of Polymerization in a Continuous Flow Reactor, 3745
Nath, R. See Kumar, A., 1787
Nayak, M. C. See Samal, R. K., 41, 2221
Nayak, P. L. See Lenka, S., 2773, 3151; Mishra, M. K., 2769; Panda, G., 775; Pradhan, A. K., 3511; Tripathy, A. K., 1413, 2109
—; Lenka, S.; Mishra, M. K.; Tripathy, A. K.: Grafting Vinyl Monomers into Nylon-6. II. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 by Hexavalent Chromium Ion, 2437
—; Lenka, S.; Mishra, M. K.: Grafting Vinyl Monomers Onto Wool Fibers. VIII. Graft Copolymerization of Methyl Methacrylate onto Wool Using Peroxydiphosphate–Fructose Redox System, 733
Nayudamma, Y. See Rao, K. P., 3343
Nicodemo, L.
—; Apicella, A.; Nicolais, L.: Dimensional Stability and Tensile Properties of Drawn Polystyrene Composites, 129
Nicolais, L. See Nicodemo, L., 129
Niederjaufner, G. See Carra, S., 1497
Niezette, J.
—; Geurts, R.; Erilli, R.: Graft Polymerization of Methyl Methacrylate onto Chemically Modified Wools Using LiBr–$K_2S_2O_8$ Redox System as Initiator, 1073
Nigam, K. D. P. See Saxena, A. K., 3475; Singh, D., 785
Nishimura, M. See Mizutani, Y., 3175
Nishizaki, H.
—; Yoshida, K.: Effect of Molecular Weight on Various TGA Methods in Polystyrene Degradation (Note), 3503
Nohara, N. See Kurokawa, M., 1613
Nomura, H. See Vivatpanachart, S., 1485
Nomura, M.
—; Harada, M.: Rate Coefficient for Radical Desorption in Emulsion Polymerization, 17
Nose, T. See Hirose, S., 1039
Nozawa, Y.
—; Higashide, F.: Partially Carbamate Reaction of Cellulose with Urea (Note), 2103
Nystrom, B.
—; Moseley, M. E.; Brown, W.; Roots, J.: Molecular Motion of Small Molecules in Cellulose Gels Studied by NMR, 3385

Ochi, M. See Shimbo, M., 2265
Ogata, N.
—; Sanui, K.; Fujimura, H.: Active Transport Membrane for Anions. III. Effect of Crown Ether and Tautomeric Functional Groups, 4149
—; Sanui, K.; Tanaka, H.; Takahashi, Y.; Sakurai, Y.; Akaike, T.; Okano, T.; Kataoka, K.: Cellular Affinity of Polyamides Having Various Functional Groups. I. Platelet Adhesion, 2293
—; Sanui, K.; Tanaka, H.; Takahashi, Y.; Kitamura, E.; Sakurai, Y.; Okano, T.; Kataoka, K.; Akaike, T.: Effect of Crystallinity of Condensation Polymers on Platelet Adhesion, 4207
Ohtani, N. See Kobayashi, A., 2147
Ohtsuka, Y. See Kawaguchi, H., 1649, 2015
—; Kawaguchi, H.; Sugi, Y.: Copolymerization of Styrene with Acrylamide in an Emulsifier-Free Aqueous Medium, 1637
—; Terao, Y.: Studies of the Light-Focusing Plastic Rod. IX. Chemical Composition of the Copolymer Rod-Diethylene Glycol Bis(allyl Carbonate) with 2,2,3,3-Tetrafluoropropyl Methacrylate, 2907
—; Kaneko, N.; Takami, F.: Studies on Synthetic Polymer Plates with High Surface Energy. I. Diallyl Phthalate-Unsaturated Carboxylic Acid System, 2423
Okada, T. See Ishigaki, I., 741, 1585, 1585
Okamoto, J. See Hegazy, E-S. A., 3117, 3871; Ishigaki, I., 1585; Watanabe, H., 2751, 3455
Okano, T. See Ogata, N., 2293, 4207
Okubo, M.
—; Yamada, A.; Shibao, S.; Nakamae, K.; Matsumoto, T.: Studies on Suspension and Emulsion. XLVI. Emulsifier-Free Emulsion Polymerization of Styrene in Acetone–Water, 1675
Okuyama, B. See Kawabata, N., 1417
Olayemi, J. Y.
—; Adeoye, I. O.: Polymerization of Ethyl Methacrylate, Methyl Methacrylate, and Vinyl Acetate Using Sulfonated Polystyrene as the Initiator, 2639
—; Oniyangi, N. A.: Three-Stage Interaction of Dimethyl Phthalate, Dibutyl Phthalate, and Poly(vinyl Acetate) with Poly(methyl Methacrylate), 4059
Ong, E. L. See Choy, C. L., 2325
Onishi, Y. See Hiratani, K., 1475; Ito, K., 423
Oniyangi, N. A. See Olayemi, J. Y., 4059
Oster, B. See Siadat, B., 1027
Ostrowska, B.
—; Narebska, A.; Krzystek, H.: Diffusion with Simultaneous Immobilization in Polymer–Dye Systems. I. Diffusion of the Cationic Dye Anilana Red BL in the Anionically Modified Polyester Fiber Dilana, 643

Panda, G. See Pradhan, A. K., 3511; Samal, R. K., 41, 2221
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Silk Fibers. X. Graft Copolymerization of Methyl Methacrylate onto Silk Using Hydrogen Peroxide–Thiourea Redox System, 775
Panov, Yu. N. See Lipatov, Yu. S., 499
Papirer, E. See Berrod, G., 833, 1015
Park, K. See Joseph, E., 3355
Park, L. S. See McCormick, C. L., 1705
Parker, J. A. See Hsu, M.-T. S., 1975
Parks, E. J.
—; Brinckman, F. E.; Mullin, C. E.; Andersen, D. M.; Castelli, V. J.: Characterization by Tin-Specific Size Exclusion Chromatography of the Free Radical Copolymerization of Tributyltin Methacrylate and Methyl Methacrylate, 2967
Parrish, Wm. R.
Solubility of Isobutane in Two High-Density Polyethylene Polymer Fluffs, 2279
Pati, N. C. See Panda, G., 775; Pradhan, A. K., 3511
Paul, D. R. See Barnum, R. S., 3917; Lindsey, C. R., 1, 9; Smith, W. A., 4233
Paul, S.
—; Ranby, B.: Sulfonation Studies of Copolymers, Graft Copolymers and Polymeric Gels Using Phase Transfer Catalysts, 3927

Pearce, P. J.
—; Davidson, R. G.; Morris, C. E. M.: Hydrolytic Stability of Some Uncured Epoxy Resins, 2363
Peeling, J.
—; Clark, D. T.: Photooxidation of the Surfaces of Polyphenylene Oxide and Polysulfone, 3761
Pegoraro, M. See Beati, E., 2185
Pelzbauer, Z. See Horak, D., 411, 3205
Penati, A.
—; Maffezzoni, C.; Moretti, E.: Practical and Theoretical Molecular Weights in Polyaddition Reactions of Ethylene and Propylene Oxide, 1059
Penczek, P. See Kozakiewicz, J., 3699
Peng, C. Y. See Huang, R. Y. M., 1135, 1907
Pennings, A. J. See Torfs, J. C. M., 303
Peters, R. H. See Boussias, C. M., 4125; Ingamells, W., 4087, 4095
Piirma, I. See Gunesin, B. Z., 3103
Pitt, C. G.
—; Chasalow, F. I.; Hibionada, Y. M.; Klimas, D. M.; Schindler, A.: Aliphatic Polyesters. I. The Degradation of Poly(ε-caprolactone) *In Vivo*, 3779
Pittman, C. U., Jr.
—; Stahl, G. A.: Copolymerization of Pentaclorophenyl Acrylate with Vinyl Acetate and Ethyl Acrylate. Polymer-Bound Fungicides, 2403
Podkoscielny, W.
—; Kultys, A.: Linear Polythioesters. IV. The Effect of Hydrogen Chloride Acceptor on Interfacial Polycondensation of 4,4′-Di(mercaptomethyl)benzophenone with Isomeric Phthaloyl Chlorides, 1143
Pohl, K.
—; Rodriguez, F.: Adiabatic Polymerization of Acrylamide Using a Persulfate–Bisulfite Redox Couple, 611
Pokorski, Z. See Wypych, J., 1735
Porter, R. S. See Appelt, B., 2841; Shimada, T., 1309; Wang, L-H., 2373
Postle, R. See Danilatos, G. D., 193
Pradhan, A. K.
—; Panda, G.; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Silk Fibers. XIV. Graft Copolymerization of Methyl Methacrylate onto Silk Using Peroxydiphosphate–Ascorbic Acid Redox System (Note), 3511
Pullukat, T. J. See Hoff, R. E., 2927
Puton, K. See Kozakiewicz, J., 3699

Rabie, A. See Hegazy, E-S. A., 3871
Rabie, S. M. See Moharram, M. A., 921, 2791
Rahalkar, R. R. See Andrady, A. L., 1829
Rajadurai, S. See Kaleem, K., 2305
Rajbenbach, A. L. See Haruvy, Y., 3065
Ramanan, G.
—; Rao, M. H.; Rao, K. N.: Gamma Irradiation of Polypropylene Fibers in the Presence of Carbon Tetrachloride, 1439
Ramsley, A. O. See Healy, E. M., 3305
Ranby, B. See Paul, S., 3927
Rao, K. N. See Ramanan, G., 1439
Rao, K. P.
—; Kanniappan, E. P.; Jayaraman, K. S.; Joseph, K. T.; Nayudamma, Y.: Synthesis and Characterization of Mica–Vinyl Graft Copolymers, 3343
Rao, M. H. See Ramanan, G., 1439
Rao, R. M. V. G. K.
—; Balasubramanian, N.; Chanda, M.: Moisture Absorption Phenomenon in Permeable Fiber Polymer Composites, 4069
Ravindranath, K.
—; Mashelkar, R. A.: Modeling of Poly(ethylene Terephthalate) Reactors. I. A Semibatch Ester Interchange Reactor, 3179
Raziel, A. See Mathiowitz, E., 809
Rebenfeld, L. See Jameel, H., 1795
Reddy, C. R. See Kaleem, K., 2305
Reinhardt, B. A.
—; Arnold, F. E.: High-Temperature Reactive Thermoplastic Aromatic Polyimides, 2679
Revol, J.-F.
—; Goring, D. A. I.: On the Mechanism of the Mercerization of Cellulose in Wood, 1275
Richardson, A. See Hope, P. S., 2879
Richter, C. A. See Bersted, B. H., 1001
Rihs, G. See Eldin, S. H., 3609
Roberts, C. W. See Dellinger, J. A., 321; Stuckey, W. C., 701
Robson, P.
—; Sandilands, G. J.; White, J. R.: Drawing Behavior of Polyethylene–Polypropylene Blends (Note), 3515
Rodriguez, F. See Cheng, A. T. Y., 3895; Pohl, K., 611; Wong, C. S., 1595
Rokudai, M.
—; Fujiki, T.: Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. IV. Capillary Flow and Die Swell of Low-Density Polyethylene, 1343
Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. V. Effect of Molecular Structural Parameters on Die Swell of Low-Density Polyethylenes (Note), 1427
Romero, A. See Jodra, L. G., 3271
Roots, J. See Nystrom, B., 3385
Rosenberg, M. L. See Hsu, M.-T. S., 1975
Rosenzweig, N.
—; Narkis, M.: Observation and Analysis Technique for Studying Sintering of Polymeric Particles (Note), 2787
Roucoux, C.
—; Loucheux, C.; Lablache-Combier, A.: Photochemistry of Polymeric Systems. III. Photocrosslinking of Polymers and Copolymers Including Cyanocinnamylydene–Pyridinium Groups, 1221
Rowland, S. P. See Shih, F. F., 3885
Roy-Chowdhury, P.
—; Kirtiwar, M. S.: Adiabatic Compressibility of Polyelectrolytes: The Influence of Solvents on Ionic and Nonionic Polymers, 543
Rudin, A. See Kok, C. M., 3575, 3583

Sacher, E.
—; Susko, J. R.: Water Permeation of Polymer Films. III. High-Temperature Polyimides, 679
Sakurai, Y. See Ogata, N., 2293, 4207
Salkauskas, M.
—; Kimtiene, D.: Reducing Properties of Plastics Etched in Chromium Acid Solutions (Note), 2097
Samal, R. K.
—; Suryanarayan, G. V.; Panda, G.; Das, D. P.; Nayak, M. C.: Polymerization of Methyl Methacrylate Initiated by the Redox System Mn^{3+}/Thioglycollic Acid, 41
—; Suryanarayana, G. V.; Dash, P. C.; Panda, G.; Das, D. P.; Nayak, M. C.: Trivalent Manganese Chelate-Initiated Graft Copolymerization of Methyl Methacrylate onto Silk Fibers, 2221
Samay, G. See Antal, I., 2783
Samuels, R. J.
Application of Refractive Index Measurements to Polymer Analysis, 1383
Sandberg, K. R. See Cooper, G. K., 3827
Sander, R. See Bednas, M. E., 277
Sandilands, G. J. See Robson, P., 3515
Santacesaria, E. See Carra, S., 1497
Sanui, K. See Ogata, N., 2293, 4149, 4207
Sasaki, T. See Tak, T-M., 3325
Sasuga, T. See Ishigaki, I., 741
Satish, S. See Sharma, Y. N., 3213
Sato, F. See Takahama, T., 2211
Sato, Y.
Dielectric γ Relaxation in Polyethylene at Low Temperature, 27
—; Hoshino, M.; Ebisawa, F.: Study on Hydroxyl Groups in Polyethylene, 2053
Sawaguchi, T.
—; Suzuki, K.; Kuroki, T.; Ikemura, T.: Studies on Thermal Degradation of Synthetic Polymers. XV. Estimation of the Product Yield on the Basis of Intensity Function for Thermal Gasification of Isotactic and Atactic Polypropylenes, 1267

Saxena, A. K.
—; Nigam, K. D. P.: Axial Dispersion in Laminar Flow of Polymer Solutions through Coiled Tubes, 3475
Scamporrino, E. See Ballistreri, A., 2781
Schabron, J. F.
—; Bradfield, D. Z.: Determination of the Hindered Amine Additive CGL-144 in Polypropylene by High-Performance Liquid Chromatography, 2479
Schiessl, O. See Katuscak, S., 381
Schindler, A. See Pitt, C. G., 3779
Schreiber, H. P. See Wertheimer, M. R., 2087
Schultz, J. M. See Baum, J. S., 1579
Schulz, D. N. See Spiewak, J. W., 4331
Scola, D. A.
—; Stevens, M. P.: Synthesis and Polymerization of Aliphatic Bisnadimides, 231
Scott, G. See Kolawole, E. G., 2581
Segal, E. See Tomescu, M., 4103
Seguchi, T. See Hegazy, E-S. A., 1361, 2947
Sekkina, M. M. A. See Moharram, M. A., 2791
Selli, E. See Bellobono, I. R., 619
Shaaban, A. F. See Ghanem, N. A., 97
Shaffer, A. A.
—; Cochoy, R. E.: Fluoroalkylene Ether Silicate/Viton GLT Blends: An Approach toward Improved Low Temperature Flexibility, 3965
Shalaby, S. See Hebeish, A., 2713
Shalaby, S. E. See El-Shahed, M. F., 1129; Hebeish, A., 3245, 3253
Shanks, R. A. See Howard, G. J., 3099
Shantora, V.
—; Huang, R. Y. M.: Separation of Liquid Mixtures by Using Polymer Membranes. III. Grafted Poly(vinyl Alcohol) Membranes in Vacuum Permeation and Dialysis, 3223
Sharaf, M. A. See Andrady, A. L., 1829
Sharma, A. K.
—; Millich, F.; Hellmuth, E. W.: Adhesion of Glow Discharge Polymers, 2197
—; Millich, F.; Hellmuth, E. W.: Wettability of Glow Discharge Polymers, 2205
Sharma, R. K. See Misra, B. N., 3797
Sharma, Y. N.
—; Satish, S.; Bhardwaj, I. S.: Chlorinated Atactic Polypropylene as a Plasticizer for Poly(vinyl Chloride), 3213
Sheffer, H.
Cresylic Soluble Polyimides, 3837
Shen, M. See Martin, G. C., 1465
Shengqing, Z. See Jingsheng, B., 1211
Sherif, S. See Badran, B. M., 933, 941
Sherrington, D. C. See Akelah, A., 3377
Shibao, S. See Okubo, M., 1675
Shida, M. See Hoff, R. E., 2927; Shroff, R. N., 1847
Shigeta, Y. See Shimbo, M., 2265
Shih, F. F.
—; Rowland, S. P.: Effect of a Methyl Substituent in the Polymerization–Crosslinking Treatment of Cotton with NMMA and NMA, 3885
Shilov, V. V. See Lipatov, Yu. S., 2763
Shimada, T.
—; Zachariades, A. E.; Watts, M. P. C.; Porter, R. S.: Push–Pull Extrusion: A New Approach for the Solid-State Deformation Illustrated with High Density Polyethylene, 1309
Shimamura, K.
—; White, J. L.; Fellers, J. F.: Hydroxypropylcellulose, a Thermotropic Liquid Crystal: Characteristics and Structure Development in Continuous Extrusion and Melt Spinning, 2165
Shimbo, M.
—; Ochi, M.; Shigeta, Y.: Shrinkage and Internal Stress during Curing of Epoxide Resins, 2265
Shroff, R. N.
—; Shida, M.: Application of a Constitutive Equation to Polymer Melts, 1847
Shufan, Z. See Jingsheng, B., 1211
Shumsky, V. F. See Lipatov, Yu. S., 499
Siadat, B.
—; Oster, B.; Lenz, R. W.: Preparation of Ion-Containing Elastomers by Emulsion Copolymerization of Dienes with Olefinic Sulfonic Acid Salts, 1027
Sibilia, J. P. See Venkatesh, G. M., 223
Siegfried, D. L.
—; Thomas, D. A.; Sperling, L. H.: Interpenetrating Polymer Networks Based on Ionically Crosslinked Polymers: Reacidification and Annealing as Morphological Variables, 141
—; Thomas, D. A.; Sperling, L. H.: Thermoplastic Interpenetrating Polymer Networks of a Triblock Copolymer Elastomer and an Ionomeric Plastic. I. Rheology and Morphology, 177
Silebi, C. A. See Nagy, D. J., 1555, 1567
Silk, R. K. See Howes, V. R., 3623
Singh, D.
—; Nigam, K. D. P.: Laminar Dispersion of Polymer Solutions in Helical Coils, 785
Singhal, R. P. See Gupta, A. K., 3599
Sivashinsky, N.
—; Tanny, G. B.: State of Water in Swollen Ionomers Containing Sulfonic Acid Salts, 2625
Slee, J. D. See Bersted, B. H., 1001
Smith, E. G. See Bigg, D. M., 395
Smith, G. N. See Koros, W. J., 159
Smith, J. D. B.
Metal Acetylacetonates as Latent Acelerators for Anhydride-Cured Epoxy Resins, 979
Smith, S. A. See Kambour, R. P., 847
Smith, W. A.
—; Barlow, J. W.; Paul, D. R.: Chemistry of Miscible Polycarbonate–Copolyester Blends, 4233
Snuparek, J., Jr.
—; Kaspar, K.: Semicontinuous Emulsion Copolymerization of Ethyl Acrylate and Butyl Acrylate at High Conversions, 4081
Somasundaran, P. See Hollander, A. F., 2123
Sood, D. S. See Misra, B. N., 3797
Souren, I. See Bateup, B. O., 4193
Southern, J. H. See Sprenkle, W. E., 2229
Speed, C. S. See Stehling, F. C., 2693
Spencer, H. G. See Chen, T. C., 2797
Sperling, L. H. See Michel, J., 743; Siegfried, D. L., 141, 177; Swatling, D. K., 591; Yeo, J. K., 3283, 3977
Spiewak, J. W.
—; Bryant, L. A.; Schulz, D. N.: Acyclic Azoester Modification of 1,4-Polybutadienes. II. Green Strength and Tack Properties (Note), 4331
Sprenkle, W. E.
—; Southern, J. H.: Rubber-Modified Polystyrene Impact as a Function of Flame-Retardant Additive Solubilization, 2229
Stahl, G. A. See Pittman, C. U., Jr., 2403
Stannett, V. See Bittencourt, E., 879, 2897; Koros, W. J., 159
Stehling, F. C.
—; Huff, T.; Speed, C. S.; Wissler, G.: Structure and Properties of Rubber-Modified Polypropylene Impact Blends, 2693
Stenberg, B.
—; Jansson, J. F.: Effect of Fillers on the Viscoelastic Behavior of Rubbers, 3773
Stevens, G. C.
Cure Kinetics of a High Epoxide/Hydroxyl Group-Ratio Bisphenol A Epoxy Resin–Anhydride System by Infrared Absorption Spectroscopy, 4279
Cure Kinetics of a Low Epoxide/Hydroxyl Group-Ratio Bisphenol A Epoxy Resin–Anhydride System by Infrared Absorption Spectroscopy, 4259
Stevens, M. P. See Scola, D. A., 231
Still, R. H. See Boussias, C. M., 4125
Stockinger, F. See Eldin, S. H., 3609
Stokes, G. M. See Bell, V. L., 3805
Stoyanov, A. I.
—; Krustev, V. P.: Influence of Drawing Speed on Some Properties of Acrylic Fibers, 1813
Strumik, M. I.
—; Krolikowski, W.; Jankowska, M.: Polymerization of Diallyl Phthalate at High Temperatures, 3537
Stuckey, W. C.
—; Roberts, C. W.: Synthesis of and Photodegradation in a Series of Poly(ethylene Terephthalate–*co*–4,4′-Sulfonyldibenzoate Yarns, 701

Subramanian, R. V.
—; Williams, R. S.: Glass-Reinforced Composites of Antifouling Organotin Epoxy Polymers, 1681
Sugama, T.
—; Kukacka, L. E.; Horn, W.: Catalytic Effect of a Portland Cement Filler on the Cure of Water-Compatible Resorcinol Phenol–Formaldehyde Polymer Concrete, 1453
Sugi, Y. See Kawaguchi, H., 1649; Ohtsuka, Y., 1637
Sullivan, J. L. See Andrady, A. L., 1829
Sumita, O.
—; Fukuda, A.; Kuze, E.: Photoconductivity of Poly(vinyl Alcohol) Films with Fe^{3+} Complexes and ESR Study of their Structures, 1659
Sung, Y. K.
—; Gregonis, D. E.; John, M. S.; Andrade, J. D.: Thermal and Pulse NMR Analysis of Water in Poly(2-hydroxyethyl Methacrylate), 3719
Suprunchuk, T. See Day, M., 3085
Surowiec, J. See Bogoczek, R., 4161
Suryanarayan, G. V. See Samal, R. K., 41
Suryanarayana, G. V. See Samal, R. K., 2221
Susko, J. R. See Sacher, E., 679
Suzuki, A. See Kunugi, T., 213, 1951
Suzuki, K. See Sawaguchi, T., 1267
Suzuki, T. See Tokiwa, Y., 441
Svec, F. See Horak, D., 411, 3205
Swatling, D. K.
—; Manson, J. A.; Thomas, D. A.; Sperling, L. H.: Reticulated Versus Crenelated Surfaces on Macroporous Polystyrene–Divinylbenzene Membranes, 591
Szewczyk, P.
Simple Methods of Gel Permeation Chromatography Calibration Developed from One or Two Polydisperse Polymer Standards, 2727

Tak, T-M.
—; Sasaki, T.; Komiyama, J.; Iijima, T.: Dual Permeation of Acid Dyes through Nylon 6 Membrane, 3325
Takahama, T.
—; Hayashi, O.; Sato, F.: Electric Strength of Epoxide Resins and Its Relation to the Structure, 2211
Takahara, A.
—; Yamada, K.; Kajiyama, T.; Takayanagi, M.: Analysis of Fatigue Behavior of High-Density Polyethylene Based on Dynamic Viscoelastic Measurements during the Fatigue Process, 1085
Takahashi, Y. See Ogata, N., 2293, 4207
Takaku, A.
Effect of Drawing on Creep Fracture of Polypropylene Fibers, 3565
Takami, F. See Ohtsuka, Y., 2423
Takayanagi, M. See Takahara, A., 1085; Yamada, K., 49
Takehisa, M. See Ishigaki, I., 741
Takenaga, M.
—; Yamagata, K.: Evaluation of Number-Average Molecular Weight of Poly(tetrafluoroethylene) Irradiated with γ Rays, 1373
Takigami, S.
—; Matsumoto, I.; Nakamura, Y.: Electron Spin Resonance Study of γ-Irradiated Nylon 6, 4317
Tanaka, H. See Ogata, N., 2293, 4207; White, J. L., 579
Tandon, P. See Gupta, S. K., 2153
Tanny, G. B. See Sivashinsky, N., 2625
Tant, M. R.
—; Wilkes, G. L.: Physical Aging Studies of Semicrystalline Poly(ethylene Terephthalate), 2813
Tawata, M. See Nakanishi, F., 3505
Taylor, G. N. See Davis, D. D., 2001
Taylor, L. J.
—; Tobias, J. W.: Accelerated Photo-Oxidation of Polyethylene. II. Further Evaluation of Selected Additives, 2917
Terao, Y. See Ohtsuka, Y., 2907
Teyssie, P. See Huynh-Ba-Gia, 343
Teyssie, Ph. See Borsus, J. M., 3027
Thomas, D. A. See Siegfried, D. L., 141, 177; Swatling, D. K., 591; Yeo, J. K., 3283, 3977
Thomas, E. L. See Allen, S. R., 291
Thomas, R. W. See Cassidy, P. E., 3819
Thompson, C. M.
Permeation into Containers Filled with Nonideal Oil (Note), 373
Tirrell, M. See Castro, J. M., 2067
Tirtowidjojo, S. See Ware, R. A., 2975
Tlach, H. See Eldin, S. H., 1431
Tobias, J. W. See Taylor, L. J., 2917
Toivonen, H.
Novel Oxidatively Drying Urea Resin. I. Drying Properties of Urea Resins Prepared from *N,N'*-Bis(methoxymethyl) Urea and Alcohols Containing Allyl Ether Groups, 4021
Novel Oxidatively Drying Urea Resin. II. Surface Coating Properties of *N,N'*-Bis(methoxymethyl) Urea-Based Air-Drying Resins, 4035
Tokiwa, Y.
—; Suzuki, T.: Hydrolysis of Copolyesters Containing Aromatic and Aliphatic Ester Blocks by Lipase, 441
Tolusso, F. See Bellobono, I. R., 619
Tomas, M. See Katuscak, S., 381
Tomescu, M.
—; Demetrescu, I.; Segal, E.: Study of the Thermal Degradation of Acrylic Copolymers, 4103
Too, J. R. See Nassar, R., 3745
Torfs, J. C. M.
—; Pennings, A. J.: Longitudinal Growth of Polymer Crystals from Flowing Solutions. VIII. Mechanism of Fiber Formation on Rotor Surface, 303
Tripathy, A. K. See Lenka, S., 2773; Mishra, M. K., 2593, 2769; Nayak, P. L., 2437
—; Lenka, S.; Nayak, P. L.: Grafting Vinyl Monomers onto Cellulose. III. Graft Copolymerization of Methyl Methacryate onto Cellulose Using Acetylacetonato Manganese(III) Complex (Note), 1413
—; Mishra, M. K.; Lenka, S.; Nayak, P. L.: Grafting Vinyl Monomers onto Polyester Fibers. I. Graft Copolymerization of Methyl Methacrylate onto PET Using Hexavalent Chromium (Note), 2109
Tsang, Wm. K.-W. See Dealy, J. M., 1149
Tsonis, C. P.
Catalyzed Polymerization of Cycloolefins, 3525

Uraneck, C. A.
—; Clark, E.: Modification of Emulsion Polymerizations with Microemulsions of Mercaptans, 107

Valenti, B.
—; Alfonso, G. C.; Ciferri, A.; Giordani, P.; Marrucci, G.: Solution Spinning of a Semirigid Chain Polymer Forming Ultrahigh Modulus Fibers, 3643
Varma, I. K. See Varma, S. K., 571
Varma, S. K.
—; Geetha, C. K.; Khandelwal, B. L.; Varma, I. K.: Fibers from 2,5-(*p*-Phenylene:Vinylene)-1,3,4-Oxadiazole Copolymers, 571
Vasantharajan, V. N. See Kumar, G. S., 3623
Venkatesh, G. M.
—; Bose, P. J.; Khan, A. H.; Sibilia, J. P.; Hsu, S. L.: Vibrational Spectroscopic Study of Poly(ethylene Terephthalate) Crystallized by Annealing in the Oriented State, 223
Vergnaud, J. M. See Messadi, D, 2315
Vergnaud, J-M. See Messadi, D., 667
Verma, S.
—; Callihan, C. D.; McIlhenny, R. C.: Effect of Container Diameter on β-Radiation-induced Polymerization of Acrylamide, 1105
Vidal, A. See Berrod, G., 833, 1015
Vijayendran, B. R.
—; Bone, T.; Gajria, C.: Surfactant Interactions in Poly(vinyl Acetate) and Poly(vinyl Acetate–butyl Acrylate) Latexes, 1351
Vivatpanachart, S.
—; Nomura, H.; Miyahara, Y.: Cryogenic Crushing of Polystyrene, 1485

Vlachopoulos, J. See Agur, E. E., 765
Vrentas, J. S. See Ju, S. T., 3735
Vroom, W. I. See Bowmer, T. N., 3669

Wagener, K. B. See Mody, P. C., 2853
Waldman, J. See Jameel, H., 1795
Wang, C. B.
—; Cooper, S. L.: Morphology and Properties of Poly(vinyl Chloride)–Polyurethane Blends, 2989
Wang, J. See Koros, W. J., 2805
Wang, L-H.
—; Porter, R. S.: Ultradrawing and Crystallization of Isotactic Polystyrene and Blends with Atactic Polystyrene, 2373
Wang, T. T.
—; Zupko, H. M.: Phase Separation Behavior of Rubber-Modified Epoxies, 2391
Wang, Y-F. See Lin, C-C., 3909
Ward, I. M. See Hope, P. S., 2879
Ward, T. C. See Kotzev, D. L., 1941
Ware, R. A.
—; Tirtowidjojo, S.; Cohen, C.: Diffusion and Induced Crystallization in Polycarbonate, 2975
Warfield, R. W.
—; Duffy, J. V.: Electrical Resistivity of a Polyamide Quinoxaline Polymer (Note), 1437
Warwicker, J. O.
—; Graham, S. G.: Structural Changes in Partially Oriented Polyester Yarns Subjected to Dry and Wet Heat, 3045
Watanabe, H.
—; Okamoto, J.; Machi, S.: Radiation-Induced Seeded Copolymerization of Tetrafluoroethylene with Propylene. II. Kinetic Analysis, 2751
—; Ito, M.; Okamoto, J.; Machi, S.: Radiation-Induced Seeded Copolymerization of Tetrafluoroethylene with Propylene. I. Effects of Agitation and Dose Rate, 3455
Watanabe, N. See Kokufuta, E., 2601
Waters, A. G.
—; Fane, A. G.: Initial Flux and Rejection Characteristics of Partially Permeable Ultrafiltration Membranes, 3007
Watts, M. P. C. See Shimada, T., 1309
Weiss, R. A.
—; Agarwal, P. K.: Influence of Intermolecular Interactions on the Melt Rheology of a Propylene–Acrylic Acid Copolymer and its Salts, 449
Were, A. V. See Howes, V. R., 3623
Wertheimer, M. R.
—; Schreiber, H. P.: Surface Property Modification of Aromatic Polyamides by Microwave Plasmas, 2087
Wesolowska, E. See Balcerzyk, E., 2573
Westman, L.
—; Lindstrom, T.: Swelling and Mechanical Properties of Cellulose Hydrogels. I. Preparation, Characterization, and Swelling Behavior, 2519
—; Lindstrom, T.: Swelling and Mechanical Properties of Cellulose Hydrogels. II. The Relation between the Degree of Swelling and the Creep Compliance, 2533
—; Lindstrom, T.: Swelling and Mechanical Properties of Cellulose Hydrogels. III. Temperature Effects on the Swelling and Compliance Levels Studies by Dilatometry and ^{1}H-NMR Spectroscopy, 2545
—; Lindstrom, T.: Swelling and Mechanical Properties of Cellulose Hydrogels. IV. Kinetics of Swelling in Liquid Water, 2561
White, J. L. See Bheda, J., 3955; Knutsson, B. A., 2347; Matsumoto, K., 85; Shimamura, K., 2165
—; Tanaka, H.: Elongational Flow and Melt-Spinning Instability of Concentrated Suspensions of Small Particles in Polymer Melts, 579
—; Hancock, T. A.: Fundamental Analysis of the Dynamics, Mass Transfer, and Coagulation in Wet Spinning of Fibers, 3157
White, J. R. See Robson, P., 3515
Wieder, W.
—; Witte, J.: Improved Coordination Catalyst for the Alternating Copolymerization of Butadiene and Propylene, 2503
Wiles, D. M. See Bednas, M. E., 277; Colin, G., 509; Day, M., 3085
Wilkes, G. See Joseph, E., 3355
Wilkes, G. L. See Assink, R. A., 3689; Mody, P. C., 2853; Mohajer, Y., 2827; Tant, M. R., 2813
Williams, J. L. See Bittencourt, E., 879, 2897
Williams, R. S. See Subramanian, R. V., 1681
Wissler, G. See Stehling, F. C., 2693
Witte, J. See Wieder, W., 2503
Wittmann, J. C. See Kiss, G., 2485, 2665
Wong, C. S.
—; Rodriguez, F.: Polymer Solutions from Latexes, 1595
Wydeven, T., Jr. See Katz, M. G., 2935
Wypych, J.
—; Pokorski, Z.: Effect of Formation of Yellow-Colored Complexes of UV Absorbers and PVC Thermal Stabilizers on Efficiency of Action of UV Absorbers (Note), 1735
Wyzgoski, M. G.
Effect of Oven Aging on Polypropylene, 1689

Yamada, A. See Okubo, M., 1675
Yamada, K. See Takahara, A., 1085
—; Kamezawa, M.; Takayanagi, M.: Relationship between Orientation of Amorphous Chains and Modulus in Highly Oriented Polypropylene, 49
Yamagata, K. See Takenaga, M., 1373
Yamashita, S. See Kawabata, N., 1417
Yan, J. F.
—; Johnson, D. C.: Delignification and Degelation: Analogy in Chemical Kinetics, 1623
Yanagihara, N. See Kato, T., 2139
Yasuda, H. See Inagaki, N., 3333, 3425, 3557
Yasukawa, E. See Hirose, S., 1039
Yen, W. M. See Klein, A. J., 2381
Yeo, J. K.
—; Sperling, L. H.; Thomas, D. A.: Poly(*n*-butyl Acrylate)/Polystyrene Interpenetrating Polymer Networks and Related Materials. III. Effect of Grafting Level and Molecular Weight in Semi-2 IPNs, 3283
—; Sperling, L. H.; Thomas, D. A.: Rubber Elasticity of Poly(*n*-butyl Acrylate) Networks Formed with Multifunctional Crosslinkers, 3977
Yeo, R. S.
—; Zeldin, A. N.; Kukacka, L. E.: Corrosion of Polymer–Concrete Composites in Hydrochloric Acid at Elevated Temperature, 1159
Yokouchi, M.
—; Kobayashi, Y.: Continuous Measurement of Dynamic Tensile Mechanical Properties in Polymer Solids over a Wide Range of Frequencies. I. An Instrument with Driving Force of 15 kgwt and Frequency Range 10^{-3}–10^{2} Hz, 4307
—; Kobayashi, Y.: Effect of Heat Pretreatment and Strain Rate on Tensile Properties of Polycarbonate Sheet, 431
—; Mori, J.; Kobayashi, Y.: Effect of Tensile Strain Rate on the Mechanical Properties of Constrained-Uniaxially and Simultaneous-Biaxially Drawn Poly(ethylene Terephthalate) Sheets, 3435
Yoshida, K. See Nishizaki, H., 3503
Yoshida, M.
—; Kaetsu, I.: Immobilization of Glucoamylase on Polymer Surface by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures, 687
Yu, C. U. See Andrady, A. L., 1829
Yu, H. See Klein, A. J., 2381

Zachariades, A. E. See Shimada, T., 1309
Zeldin, A. N. See Yeo, R. S., 1159
Zelenka, J. See Kastanek, A., 4117
Zeronian, S. H. See Fujiwara, Y., 3729
Zupko, H. M. See Wang, T. T., 2391

Publication Agreement

Under U.S. law, the transfer of copyright from the author should be explicitly stated in writing to enable the publisher to disseminate the author's work to the fullest extent. Please complete a copy of the following Publication Agreement and *include it with all submissions to this journal.* Please note that if the manuscript was a work made for hire, this agreement must be signed by the employer, as author.

Publication Agreement

The undersigned author has submitted a manuscript entitled_____

_____

for publication in_____, published by John Wiley & Sons, Inc.

A. The author transfers to John Wiley & Sons, Inc. the exclusive rights comprised in the copyright of the article, if the article is accepted for publication, except that the author retains the following:

1. All proprietary rights, other than copyright, such as patent rights.
2. The right to make copies of all or part of the work for the author's use in classroom teaching.
3. The right to use, after publication, all or part of this material in a book by the author.
4. The right to make copies of the work for internal distribution within the institution which employs the author.
5. The right to use figures and tables from the work, and up to 250 words of text, for any purpose.
6. The right to make oral presentation of the material in any forum.
7. The right to veto or approve permission granted by the publisher to a third party to republish all or a substantial part of the article.

In the case of work prepared under U.S. Government contract, the U.S. Government may reproduce, royalty-free, all or portions of the article and may authorize others to do so, for official U.S. Government purposes only, if the contract so requires.

The author agrees that all copies made under any of the above conditions will include notice of the copyright of the publisher.

B. The author warrants that the manuscript is the author's original work. If the work was prepared jointly the author agrees to inform co-authors of the terms of this agreement. It is submitted only to this journal, and has not been published before. (If excerpts from copyrighted works are included, the author will obtain written permission from the copyright owners and show credit to the sources in the manuscript.) The author also warrants that the article contains no libelous or unlawful statements, and does not infringe on the rights of others.

_____
Author's signature and date

Check one:
_____Employer; work made for hire
_____Work of the U.S. Government
_____Author's own work

_____
Typed or printed name

_____
Institution or company

Note to Government Employees

A work prepared by a government employee as part of his/her official duties is called a "work of the U.S. Government," and is not copyrightable. If it is not part of the employee's official duties it may be copyrighted. If this is a work of the U.S. Government, the author may cross out Section A of this agreement and attach a copy of applicable policy of author's agency.

If the work was prepared jointly, and any co-author is not a U.S. Government employee, that author must be delegated by the co-authors to sign the *complete* agreement.

Subject Index to Volume 26

Notes and Errata are indicated by the letters N and E, respectively, following the page number.

ABS, stabilization of, 2581
ABS-HIPS pairs, coextruded, blends from reprocessed, 9
Absorption, moisture, in permeable fiber-polymer composites, 4069
—, water, on keratin fibers, mechanical properties during, 193
ABS resin, See also acrylonitrile-butadiene-styrene copolymer and individual monomers
Accelerators, latent, acetylacetonates as, for anhydride-cured epoxy resins, 979
Accessibility, of sulphonic acid groups, in basic dyeable polyester fibers, 4087
—, of sulphonic acid groups, in basic dyeble polyester fibers, 4095
Acetylacetonates, metal, as latent accelerators for anhydride-cured epoxy resins, 979
Acetylacetonato manganese(III) complex, in grafting of MMA to cellulose, 1413(N)
Acetylene, glow discharge polymer from, adhesion of, to metals and polymers, 3333
—, glow discharge polymerization of, 3557
—, glow discharge polymerization of, distribution of polymer deposition in, 3425
Acid dyes, permeation of, through nylon 6 membrane, 3325
Acoustic damping, polymeric systems for, 3487
Acrylamide, adiabatic polymerization of, 611
—, copolymerization of styrene with, in aqueous media, 1649
—, derivatives of, copolymerization of styrene with, in aqueous media, 1649
—, grafting of, on dextran, 1705
—, grafting of, onto nylon 6, 2593
—, polymers and copolymers, adsorption of, on Na kaolinite, 2123
—, radiation-induced copolymerization of CH_3Cl salt of *N,N*-dimethylaminoethyl with, 1585
—, radiation-induced copolymerization of *N,N*-dimethylaminoethyl methacrylate, methyl chloride salt of, 741(N)
—, β-radiation-induced polymerization of, 1105
—, styrene copolymerization with, in aqueous medium, 1637
2-Acrylamide-2-methylpropanesulfonic acid, copolymers of, adsorption of, 2123
Acrylamide–*co*–styrene latex, amphoteric latex prepared from, 2015
Acrylate monomers, grafting of, onto chlorinated rubber, 2305
Acrylic acid, grafted onto PTFE, membranes prepared from, 3871
—, grafting of, on poly(ethylene terephthalate) fibers, 3245
—, grafting of, onto PTFE, 3117
—, grafting of, onto PVA, 3223
—, grafting of, reaction of product from, with KOH, 3305
Acrylic acid-diallyl phthalate, high surface energy polymer plates from, 2423
Acrylic acid/DVB copolymers, phosphorylated, cation exchangers from, 4161
Acrylic acid–propylene copolymers, and salts of, effect of intermolecular interactions on melt rheology of, 449
Acrylic copolymers, thermal degradation of, 4103
Acrylic fibers, properties of, drawing speed influence on, 1813
Acrylic monomers, fluorinated, copolymers with 2-methoxy-4-vinylphenol, 423
Acrylic polymer–leather composites, mechanical properties of, 463
Acrylics, copolymers with styrene, adsorption chromatography of, 951
Acrylonitrile, copolymerization with styrene, emulsion, 1327
—, copolymers containing, sulfonation of, 3927
—, copolymers containing, thermal degradation of, 4103
—, copolymers with butadiene, carboxyl-terminated, partially neutralized, adhesives from systems containing, 1931
—, cyanoethylation of starch with, 171
—, grafting of, onto mica, product from, saponification of, 3343
—, ternary copolymerization with tributyltin methacrylate and butyl acrylate or methacrylate, 97
Acrylonitrile–butadiene copolymers, carboxyl-terminated, epoxy resins modified by, phase separation in, 2391
Acrylonitrile-butadiene rubber, epoxies modified by, 889
—, epoxies modified by carboxyl-terminated, 907
Acrylonitrile–styrene copolymer, grafted onto ethylene–propylene–diene terpolymer, 261
Acryloyl chloride, modification of cellulose by, PS grafted on product from, 3377
Activation energies of diffusion, for gases in elastomers, 629
Acyclic azoester, modification of 1,4-polybutadienes, green strength and tack properties, 4331(N)
Adhesion, of glow discharge polymers, 2197
—, of glow discharge polymers, to metals and polymers, 3333
—, platelet, effect of crystallinity of condensation polymers on, 4207
—, platelet, to polyamides containing functional groups, 2293
—, of viscoelastic polymers, to wool and polyethylene, 4193
Adhesive bond properties, of allyl 2-cyanoacrylate, 1941
Adhesive joint strength, enhancement of, by surface texturing, 1759
Adhesives, contact, solvent-based, initial bond strength in, 3699
—, from partially neutralized carboxyl-terminated rubber–anhydride–bisepoxide systems, 1931
Adiabatic compressiblity of polyelectrolytes, 543
Adiabatic polymerization, of acrylamide using a, 611
Adsorption, of polymers, on packing, effect of, on elution volume in GPC, 2657
Adsorption characteristics, of acrylamide polymers and sulfonate-containing polymers, on Na kaolinite, 2123
Adsorption chromatography, column, of styrene–acrylic copolymers, 951
Advancement process, for epoxy resin synthesis, 2783(N)
Affinity, cellular, to polyamides containing functional groups, 2293
—, of P-containing cation exchangers, to selected cations, 4161
Aging, of drawn polypropylene fibers, 2613
—, oven, of PP, 1689
Aging of PP, elastic modulus and density during, 1579

Aging studies, of semicrystalline poly(ethylene terephthalate), 2813
AIBN containing microcapsules, 809
Air-drying resins, based on *N,N'*-bis(methoxymethyl) urea, 4021, 4035
Air-drying urea resins, 4035
Aliphatic polyesters, 3779
Alkylation of graft copolymers, antistatic properties improved by, 1129
Allyl bromide, glow discharge polymerization of, 2197
Allyl 2-cyanoacrylate, adhesive bond properties of, 1941
Allyl ether alcohols, condensates of *N,N'*-bis(methoxymethyl) urea with, air-drying resins based on, 4021
Allyl methacrylate, copolymerization of, with tributyltin acrylate or methacrylate, 97
Amine additive, hindered, determination of, in PP, by HPLC, 2479
Amine–metal salt complexes, as catalysts for polyurea foaming process, 3027
p-Aminobenzhydrazide, polyterephthalimide from, ultrahigh modulus fibers from, 3643
Aminobenzoic acid, reaction product with trimellitic acid anhydride, polyesterimides from, 957
Amorphous polymers, solvent diffusion in, 3735
Amphoteric latex, preparation of, by modification of styrene–acrylamide copolymer latex, 2015
Analysis, of polymers, refractive index measurements in, 1383
T_{ll} and T'_{ll} transitions in PS, TM analysis of, 2077
Anelastic properties, PET, and their dependence on structure, 1885
Anhydride-cured epoxy resins, acetylacetonates as latent accelerators for, 979
Anhydrides, adhesives from systems containing, 1931
Anilana Red BL, diffusion of in anionically modified polyester fiber, 643
Aniline black coatings, anodic synthesis of, onto Fe sheets, 4247
Anionic polymerization, of 2-pyrrolidone, 1135
Anion transport membranes, active, effect of crown ethers on, 4149
Annealed PET, spectroscopic study of, 223
Annealing, zone, of PET, 213
Anodic synthesis, of polyaniline coatings onto Fe sheets, 4247
Antifouling organotin epoxy polymers, glass-reinforced composites of, 1681
Antioxidants, phenolic, solubility of, in polyolefins, 3543
Antistatic properties of poly(methylvinylpyridine)–poly(ethylene terephthalate) graft copolymers, improving, 1129
Aromatic methacrylates, positive electron resists from, dry etching durability of, 3395
Aromatic polyamides, surface modification of, by microwave plasmas, 2087
Arrhenius plots, for plasma etching, 1961
Ascorbic acid–peroxydiphosphate redox system, graft polymerization initiated by, 3511(N)
Aspergillus fumigatus, attack of nitrocellulose by, 997
Atactic polypropylene, 3213
—, chlorinated, as plasticizer for PVC, 3213
Atactic PS, blends with isotactic PS, ultradrawing and crystallization of, 2373
—, cryogenic fracturing of, 1485
Atomic absorption detectors, graphite furnace, 2967
Automatic cross fractionation, 4217
Axial dispersion, in laminar flow of polymer solutions, through coiled tubes, 3475
Azidoformates, carbamate-modified PE formed from reaction of PE with, 249
Azo-bis-isobutyronitrile, 809

Basic dyeable polyester, inhibition of hydrolysis in, 4087
—, ion exchange in, 4087
Basic dyeable polyester fibers, ion exchange by, 4095
$B[CH_2]_{10}CO_2Me]_3$, PET chain containing, chain scission in, 1257
Benzophenone dianhydride, polyimides prepared from, cresylic acid solubility of, 3837
3,3',4,4'-Benzophenone tetracarboxylic acid dianhydride, polyimides prepared from, 3805
Benzyl alcohol, diffusion of, into plasticized PVC, 2315
γ-Benzyl-L-glutamate, and γ-methyl-L-glutamate, copolypeptide membranes from, 1301
Biaxially oriented PET, stress relaxation behavior in, 3317
Bilayers, polydiacetylene, conduction in, 1605
Biocidal slow-release organometallic polymers, 2967
Biocides, polymer-bound, 2403
Biodegradation, of gelatin–*g*-poly(ethyl acrylate) copolymers, 3623
Biomass, lignin in, dielectric-loss microwave degradation of, 1533
4,4'-biphenyldicarboxylate–ethylene terephthalate copolymers, photodegradation & energy transfer in, 321
Birefringence, 2459, 2841, 3045
—, of hydroxypropylcellulose, 2165
—, intrinsic, of nylon 6, 2573
—, measurements, on oriented PS films, 85
—, of oriented PP, 49
—, spinline, 3955(N)
1,3-Bis(3-aminophenoxy)benzene, reactive polyimides from, 2679
Bis(dimethylamino) methyl, fluoroalkylene ether silicate polymers from, 3965
Bisepoxides, adhesives from systems containing, 1931
N,N'-Bis(methoxymethyl) urea, air-drying resins based on, 4021, 4035
Bisnadimides, synthesis and polymerization of aliphatic, 231
Bisphenol A, condensation of imidobis(sulfuryl chloride) with, 3073
—, diglycidyl ether of, rubber-modified, phase separation in, 2391
Bisphenol-A carbonate, block polymers with dimethylsiloxane, LOI of, 847, 861
Bisphenol A diglycidylether, adhesives from systems containing, 1931
Bisphenol A epoxy resin–anhydride system, cure kinetics of, 4259, 4279
Bisphenol chloral polycarbonate, block polymers with dimethylsiloxane, LOI of, 847
Bisphenol fluorenone carbonate, block polymers with dimethylsiloxane, LOI of, 847
Blend interaction parameter, 3917
Blends, of HDPE, PS and SEBS, mechanical properties of, 1
—, of MMA grafted EPR or EPDR with PVC, 2185
—, of PE with PP, drawing behavior of, 3515(N)
—, polycarbonate–copolyester, miscible, 4233
—, of poly(2,3-dichloro-1-propyl acrylate), with poly(glycidyl methacrylate–*co*–ethyl acrylate), 2001
—, of poly(ether ester) and PVC, with and without poly(methyl acrylate), 3487
—, polymer, 1465
—, of poly(methyl acrylate), with PVC and poly(ether ester), 3487
—, of poly(styrene-co-allyl alcohol) with poly-ε-caprolactone, 3917
—, polystyrene–polycarbonate, melt, viscoelastic properties of, 499
—, polyurethane–PVC, morphology of, 2989
—, of PVC and poly(ether urethane), with and without Hytrel, 3467
—, of PVC and segmented poly(ether ester), with and without poly(methyl acrylate), 3487
—, from reprocessed coextruded products, 9
—, rubber-modified PP, 2693
—, viton GLT/fluoroalkylene ether silicate, as low temperature flexible elastomers, 3965
Block copolymers, by free radical mechanism, 3103
—, star-shaped, effect on H_2O–oil emulsions, 343
Blood compatability, to polyamides containing functional groups, 2293
Boltzmann–Matano method, 643

Bond strength, initial, in solvent-based contact adhesives, factors affecting, 3699
Borate crosslinked poly(vinyl alcohol) gels, mechanical properties of, 3895
Bovine serum albumin, ultrafiltration of, through partially permeable membranes, 3007
Branched PE, prediction of rheological behavior of, 1001
Branched polymers, rheological properties and processability of, 1343, 1427(N)
Brittle failure, in HDPE, 1085
Brominated polycarbonates, hydrolysis of, 1777
Bromine-containing flame retardant systems, gas-phase inhibition reactions of, 3085
Bromine-containing triazine flame retardants, 2959
Butadiene, copolymerization of propylene with, alternating, coordination catalyst for, 2503
—, copolymers with acrylonitrile, carboxyl-terminated, partially neutralized, adhesives from systems containing, 1931
—, olefinic sulfonic acid salts copolymerized with, 1027
—, polymerization of, with nickel(II) stearate–diethyl aluminum chloride catalyst, 653
—, polymers containing styrene, methacrylic acid and, IPNs based on, 141
Butadiene-acrylonitrile rubber, epoxies modified by, 889
—, epoxies modified by carboxyl-terminated, 907
Butadiene–AN copolymers, carboxyl-terminated, epoxy resins modified by, phase separation in, 2391
Butadiene–styrene copolymerization, emulsion, modified by microemulsified mercaptans, 107
Butadiene–styrene rubber, network structure and properties of, effect of curing parameters on, 529
—, spontaneous ignition of, 2447
2-Butenyl acrylate, grafting of, on starch, 207
Butyl acrylate, block copolymerization of MMA with, free radical initiation of, 3103
—, copolymerization of ethyl acrylate and, 4081
—, copolymers containing, thermal degradation of, 4103
—, copolymers with vinyl acetate), latexes of, surfactant interactions in, 1351
—, grafting of, onto wool, 3797
—, ternary copolymerization of, involving tributyltin monomers, 97
Butyl methacrylate, grafting of, onto chlorinated rubber, 2305
—, ternary copolymerization of, involving tributyltin monomers, 97
Butylphenolic resin modified polychloroprene adhesives, initial bond strength in, 3699

Calorimetric analysis, of adhesive bond strength, of allyl 2-cyanoacrylate, 1941
Capacitively coupled system, glow discharge polymerization in, 3425
ϵ-Caprolactam, glow discharge polymerization of, 2197, 2205
—, impurities in industrial, analysis of, 3271
Capsules, micro-, photochemical rupture of, AIBN containing, 809
Carbamate-modified polyethylene, preparation and reactions of, 249
Carbamate reaction, of cellulose with urea, 2103(N)
Carbon black, effect of, on viscoelastic behavior of rubbers, 3773
—, influence of, on PVC polymer and copolymer mobility, 3099
Carbon dioxide, sorption of, in solvent cast poly(methyl methacrylate) and poly(ethyl methacrylate) films, 159
Carboxylate, metal, as crosslinking agent for carboxylated nitrile rubber, 4011
Carboxylated nitrile rubber, structure-property relations of, 4011
Carboxylate–Zn–pyrrolidone complex with long chain diamine, as hardener for eopxy resins, 3609
Carboxylic acid, unsaturated-diallyl phthalate system, polymer plates with high surface energy from, 2423
Carboxyl-modified polyamides, reaction with KOH, 3305
Carboxyl-terminated butadiene-acrylonitrile rubbers, epoxies modified by, 907
Carboxyl-terminated butadiene–AN copolymers, epoxy resins modified by, phase separation in, 2391
Case II swelling, of poly(ethylene terephthalate) in organic solvents, 2649
Castor oil tris(thioglycolate), rubbery products from, 201
Catalysis, of the reaction between isocyanates and protonic substrates, 3027
Catalyst, coordination for alternating copolymerization of butadiene and propylene, 2503
—, phase transfer, in sulfonation of polymers, 3927
Catalytic effect, of a portland cement filler, on the cure of resorcinol phenol–formaldehyde polymer concrete, 1453
Catalyzed polymerization of cycloolefins, 3525
Cation exchange membranes, microstructure of, 3175(E)
Cation exchange resin, from sulfonated *N*-vinylcarbazole and divinylbenzene copolymer, 1719
Cationic flocculant, 1585
Cations, polyvalent, effect of, on cure of polymer concrete, 1453
Ce(III)-poly(vinyl alcohol) overcoating, inhibition of photodegradation of PC by, 2381
Ce^{4+}-induced graft polymerization, of vinyl monomers, onto mica, 3343
Ce(IV), grafting of vinyl monomers onto modified cotton initiated by, 3995
Cellular affinity, of polyamides having various functional groups, 2293
Cellulose, carbamate reaction of urea with, 2103(N)
—, cotton, enzymatic hydrolysis of, 1989
—, graft copolymers containing, sulfonation of, 3927
—, grafting of glycidyl methacrylate on, 3927
—, grafting of MMA on, 149, 2769(N)
—, grafting of MMA onto, 1413(N)
—, mercerization of, in wood, 1275
—, modified, grafting of MMA onto, 3151
—, nitro-, hydrogen bonding of 2,4-dinitrotoluene to OH groups in, 1739(N)
—, nitro-, microbial attack of, 997
—, trimethylsilyl, as precursor to regenerated cellulose fiber, 3827
—, vinyl derivatives of, grafting of styrene onto, 3377
Cellulose acetate, asymmetric membranes of, *water transport through, 1243
—, films, pure and iodinated, conductivity of, 1787
Cellulose acetate butyrate, liquid crystalline solutions of, wet spinning of, 3955(N)
Cellulose and derivatives, See also under individual derivative names, e.g. cellulose acetate and nitrocellulose
Cellulose fiber, regenerated, trimethylsilyl cellulose as precursor to, 3827
Cellulose gels, molecular motion in, of small molecules, 3385
Cellulose hydrogels, swelling and mechanical properties of, 2519, 2533, 2545, 2561
Cellulose nitrate, 933
—, graft polymer of cellulose nitrate with, irradiated, properties of, 941
—, graft polymer of, MMA with, irradiated properties of, 933
Cellulose triacetate, liquid crystalline solutions of, wet spinning of, 3955(N)
Cellulose xanthate, reaction of epichlorohydrin with, cellulose hydrogels from, 2519
Cellulosic gels transport through, from aqueous phase, 4135
Cellulosic membranes, transport through, from aqueous phase, 4135
Cement, catalytic effect on cure of polymer concrete filled with, 1453

CGL-144, See also hindered amine additive or amine additive, hindered
Chalk, liquid modified, as filler for LDPE, 4047
Char formation in polyvinyl chloride, 353
Char oxidation, 861
Charring agents for PVC, effects on char formation of, 353
Char yields, of 1,3,4-oxadiazole copolymers, 571
Chemical antinometry, 2509
Chemical modification of starch, cyanoethylation, 171
Chlorinated atactic polypropylene, as a plasticizer for PVC, 3213
Chlorinated methacrylates, positive electron resists from, dry etching durability of, 3395
Chlorinated rubber, grafting of acrylate monomers onto, 2305
Chloromethylated polystyrene resin, containing dithiocarbamate group, reaction with metal ions, 1475
Chloromethylated styrene/DVB copolymers, phosphorylated, cation exchangers from, 4161
5-Chloromethylsalicylaldehyde, modification of cellulose by, PS grafted on product from, 3377
Chlorosulfonated PE, swollen, H_2O in, 2625
Chloro-*p*-xylylene, polymerization of, 2415
Chromatography, 833
—, adsorption, column, of styrene–acrylic copolymers, 951
—, column, of polymer latexes, 1567
—, column, resolution in, of polymer latexes, 1555
—, hydrodynamic, effect of light scattering behavior of PS on, 1555
—, hydrodynamic, of polymer latexes, 1567
—, size exclusion, aqueous, 1705
Chromic titanate catalysts, for high-melt-index polyethylene, by the particle-form process, 2927
Chromium acid etching, of plastics, 2097(N)
Cinnamic acid, and esters, polymers from, 1221
Clay-latex coating, sintering of, 791, 799
Cloud point, measurements, 2391
—, phase separation determined by, 2067
Coatings, polyaniline, anodic synthesis of, onto Fe sheets, 4247
—, surface from *N,N'*-bis(methoxymethyl) urea based air-drying resins, 4021, 4035
Coextruded ABS/HIPS, blends from reprocessed, 9
Coextruded nylon/ionomers, blends from reprocessed, 9
Coextruded products, blends from reprocessed, 9
Coiled tubes, axial dispersion of polymer solution laminar flow through, 3475
Coils, helical, laminar dispersion of polymer solutions in, 785
^{60}Co induced grafting of 2-butenyl acrylate on starch, 207
Column chromatography, of polymer latexes, 1567
—, resolution in, of polymer latexes, 1555
Combustion and pyrolysis of poly(ethylene terephthalate), 3085
Compatibility, in blend of poly(2,3-dichloro-1-propyl acrylate) and poly(glycidyl methacrylate-*co*-ethyl acrylate), 2001
Complexes, of polymer films with transition metal ions, photoconductivity of, 1659
—, of UV absorbers and thermal stabilizers in PVC, efficiency of UV absorbers effected by, 1735(N)
Composites, drawn PS, properties of, 129
—, fiber-polymer, permeable, moisture absorption in, 4069
—, graphite fiber, effect of γ-radiation and electron bombardment on, 2061
—, leather–polymer, morphology and water absorptivities of, 61
—, polymeric, from binary monomer/polymer mixtures, 2665
Compressibility, adiabatic, of ionic and nonionic polymers, 543
Concentration, critical, of polymer solutions, effects of polydispersity on, 4299
Concrete, polymer-, effect of cement filler on cure of, 1453
Concrete–polymer composites, corrosion of, 1159
Condensation polymerization, 3965
Condensation polymers, effect of crystallinity of, on platelet adhesion, 4207
Condensation products, from imidobis(sulfuryl chloride), 3073
Conduction, in polydiacetylene bilayers, 1605
Conductivity, cation exchanger affinities determined by, 4161
—, electrical, of films of PTFE–*g*-acrylic acid, 3871
—, electrical, of δ-irradiated and chemically oxidized wool, 2791(N)
—, of pure and iodinated cellulose acetate films, 1787
—, thermal, of crystalline polymers, 2325
Cone-plate rheometer, 1149
Constitutive equation, application of a, to polymer melts, 1847
Contact adhesives, solvent-based, initial bond strength in, 3699
Contact angles, on synthetic polymer plates with high surface energy, 2423
Container diameter, effect of, on β-radiation-induced polymerization of acrylamide, 1105
Continuous extrusion of high-modulus semicrystalline polymers, 395
Continuous flow reactor, polymerization in, stochastic modeling of, 3745
Contrast enhancement, in multicomponent polymer systems, 1421(N)
Coordination catalyst for the alternating copolymerization of butadiene and propylene, 2503
Copolyesters, hydrolysis of, by lipase, 441
Copolyester studies, 4125
Copolymer elastomer, triblock, IPN of ionomeric plastic and, 177
Copolymerization, See also grafting, individual monomers and substrates
Copolymerization, alternating, of butadiene and propylene, coordination catalyst for, 2503
—, emulsion, of ethyl and butyl acrylates, 4081
—, emulsion, of styrene with acrylonitrile, 1327
—, of glycidylmethacrylate, methylmethacrylate and divinylbenzene, 271
—, of 2-methoxy-4-vinylphenol with fluorinated acrylic monomers, 423
—, of pentachlorophenyl acrylate with vinyl acetate or ethyl acrylate, 2403
—, radiation-induced, of CH_3Cl salt of *N,N*-dimethylaminoethyl methacrylate with acrylamide, 1585
—, radiation-induced of TFE with propylene, 2751
—, reactivity ratios, 1117
—, studies on tributyltin acrylate & methacrylate, 97
—, of styrene with acrylamide derivatives in an emulsifier-free aqueous medium, 1649
—, of styrene with acrylamide, in an emulsifier-free aqueous medium, 1637
—, of tetrafluoroethylene with propylene, seeded, radiation-induced, 3455
—, of tributyltin methacrylate, and methyl methacrylate, 2967
Copolymers, acrylic, thermal degradation of, 4103
—, containing poly(tetramethylene terephthalate) and poly(tetramethylene oxide), 4125
—, of DVB with *N*-vinylcarbazole, sulfonated, cation exchange resin from, 1719
—, sulfonation of, phase transfer catalysts in, 3927
^{60}Co radiation-induced copolymerization of *N,N*-dimethylaminoethyl methacrylate, methyl chloride salt of, 741(N)
Co radiation-induced grafting, of 2-VP on poly(3,3-bis(chloromethyl)oxetane), 2897
Corrosion of polymer–concrete composites, in hydrochloric acid, 1159
Cotton, degradation of, 2713
—, flame retardant, bromine-containing triazines in, 2959
—, mercerized, degradation of, 2713

—, modified, grafting of vinyl monomers onto, 3995
Cotton cellulose, enzymatic hydrolysis of, 1989
Couette flow, 303
Covercoat retardation, of gas permeation, through sheet molding compound, 3933
CR-39, impact testing of, 3623
CR-39, See also diethylene glycol bis(allyl carbonate)
Crack front, running, in viscoelastic solid, 2147
Crack propagation, in an epoxy resin, 3447
Crack resistance, of CR39, on impact, 3623
Crack-tip plastic zones, in glassy polymers under small-scale yielding, 1919
Crank–Nicholson method, 1283
Creep compliance, relation between swelling and, in cellulose hydrogels, 2533
Creep fracture, of polypropylene fibers, effect of drawing on, 3565
Crenelated versus reticulated surfaces on macroporous PS–DVB membranes, 591
Cresylic acid soluble polyimides, 3837
Crimped yarns, image and dynamic mechanical analysis of, 987
Critical concentration, of polymer solutions, effects of polydispersity on, 4299
Crosslinked polymers, ionically, IPNs based on, 141
Crosslinkers, multifunctional, networks formed using, 3977
Crosslinking, radiation-induced, of PVC with trimethylolpropane trimethacrylate, 3669
Crosslinks, ionic, in carboxylated nitrile rubber, 4011
Crown ethers, effect on transport of anions through membranes by, 4149
Cr(VI), in grafting of MMA on PET, 2109(N)
Cr(VI) ion, as graft copolymerization initiator, 2769(N)
Cryogenic crushing of polystyrene, 1485
Crystalline polymers, semi-, continuous extrusion of high-modulus, 395
—, thermal diffusivity and conductivity of, 2325
Crystalline structure, of nylon 6 yarns, effects of processing, conditions on, 713
Crystallinity, of condensation polymers, effect of, on platelet adhesion, 4207
—, degradation of aliphatic polyesters measured by changes in, 3779
—, effect of, on solvent-induced crystallization of PET, 1795
—, of hydrolytically degraded poly(glycolic acid), 1727
Crystallizability fractionation, 4217
Crystallization, induced, in polycarbonate, 2975
—, of isotactic PS and blends with atactic PS, 2373
—, of isotactic PS, shear-induced, 2841
—, solvent-induced, of PET, 1795
Crystals, polymer, longitudinal growth of, 303
Cure kinetics, of a bisphenol A epoxy resin–anhydride system, by IR absorption spectroscopy, 4259, 4279
Cure of polymer concrete, effect of cement filler on cure of, 1453
Curing, of epoxy resins, 2265
Curing parameters, effects of, on network structure and properties of PB and styrene–butadiene rubbers, 529
Curing reaction, of unsaturated polyesters, by 6-dibutylamino-1,3,5-triazine-2,4-dithiol, 4335(N)
Cyanide ion exchanger, polyion complexes as, 2601
2-Cyanoacrylic acid, allyl ester, adhesive bond properties of, 1941
Cyanocinnamylideneacetic acid, and esters, polymers from, 1221
Cyanocinnamylydene–pyridinium groups, polymers containing photocrosslinking of, 1221
Cyanoethylation, of starch, 171
Cyclic fatigue, and thermal softening, of polypropylene, 3947(N)
Cyclic oligomer formation, simulation of, in preparation of nylon 6, 2153
Cyclodextrine, See also Schardinger
Cycloolefins, catalyzed polymerization of, 3525
Cyclopentane dianhydride, polyimides prepared from, cresylic acid solubility of, 3837
Damping, acoustic, polymeric systems for, 3487
1-Decene, copolymers of maleic anhydride with, composites containing, 1681
Deformation, of HDPE, 1309
—, plastic, of CR39, on impact, 3623
Degradation, biological, of gelatin–*g*-poly(ethyl acrylate), 3623
—, of cotton, 2713
—, dielectric-loss microwave, of polymers, 1533
—, hydrolytic of polyacrylamide, 2123
—, hydrolytic of poly(glycolic acid), 1727
—, oxidative, of PVC, radiation-induced, 2947
—, oxidative, radiation-induced, of polypropylene, 1361
—, photo-induced, of nylon 6 fibers, 3729
—, of plastic film under soil burial conditions, 509
—, of poly(ϵ-caprolactone) *in vivo*, 3779
—, of polycarbonate–copolyester blends, 4233
—, of PS, TGA of, effect of molecular weight on, 3503(N)
—, thermal and photo-oxidative, of poly-1-butene film, 2509
—, thermal, of acrylic copolymers, 4103
—, thermal, of polyurethanes, model compounds for, 2781(N)
—, thermal, of synthetic polymers, 1267
—, thermo-oxidative of LDPE, 3409
—, of vulcanized synthetic isoprene, by the phenylhydrazine–iron (II) chloride system, 1417(N)
Dehydrochlorination agents for PVC, effects on char formation of, 353
Delignification and degelation, 1623
Density, light transmission, 2001
Density gradient column, 1579, 2519
Density measurements, 2459
Depolarization current studies, thermally stimulated, on strain-induced relaxations in polymers, 2459
Deposition, in glow discharge polymerization, distribution of, 3425
Deterioration, of plastic films under soil burial conditions, 509
Deuterated 4-stilbazole, 1975
Dextran, grafting of acrylamide on, 1705
Dextran-*g*-polyacrylamides, synthesis of model, by $Fe(II)/H_2O_2$ initiation, 1705
DGEBA, cured by tributyltin 3,5-diaminobenzoate, composites containing, 1681
Diacetylenes, polymeric, bilayers, conduction in, 1605
Diallyl phthalate, polymerization of, at high temperatures, 3537
Diallyl phthalate-unsaturated carboxylic acid system, polymer plates with high surface energy from, 2423
Dialysis, use of grafted PVA membranes in, 3223
Dialysis membranes, of nylon 4, 1907
Diamines, multiring, polyimides from, 3805
2,4-Diaminoacetanilide, polyimides prepared from, cresylic acid solubility of, 3837
2,4-Diaminoanisole, polyimides prepared from, cresylic acid solubility of, 3837
1,5-Diamino-4,8-dihydroxyanthraquinone, polyimides prepared from, cresylic acid solubility of, 3837
Diaminotoluenes, polyimides prepared from, cresylic acid solubility of, 3837
6-Dibutylamino-1,3,5-triazine-2,4-dithiol, curing of unsaturated polyesters by, 4335(N)
Di-*t*-butyl 4,4′-azobis(4-cyanoperoxyvalerate), a multifunctional initiator, 3103
Dibutyl phthalate, interaction of PMMA with, 4059
Dibutyl 4,4′-sulfonyldibenzoate, yarns containing copolymers of, photodegradation of, 701
Dicarboxylic acid containing internal imide group, 957
3,3′-dicarboxytribenzylamine, PET chain containing, chain scission in, 1257
4,4′-dicarboxytribenzylamine, PET chain containing, chain scission in, 1257
Dicyandiamide, analysis and solubility, in epoxy resins, 1837
Dicyanomethylide-pyridinium groups, polymers containing, photocrosslinking of, 1233

Die drawing, ultrahigh-modulus poly(oxymethylenes) prepared by, 2879
Dielectric-loss microwave degradation, of polymer, 1533
Dielectric γ relaxation, in polyethylene at low temperature, 27
Dielectric relaxation of polyacrylonitrile, effect of heat treatment on, 3599
Dienes, olefinic sulfonic acid salts copolymerized with, ion-containing elastomers from, 1027
Diethyl aluminum chloride–Ni(II) stearate catalyst, for polymerization of butadiene, 653
Diethylene glycol bis(allyl carbonate), light-focusing rod from, 2907
Diethylene glycol bis(allyl carbonate), See also CR-39
Differential, 1689
Diffusant concentrations and mass fractions in model systems, 2797(N)
Diffusion, of the cationic dye Anilana Red BL in the anionically modified polyester fiber dilana, 643
—, free volume theory of, 629, 3735
—, of impurities in polymers, 1497
—, in polymer–dye systems, 643
—, simultaneous, of benzyl alcohol into plasticized PVC and of plasticizer from polymer into liquid, 2315
—, solvent, in amorphous polymers, 3735
—, through cellulosic gels and membranes, from aqueous phase, 4135
Diffusion and induced crystallization in polycarbonate, 2975
Diffusion coefficient measurements, by hygroelasticity, 1493
—, by solvent absorption, in concentrated polymer solution, 3311
Diffusion energies, activation, for gases in elastomers, 629
Diffusivity, measuring diffusion coefficients by, 1493
—, thermal, of crystalline polymers, 2325
Diglycidyl ether of bisphenol A, epoxy system containing, cure kinetics of, 4259, 4279
—, rubber-modified, phase separation in, 2391
Dilatometer, 2639
Dilatometry, of cellulose hydrogels, 2545
—, of reacting epoxy resins, 2337
Dimensional stability, and tensile properties, of drawn polystyrene composites, 129
4,4′-Di(mercaptomethyl)benzophenone, interfacial polycondensation of, with isomeric phthaloyl chlorides, 1143
N,N-Dimethylacrylamide, copolymerization of styrene with, in aqueous media, 1649
N,N-Dimethylaminoethyl methacrylate, CH_3Cl salt, radiation-induced copolymerization of, with acrylamide, 1585
—, methyl chloride salt of, radiation-induced polymerization and copolymerization, 741(N)
Dimethyl 4,4′-biphenyldicarboxylate, photostabilization of PET by, 321
Dimethyl carbamate, cotton crosslinked by, grafting of vinyl monomers onto, 3995
Dimethylol dihydroxyethylene urea, cotton crosslinked by, grafting of vinyl monomers onto, 3995
Dimethylol ethylene urea, cotton crosslinked by, grafting of vinyl monomers onto, 3995
4,5-Dimethyl-1,2-phenylene diamine, polyimides prepared from, cresylic acid solubility of, 3837
Dimethyl phthalate, interaction of PMMA with, 4059
Dimethyl silane derivatives, fluoroalkylene ether silicate polymers from, 3965
2,4-Dinitrotoluene, hydrogen bonding of, to OH groups in nitrocellulose, 1739(N)
Dioctyl phthalate, diffusion of, out of plasticized PVC, 2315
2,6-Diphenyl-1,4-phenylene oxide, block polymers with dimethylsiloxane, LOI of, 847
Disks, magnetic, plated, protective film for, 3707
Dispersion, axial, in laminar flow of polymer solutions, through coiled tubes, 3475
—, laminar, of polymer solutions in helical coils, 785
Distribution, of polymer deposition, in glow discharge polymerization in a capacitively coupled system, 3425
2,6-Distyrylpyridine, 1975
Dithiocarbamate group, chloromethylated PS containing, metal ion reactions with, 1475
Divinylbenzene, copolymerization of glycidylmethacrylate & MMA with, 271
—, copolymer *N*-vinylcarbazole, sulfonated, cation exchange resin from, 1719
Domain sizes, phase, in IPNs, 743(N)
Domain structure, in polyurethanes, study of by pulsed ^{1}H-NMR, 3689
Dosimeter, polymeric for γ-radiation, 2181
Drawing, die ultrahigh-modulus poly(oxymethylenes) prepared by, 2879
—, effect of, on creep fracture of polypropylene fibers, 3565
—, effect of, on PET aging, 2813
—, effects of, on nylon 6 crystalline structure, 713
—, zone, of PET, 213
Drawing behavior, of polyethylene–polypropylene blends, 3515(N)
Drawing speed, influence of, on properties of acrylic fibers, 1813
Drawn PET sheets, axially, constrained, properties of, 3435
Drawn polymers, hot-, multiple molecular relaxations in, 2139
Drawn PP fibers, aging of, 2613
Drying properties, of urea resins prepared from *N,N′*-bis(methoxymethyl) urea and alcohols, 4021
Dry-process recording material, by use of photosensitized solid-state, 3505(N)
Dry sintering, of pigmented latex coating, 799
—, of pigmented latex coatings, 791
DSC, 431, 603, 1439, 1485, 1689, 2625, 2813, 2989, 3073, 4217, 4233
—, measurements, on PC hydrolysis products, 1777
—, measurements, on zone annealed PET, 213
DSC, See also differential scanning calorimetry
DTA, 4103
—, analysis of water in polyHEMA by, 3719
—, measurements, of cellulose acetate films, pure and iodine doped, 1787
—, of photo-oxidized nylon 6 fibers, 3729
DTA, See also differential thermal analysis
DTG, 2959
Ductile failure, in HDPE, 1085
DVB copolymers, phosphorylated, cation exchangers from, 4161
DVB–maleic on hydride–styrene copolymer, preparation of fine powder, 2113(N)
DVB–styrene copolymers, suspension polymerized, formation and structure of, 3845
Dyeing behavior of undrawn fibers derived from tetramethylene terephthalate, 4125
Dyes, acid, permeation of, through nylon 6 membrane, 3325
Dynamic complex modulus, 1085
Dynamic mechanical analysis, of adhesive bond strength, of allyl 2-cyanoacrylate, 1941
—, and image analysis of crimped yarns, 987
—, study of phase separation by, 889
Dynamic mechanical measurements, on zone annealed PET, 213
Dynamic mechanical properties, of Schardinger cyclodextrin additives containing membranes, 489
Dynamic mechanical spectroscopy, 1465
Dynamic mechanical viscoelastic behavior in, polymer solids, 4307
Dynamic storage modulus, 1847
Dynamic tensile, mechanical properties, continuous measurement of, 4307
Dynamic viscoelastic measurements during the fatigue process, 1085

(E)-1,3-Bis(3-aminophenyl)-1-buten-3-yne, reaction polyimides from, 2679
El-Alfy, E. A. 2713
Elasticity, rubber, of poly(*n*-butyl acrylate) networks, 3977
Elastic modulus, 4059
—, of PET, dependence on structure, 1877

Elastic modulus and density, rapid measurements of, in polypropylene sheet during aging, 1579
Elastomers, diffusion of gases in, activation energies of, 629
—, fluorocarbon, low temperature flexible, 3965
—, ion-containing, preparation of, 1027
—, siloxane, reinforcement of, by silica, 833, 1015
Electrical conductivity, of films of PTFE–*g*-acrylic acid, 3871
—, of δ-irradiated and chemically oxidized wool, 2791(N)
Electrical potential, in Schardinger cyclodextrin additives containing membranes, 489
Electrical resistivity, of a polyamide quinoxaline polymer, 1437(N)
Electric strength, of epoxide resins and its relation to the structure, 2211
Electron, microscopy, 261
Electron beam cured model urethane prepolymer, structure-property relation in, 3355
Electron beam irradiation, graft copolymerization induced by, 3065
Electron bombardment, effect of, on graphite fiber composites, 2061
Electron microscopy, 1373, 1689, 3845
—, study of phase separation by, 889
Electron resists, positive, dry etching durability of, 3395
Electron spin resonance study, of γ-irradiated nylon 6, 4317
Electro-optical measurement of a running crack front, 2147
Elemental analysis, 3073
Elliptical channels, flow in, 3171(N)
Elongation at break, 3609, 4059
Elongation–tensile force curves, for oriented PS films, 85
Elution volume, effect of adsorption by packing on, 2657
—, in gel permeation chromatography, 1295
Emulsifier-free emulsion polymerization, of styrene, in acetone–water, 1675
Emulsion copolymerization, semicontinuous, of ethyl acrylate and butyl acrylate at high conversions, 4081
—, of styrene with acrylonitrile, 1327
Emulsion polymerization, 1637, 1649
—, emulsifier-free, 1675
—, studies on suspension and, 1675
—, of styrene, with ionic comonomer, in the presence of methanol, 1819
—, of vinyl acetate or vinyl chloride, radical desorption in, 17
Emulsion polymerizations, modification of, with microemulsions of mercaptans, 107
Emulsions, water–oil, effect of star-shaped block copolymers on, 343
Energy, surface, of synthetic polymer plates, 2423
Energy transfer in ethylene terephthalate–4,4′-biphenyldicarboxylate copolymers, 321
Environment, external, 3447
—, external, effect of, on epoxy resin, 3447
Environmental stress crack growth, in medium-density polyethylene pipe, 1049(N)
Enzymatic hydrolysis, of cotton cellulose, 1989
EPDM terpolymer, grafting of SAN copolymer on, 261
EPDR, MMA grafted on, blends of PVC with, 2185
Epichlorohydrin, reaction of cellulose xanthate with, cellulose hydrogels from, 2519
Epoxide/hydroxyl group ratio, effect of, on cure kinetics of epoxy resins, 4259, 4279
Epoxy adhesive joints, 1759
Epoxy/graphite fiber composites, effect of γ-radiation and electron bombardment on, 2061
Epoxy polymers, organotin, glass-reinforced composites of, 1681
Epoxy resin-fiber composites, permeable, moisture absorption in, 4069
Epoxy resins, analysis and solubility of dicyandiamide and 3-(p-ClC_6H_4)-1,1-dimethylurea in, 1837
—, anhydride cured, acetylacetonates as latent accelerators for, 979
—, cure kinetics of, 4259, 4279
—, curing of, shrinkage and internal stress during, 2265
—, effect of external environments on, 3447
—, electric strength of, 2211
—, moisture absorption of, effect of network structure on, 3015
—, reacting, torsional braid analysis of and Rayleigh–Brillouin scattering from, 2337
—, rubber-modified, morphology and transitions, 889
—, rubber-modified, morphology & mechanical properties, 907
—, rubber-modified, phase separation behavior of, 2391
—, synthesis, kinetics of, on the basis of GPC measurements, 2783(N)
—, uncured, hydrolytic stability of, 2363
—, Zn–pyrrolidone–carboxylate complex with long chain amine as hardener for, 3609
EPR, MMA grafted on, blends of PVC with, 2185
EPR, See also rubber, ethylene-propylene
EPR, See also ethylene-propylene rubber
Equilibria, vapor–polymer–liquid, 1497
Errata, 3175
ESCA, 3761
ESR, 1659
ESR, See also electron spin resonance
Ester interchange reactor, 3179
Etching durability, dry, of positive electron resists, 3395
Etching of plastics, by chromium acids, 2097(N)
Ethyl acrylate, copolymerization of butyl acrylate and, 4081
—, copolymerization of pentachlorophenyl acrylate with, 2403
—, grafting of, onto chlorinated rubber, 2305
—, grafting of, onto gelatin, 3623
—, grafting of, onto wool, 3797
—, latexes of polymers & copolymers of, solutions from, 1595
4-(*N*-ethyl,*N*-2-acryloxyethyl) amino,4-nitro,azobenzene, grafting of, in polymer surfaces, radiation-induced, 619
Ethylene, glow discharge polymer from, adhesion of, to metals and polymers, 3333
—, glow discharge polymerization of, 2197
—, glow discharge polymerization of, distribution of polymer deposition in, 3425
Ethylene dimethacrylate, suspension copolymers with glycidyl methacrylate, macroporous, 411
Ethylenediphenylcarbamate, thermal degradation of, 2781(N)
Ethylene glycol dimethacrylate, poly(*n*-butyl acrylate) networks crosslinked by, 3977
Ethylene oxide, oligomeric, as modifier of chalk filler for LDPE, 4047
—, polyaddition reactions of, molecular weights in, 1059
Ethylene-propylene rubber, See also EPR
Ethylene terephthalate, graft copolymers with methylvinylpyridine, alkylated, antistatic properties of, 1129
Ethylene terephthalate–4,4′-biphenyldicarboxylate copolymers, energy transfer and photodegradation in, 321
2-Ethylhexanol, condensates of *N,N′*-bis(methoxymethyl) urea with, air-drying resins based on, 4035
Ethyl methacrylate, polymerization of, sulfonated polystyrene as initiator in, 2639
Extrusion, continuous, of high-modulus semicrystalline polymers, 395
—, co-, solid-state, ultradrawing of PS by, 2841
—, of polycarbonates, glass fiber-reinforced, rheological properties of, 2347

Fatigue, cyclic, of PP, 3947(N)
Fatigue behavior of high-density polyethylene, 1085
Ferric chloride, anhydrous interaction of, with nylon 6, 603
Ferrous ammonium sulfate–$K_2S_2O_8$ redox system, grafting on wool initiated by, 3789

Fibers, from 2,5-(*p*-phenylene:vinylene)-1,3,4-oxadiazole copolymers, 571
—, of poly-*p*-phenylene benzobisthiazole, macrostructure and mechanical behavior of, 291
—, polypropylene, γ-irradiation of, 1439
—, wet spinning of, 3157
Fiber volume fraction, 4069
Fibrillation, in polyblends, effect of, on drawing behavior, 3515(N)
Fick's second law of diffusion, 373(N)
FID, See also flame ionization detector
Filler particles and polymer structure, influence of, on the mobility of polymer molecules, 3099
Fillers, effect of, on viscoelastic behavior of rubbers, 3773
—, for LDPE, liquid modified chalk as, 4047
Film-forming temperature, minimum, 791
Films, plasma polymerized protective, for plated magnetic disks, 3707
—, polystyrene, orientation development of, 85
Fire retardance, of PVC–polyurethane blends, 823
First normal stress difference, 1847
FITC-conjugated glucoamylase, immobilized on polymer surfaces, 687
Flame, retardant polycarbonates, hydrolysis of, 1777
Flame-retardant additive solubility, in high-impact PS, 2229
Flame retardants, bromine-containing triazines as, 2959
—, effects on products of PET pyrolysis, 277
Flame-retardant systems, gas-phase inhibition reactions of, 3085
Flammability limits, of the gaseous pyrolysis products of polymeric materials, 3085
Flammability resistance synergism, in bisphenol-A polycarbonate–silicone block polymers, 861
Flammability standards, FF3-71, for bromine-containing triazine flame retardants, 2959
Flash pyrolysis/gas chromatography technique, 277
Flocculants, 1585
—, acrylamide copolymers with *N,N*-dimethylaminoethyl methacrylate, methyl chloride salt of, as, 741(N)
Flory–Huggins interaction parameter, 2533, 2625
Flory–Huggins theory, 2279
Flory–Stockmayer theory, 1623
Flow, of dilute hydrolyzed polyacrylamide solutions, in porous media, solvent effect on, 3125
—, in elliptical channels, 3171(N)
—, laminar, of polymer solution, through coiled tubes, 3475
—, through regular polygonal channels, 3939(N)
Flow reactor, continuous, polymerization in, stochastic modeling of, 3745
Fluorescein isothiocyanate, See also FITC
Fluorescence, in ethylene terephthalate–4,4′-biphenyldicarboxylate copolymers, 321
Fluorescence microscope, 687
Fluorinated acrylic monomers, copolymers with 2-methoxy-4-vinylphenol, 423
Fluorinated methacrylates, positive electron resists from, dry etching durability of, 3395
Fluoroalkylene ether silicate polymers, 3965
Fluoroalkylene ether silicate/viton GLT blends, 3965
Fluorocarbon elastomer, low temperature flexible, 3965
Fluoroether bisdimethyl carbinols, fluoroalkylene ether silicate polymers from, 3965
Fluoropentyl methacrylate, copolymers of vinyl guaiacol with, critical surface tension of, 423
Foaming process, polyurea, metal salt–amine complexes as catalysts for, 3027
Formaldehyde, polymerization of, 2743
—, polymerization of parabanic acid with, 3819
—, urea condensation with, 381
Formaldehyde–urea polymer cure, studied of, by IR, 747
Fourier transform infrared spectroscopy, 603, 2023
Fractional precipitation, of extracted PET–MMA polymerization product, 3253
Fractionation, automatic cross, combination of crystallizability fractionation and MW fractionation, 4217
Fracture, creep, of polypropylene fibers, effect of drawing on, 3565
Fracture toughness, of epoxy resin, influence of external environments on, 3447
—, of epoxy resin, 3447
Free radical induced grafting of ethyl acrylate onto gelatin, 3623
Free radical initiation, of block copolymerization of MMA with butyl acrylate, 3103
Free volume theory of diffusion, 629, 3735
Fricke dosimeter, 2181
Fructose–peroxydiphosphate redox system, in graft polymerization of MMA on wool, 733
Functional groups, polyamides containing, cellular affinity of, 2293
Fungicides, polymer-bound, 2403

Gas-chromatography, 559
Gas chromatography/flash pyrolysis technique, 277
Gas chromatography/mass spectrometry, 277
Gas chromatography, See also GC and GCMS
Gases, diffusion of, in elastomers, activation energies of, 629
—, permeation of, through modified polymer films, 2239
—, retardation of permeation of, through polyester resin, thio-ene formulation coated, 3933
Gas permeability of copolypeptide membranes, 1301
Gas-phase inhibition reactions of flame retardant systems, 3085
GC, 2781(N)
GC, See also gas chromatography
GC-MS, 1975
—, analysis of LDPE decomposition products by, 3409
GCMS, See also gas chromatography and mass spectrometry
Gelatin, grafting of, ethyl acrylate onto, 3623
Gel effect, in MMA suspension polymerization, 3909
Gels, cellulose, molecular motion in, of small molecules, 3385
—, cellulosic, transport through, from aqueous phase, 4135
—, polymeric, sulfonation of phase transfer catalysts in, 3927
—, poly(vinyl alcohol), borate crosslinked, properties of, 3895
Gel–sol transition, 1623
Gibbs energies of sorption, 559
Glass, impact testing of, 3623
—, porous, as packing in GPC, 2657
Glass-fiber-filled polycarbonates, hydrolysis of, 1777
Glass-fiber-reinforced polycarbonate, rheological properties, 2347
Glass-fiber-reinforced polyesters, gas permeation through, retardation of, 3933
Glass-fiber-reinforced poly(oxymethylene), 2879
Glass-reinforced composites, of antifouling organotin epoxy polymers, 1681
Glass transition criterion, 3917
Glass transition temperature, 2001
Glassy polymers, crack-tip plastic zones in, 1919
GLC, analysis of impurities in ε-caprolactam by, 3271
Glow discharge polymerization, distribution of polymer deposition in, 3425
—, investigated by thickness monitor, 3557
—, of styrene and acetylene, 3557
Glow discharge polymers, adhesion of, 2197
—, adhesion of, to metals and polymers, 3333
—, wettability of, 2205
Glucoamylase, immobilization of, on polymer surfaces, radiation-induced, 687
Glycidylmethacrylate, copolymerization of MMA and DVB with, 271
—, copolymers containing, sulfonation of, 3927
—, grafting of, onto cellulose, 3927
—, suspension copolymers with ethylene dimethacrylate, macroporous, 411
—, tributyltin esters of maleic anhydride copolymers crosslinked by, composites containing, 1681
Goodrich smoke–char test, 1191
GPC, 381, 431, 1135, 2305, 2657, 4117, 4217

—, calibration of, from polydisperse standards, 2727
—, elution volumes in, 1295
—, epoxy resin synthesis kinetics based on, 2783(N)
—, measurements on PC hydrolysis products, 1777
—, study of plasma etched PMMA, 1961
Gradient column adsorption chromatography, 951
Gradient polymers, 1465
Graft copolymerization, See also grafting, individual monomers and substrates
Graft copolymerization, of ethylene terephthalate with methylvinylpyridine, alkylated, antistatic properties of, 1129
—, of methyl methacrylate onto cellulose, 1413(N)
—, of methyl methacrylate onto PET, using hexavalent chromium, 2109(N)
—, of methyl methacrylate, onto wool fibers, 733
Grafting, of acrylamide, onto nylon 6 using V^{5+}, 2593
—, of acrylate monomers, onto chlorinated rubber, 2305
—, of acrylic acid, on fluorine-containing polymers, 3871
—, of acrylic acid, on poly(ethylene terephthalate) fibers, 3245
—, of acrylic acid, on PTFE, 3871
—, of acrylic acid, onto nylon 66, reaction of product from, with KOH, 3305
—, of acrylonitrile, on modified cotton, 3995
—, of 2-butenyl acrylate, onto starch, 207
—, of ethyl acrylate onto gelatin, 3623
—, of 4-(*N*-ethyl, *N*-2-acryloxyethyl)amino,4′-nitro,azobenzene onto polymeric surfaces, 619
—, of glycidyl methacrylate onto cellulose, 3927
—, of methyl methacrylate (MMA) and acrylonitrile (AN) onto mica, Ce (IV) initiated, 3343
—, of methyl methacrylate, on EPR and EPDR, 2185
—, of methylmethacrylate, on modified cotton, 3995
—, of methyl methacrylate, on poly(ethylene terephthalate) fibers using H_2O_2 as initiator, 3253
—, of methyl methacrylate onto cellulose, 2769(N)
—, of methyl methacrylate, onto modified cellulose using peroxydiphosphate as the initiator, 3151
—, of methyl methacrylate, onto nylon-6, 2437
—, of methyl methacrylate onto poly(ethylene terephthalate), 2773(N)
—, of methyl methacrylate, onto silk, using peroxydiphosphate–ascorbic acid redox system, 3511(N)
—, of MMA on cellulose nitrate, 933, 941
—, of monomers, onto PVA, 3223
—, of nucleophiles, onto PVC, 3295
—, of NVP, on woolen substrates, radiation induced, 521
—, onto wool, 3789
—, of polar monomers, on nylon 6, 3065
—, of poly(vinyl acetate) and poly(methyl acrylate) onto reduced wool, 3789
—, of SAN copolymer, on EPDM terpolymer, 261
—, of styrene, onto vinyl derivatives of cellulose, 3377
—, of vinyl monomers, by use of $Mn(AcAc)_3$ as an initiator, 3797
—, vinyl monomers, into nylon-6, 2437
—, of vinyl monomers, on modified cottons, 3995
—, vinyl monomers, onto cellulose, 1413(N)
—, of vinyl monomers onto cellulose, 2769(N), 3151
—, vinyl monomers onto polyester fibers, 2109(N)
—, of vinyl monomers onto polyester fibers, 2773(N)
—, vinyl monomers onto silk fibers, 775, 3511(N)
—, vinyl monomers onto wool fibers, 733
—, of vinyl monomers onto wool, 3797
—, of 2-VP on poly(3,3-bis(chloromethyl)oxetane, RO membranes prepared from, 2897
Graft polymerization, of methyl methacrylate, onto cotton cellulose, 149
—, of methyl methacrylate onto wools, 1073
Graphite fiber composites, effect of γ-radiation and electron bombardment on, 2061
Graphite furnace atomic absorption detectors, 2967
Gravimetry, 833
Green strength, of acyclic azoester modified PB's, 4331(N)
Guayule rubber, storage hardening in, 1511
Gum, xanthan, viscosity behavior of solutions of, 2099(N)

Halpin–Tsai equation, 463
Hardener, novel, for epoxy resins, 3609
HDPE, PP modified by, 2693
HDPE, See also polyethylene, high density and high density PE
HDPE, See also high density polyethylene and polyethylene, high density
Heal capacity, of water in swollen sulfonic acid ionomers, 2625
Heat, effect of, on structural changes in partially oriented polyester yarns, 3045
—, effects of, on nylon 6 crystalline structure, 713
Heat pretreatment, effect of, on tensile properties of polycarbonate sheet, 431
Heat setting, effect of, on PET structure and properties, 1877
—, effect of, on PET structure and properties of, 1865
Heat transfer to molten polymer flow in tubes, 765
Helical coils, laminar dispersion of polymer solutions in, 785
Henry's law, 2279
Heterogeneity, in polyethylene samples obtained by extrusion, 2763
Hevea rubber, storage hardening in, 1511
Hexahydrophthalic anhydride, adhesives from systems containing, 1931
1-Hexene, copolymers of maleic anhydride with, composites containing, 1681
1-Hexene-HDPE copolymer, isobutane solubility in, 2279
High-density PE, fatigue behavior of, 1085
High-melt-index PE, catalyst for, 2927
High-modulus and high-strength poly(ethylene terephthalate) fiber by zone annealing, 213
High-modulus semicrystalline polymers, continuous extrusion of, 395
High-performance column adsorption chromatography of random copolymers styrene–acrylics, 951
Hill's equation, 643
HIPS, See also polystyrene, high impact and high impact PS
HIPS, See also polystyrene, high impact
HIPS-ABS pairs, coextruded, blends from reprocessed, 9
H_2O_2-Induced graft polymerization, of acrylic acid, on poly(ethylene terephthalate) fibers, 3245
—, of MMA, on poly(ethylene terephthalate) fibers, 3253
Holographic interferometry, 3505(N)
Holographic recording, 3505(N)
Holography, 3505(N)
H_2O permeation, into containers containing nonideal oils, 373(N)
Horikx, theory of, 1417(N)
Hoseman–Schramek index, 331
Hot-stage optical microscope, study of polymeric particle sintering using, 2787(N)
Hot-stage polarized light microscopy, 2165
HPLC, in analysis of epoxy resins, 1837
—, determination of hindered amine additive in PP by, 2479
Hydantoin epoxide, water-soluble, polyamine system with, as wet strength additive for paper, 1431(N)
Hydrodynamic chromatography, effect of light scattering behavior of PS on, 1555
—, of polymer latexes, 1567
Hydrodynamic permeation chromatography, of polymer latexes, 1567
Hydrogels, cellulose, swelling and mechanical properties of, 2519, 2533, 2545, 2561
—, IPN from, 1741
—, of polyHEMA, analysis of water in, 3719
Hydrogen bonding, of 2,4-dinitrotoluene to unesterified hydroxyl groups in nitrocellulose, 1739(N)
Hydrogen peroxide–thiourea redox system, in grafting of MMA onto silk, 775

Hydrolysis, of basic dyeable polyester, inhibition of, 4087
—, of copolyesters containing aromatic and aliphatic ester blocks, by lipase, 441
—, enzymatic, of cotton cellulose, 1989
—, of polycarbonate to yield BPA, 1777
Hydrolytic degradation, of polyacrylamide, 2123
—, of polyglycolic acid, 1727
Hydrolytic stability, of uncured epoxy resins, 2363
Hydrophilicity, of glow discharge polymers, plasma treated, 2205
Hydrostatic stress component, 1919
N-Hydroxyalkyl-containing copolymers, active transport membranes for anions prepared from, 4149
Hydroxyl/epoxide group ratio, effect of, on cure kinetics of epoxy resins, 4259
Hydroxyl group/epoxide ratio, effect of, on cure kinetics of epoxy resins, 4279
Hydroxyl groups, in polyethylene, 2053
N-(Hydroxymethyl)acrylamide, copolymerization of styrene with, in aqueous media, 1649
Hydroxypropylcellulose, continuous extrusion of, characteristics and structure development in, 2165
—, melt spinning of, characteristics and structure development in, 2165
—, a thermotropic liquid crystal, 2165
Hydroxy-terminated PVC, polyol–PVC block copolymers from, 3657
Hygroelasticity, measuring diffusion coefficients by, 1493
Hysteresis, of polymer films, during stress–strain testing, 4193
Hytrel, blends of, with poly(ether urethane) and PVC, 3467

Ignition, spontaneous, of styrene-butadiene rubber, 2447
Image analysis, of crimped yarns, 987
Imide, dicarboxylic acid containing internal, 957
Imidobis(sulfuryl chloride), condensation products from, 3073
Immobilization, of glucoamylase, on polymer surfaces, radiation-induced, 687
Impact properties of polyvinyl chloride–grafted polymer blends, 2185
Impact strength as a function of flame-retardant additive solubilization, in rubber-modified polystyrene, 2229
Impact testing, of a thermoset polymer—CR39 and glass, 3623
Impurities, in industrial ϵ-caprolactam, analysis of, 3271
Infrared dichroism, 2989
Infrared peak position studies, 2989
Infrared reflectance, 1689
Infrared spectroscopy, 4117
Infrared study, of the effect of heat on wool, 921
Inhibition, of photoinitiated degradation of polycarbonate, by Cerium(III) overcoating, 2381
Initiation of grafting, on wool, by $Fe(NH_4)_2(SO_4)_2$–$K_2S_2O_8$ redox system, 3789
Initiator, polymerization, sulfonated PS as, 2639
Initiator concentration, dependence of initial rate of photo-induced polymerizations on, 3945(N)
Instron, 1877
Instron testing machine, 4059
Interaction, of anhydrous ferric chloride, with nylon 6, 603
—, of organic solvents with aromatic heterocyclic polymers, 559
Interfacial tension, of suspension stabilizers, effect of, on polymer morphology, 3205
Intermolecular interactions, influence of, on the melt rheology of a propylene–acrylic acid copolymer and its salts, 449
Internal stress, in epoxy resins during curing of, 2265
Interpenetrating networks, See also IPN
Interpenetrating networks, 1465
Interpenetrating polymer networks, 1741
—, based on ionically crosslinked polymers, 141
Intrinsic viscosity, degradation of aliphatic polyesters measured by changes in, 3779
—, second virial coefficients predicted from, 3583
Iodimetric titration, determination of vinyl groups by, 1829
Iodinated cellulose acetate films, conductivity of, 1787
Iodine, polydiacetylene bilayers doped with, conduction in, 1605
Ion-containing elastomers, preparation of, by emulsion copolymerization of dienes with olefinic sulfonic acid salts, 1027
Ion-containing reverse osmosis membranes, 879, 2897
Ion exchange membranes, cation, microstructure of, 3175(E)
Ion-exchange polymer, perfluorosulfonic acid, effect of ionizing radiation on, 1519
Ionically crosslinked polymers, IPNs based on, 141
Ionic and nonionic polymers, influence of solvents on, 543
Ionic crosslinks, in carboxylated nitrile rubber, 4011
Ionic monomer, emulsion copolymerization of styrene with, 1819
Ionizing radiation, effect of, on perfluorosulfonic acid ion-exchange polymers, 1519
Ionomeric plastic, IPN of triblock copolymer elastomer and, 177
Ionomer–nylon pairs, coextruded, blends from reprocessed, 9
Ionomers, containing sulfonic acid salts, 2625
—, sulfonic acid salt containing, state of water in swollen, 2625
IPN, See also interpenetrating networks
IPN's, based on macroporous PS–DVB, 591
—, phase domain sizes, 743(N)
—, from poly(*n*-butyl acrylate) and PS, 3283
—, thermoplastic, of a triblock copolymer elastomer and an ionomeric plastic, 177
IPNs morphology and rheology of, 177
IR, 3045, 3073
—, analysis of crystallinity, in continuous extruded HDPE, 395
—, measurements on zone annealed PET, 213
—, study of carbamate reaction of urea with cellulose, 2103(N)
—, urea–HCHO polymer cure studied by, 747
IR absorption spectroscopy, cure kinetics of epoxy resins determined by, 4259, 4279
γ-Irradiated, chloromethylated PS containing dithiocarbamate group, metal ion reaction with, 1475
Irradiated nylon 6, γ-, ESR study of, 4317
γ-Irradiated nylon 6, ESR study of, 4317
γ-Irradiated PTFE, M_n of, 1373
γ-Irradiation of polypropylene fibers, in the presence of carbon tetrachloride, 1439
Irregularities, dangling chain, effects of, on end-linked polydimethylsiloxane chains, 1829
IR spectra, of degradated copolymers, 4103
—, of polyethylene, 2053
—, of products of parabanic acid–HCHO polymerization, 3819
IR spectroscopy, 833, 1073, 1221, 4217
—, of degraded plastic films, 509
—, of oriented PP, 49
—, on 1,3,4-oxadiazole copolymers, 571
Isobutane, solubility of, in HDPE & HDPE-hexene-1-copolymers, 2279
Isocyanate-modified PEs, from carbamate-modified PE's, 249
Isocyanates, reaction with protonic substrates, catalysis of, 3027
Isoprene, copolymer of methacrylic & styrene, ionomer from, IPN with, 177
—, olefinic sulfonic acid salts copolymerized with, 1027
—, vulcanized, degradation of, 1417(N)
Isopropyl azodicarboxylate-modified PB's, properties of, 4331(N)
Isotactic polypropylene, thermal gasification of, 1267
Isotactic polystyrene, and blends with atactic PS, ultradrawing and crystallization of, 2373
—, cryogenic fracturing of, 1485

—, shear-induced crystallization in, 2841
Isothermal degradation, of PVC, 353
Isothermal dissolution, 4217

Joint strength, adhesive, enhancement of, by surface texturing, 1759
Jute fiber-polymer composites, permeable, moisture absorption in, 4069

Kaolinite, Na, adsorption of acrylamide polymers and copolymers on, 2123
Kapton, See also polyimide
Kase–Matsuo melt spinning model, 3157
Keratin fibers, dynamic mechanical properties of, during water absorption and desorption, 193
Kevlar, surface modification of, by microwave plasmas, 2087
Kinetics, in chemical pulping, 1623

Laminar dispersion, of polymer solutions, in helical coils, 785
Laminar flow, of polymer solution, through coiled tubes, 3475
Laminate slabs, multi-, transient sorption in, 2797(N)
Langmuir affinity constants, for sorption of CO_2 in PEMA or PMMA, 159
Lap-shear test, 3333
Laser microprobe mass analysis, 2023
Latex-clay coating, sintering of, 791, 799
Latexes, 1637, 1649
—, amphoteric, prepared from styrene–*co*–acrylamide latex, 2015
—, of butyl acrylate copolymers with vinyl acetate, surfactant interactions in, 1351
—, of copolymers of styrene with acrylamide derivatives, 1649
—, polymer solutions from, 1595
—, poly(styrene-co-acrylamide), 1637
—, of poly(vinyl acetate) and copolymers, surfactant interactions in, 1351
—, resolution in column chromatography of, 1555, 1567
LDPE, See also polyethylene, low density and low density PE
Leather–polymer composites, morphology and water absorptivities of, 61
LiBr–$K_2S_2O_8$ redox system, in grafting of MMA on wools, 1073
Light-focusing plastic rod, 2907
Light scattering, 2509
Light scattering behavior of polystyrene, its effect on signal resolution in hydrodynamic chromatography, 1555
Lignin, dielectric-loss microwave degradation of, 1533
Limiting oxygen indices, of silicone block polymers, 847, 861
Linear polythioesters, 1143
Lineweaver–Burk plots, 1989
Lipase, hydrolysis of copolyesters by, 441
Rhizopus delemar lipase, 441
Liquid crystalline solutions, wet spinning of, 3955(N)
Lissajous' figure, 4307
Longitudinal growth of polymer crystals, from flowing solutions, 303
Lorentzian function, 4317
Loss modulus, 1847
Loss tangents, of fiber masses, 987
Low temperature flexibility, of a peroxide curable fluorocarbon elastomer, 3965
Luminescence spectroscopy, of degraded plastic films, 509

Mackie–Meares equation, 4135
Macroporous suspension copolymers glycidyl methacrylate–ethylene dimethacrylate, 411
Magnetic disks, plated, protective film for, 3707
Maleic anhydride, copolymers of, composites containing tributyltin esters of, 1681
—, polyester containing, MWD in, 4117
Maleic on hydride–styrene–DVB copolymer, preparation of fine powder, 2113(N)
Mar resistance, of synthetic polymer plates with high surface energy, 2423
Martens Heat-Distortion Temperature, 3609
Mass spectrometry/gas chromatography technique, 277
Masterbatches, ABS stabilizers added as, 2581
Maxwell model, modified, 2325
Mechanical behavior, of gradient polymers, 1465
—, in plastically deformed PC, correlation with relaxation processes, 2471
Mechanical degradation, 1485
Mechanical properties, of HDPE–PS–SEBS blends, 1
Melt index, high, PE, catalyst for, 2927
Melt rheology, of ionomers, effect of intermolecular interactions on, 449
Melts, polymers, application of constitutive equation to, 1847
Membranes, asymmetric, water transport through, 1243
—, cellulosic, transport through, from aqueous phase, 4135
—, containing Schardinger cyclodextrin additives, 489
—, of copoly(γ-methyl L-glutamate, γ-benzyl L-glutamate), 1301
—, grafted PVA, use in vacuum permeation and dialysis of, 3223
—, nylon 4, 1135
—, nylon 6, permeation of acid dyes through, 3325
—, nylon 4, transport properties of, 1907
—, PS–DVB, macroporous, crenelated versus reticulated surfaces on, 591
—, PVC, semipermeable, 1039
—, reverse osmosis, ion-containing, 879, 2897
—, ultrafiltration, partially permeable, characteristics of, 3007
—, water-permeable, from nylon 6, 3065
Mercaptans, microemulsions of, emulsion polymerizations modified by, 107
Mercerization, of cellulose, in wood, 1275
Mercerization-stretching, effect of, on cotton degradation, 2713
Mercury porosimetry, 3845
Metal carboxylates, as crosslinking agent for carboxylated nitrile rubber, 4011
Metal ions, reaction of, with chloromethylated PS resin containing thiocarbamate group, 1475
Metal salt–amine complexes as catalysts in the polyurea foaming process, 3027
Methacrylamide, copolymerization of styrene with, in aqueous media, 1649
Methacrylates, positive electron resists from, dry etching durability of, 3395
Methacrylic acid, copolymer of styrene and isoprene, ionomer from, IPN with, 177
—, copolymers containing, thermal degradation of, 4103
—, grafting of, onto PVA, 3223
—, polymers containing styrene, butadiene and, IPNs based on, 141
Methacrylic acid-diallyl phthalate, high surface energy polymer plates from, 2423
Methane, glow discharge polymer from, adhesion of, to metals and polymers, 3333
—, glow discharge polymerization of, distribution of polymer deposition in, 3425
Methemoglobin, polyion complexes from polyelectrolytes and, as CN^- exchanger, 2601
2-Methoxy-4-vinylphenol, copolymers of fluorinated acrylic monomers with, critical surface tension of, 423
Methylacrylates, grafting of, onto reduced wool, 3789
γ-Methyl L-glutamate, and γ-benzyl L-glutamate, copolypeptide membranes from, 1301
Methyl methacrylate, block copolymerization of butyl acrylate with, free radical initiation of, 3103
—, block polymers with dimethylsiloxane, LOI of, 847

—, composites with leather, 61
—, copolymerization of glycidylmethacrylate and DVB with, 271
—, copolymers with tributyltin methacrylate, characterization of, by SEC, 2967
—, EPR or EPDR grafted with, blends of PVC with, 2185
—, grafting of, on cellulose, 149, 2769(N)
—, grafting of, on poly(ethylene terephthalate) fibers, 3253
—, grafting of, onto cellulose, 1413(N), 3151
—, grafting of, onto mica, 3343
—, grafting of, onto modified cotton, 3995
—, grafting of, onto nylon-6, 2437
—, grafting of, onto PET, 2109(N)
—, grafting of, onto polyester fibers, 2773(N)
—, grafting of, onto silk, 775, 3511(N)
—, grafting of, onto silk fibers, Mn(III)-chelate initiated, 2221
—, grafting of, on wools, 1073
—, graft polymer of cellulose nitrate with, irradiated properties of, 933, 941
—, polymerization of, sulfonated polystyrene as initiator in, 2639
—, redox polymerization of, initiated by Mn^{3+}/thioglycollic acid, 41
—, suspension polymerization of, 3909
N-Methylolacrylamide, polymerization–crosslinking of cotton with, 3885
N-Methylol crosslinking agents, cotton treated with, grafting of vinyl monomers onto, 3995
N-Methylolmethacrylamide, polymerization–crosslinking of cotton with, 3885
Methyl substituent, in the polymerization–crosslinking treatment of cotton with NMMA and NMA, 3885
Methylvinylpyridine, graft copolymers with ethylene terephthalate, alkylated, antistatic properties of, 1129
Mica, grafting of MMA and acrylonitrile onto, product from, saponification of, 3343
Microbial attack of nitrocellulose, 997
Microcapsules, photochemical rupture of, AIBN containing, 809
Microemulsions, of mercaptans, emulsion polymerizations modified by, 107
Microfibriller model, of fiber structure, 1727
Microprobe molecular optics laser, 2023
Microscope, optical, hot-stage, study of polymeric particle sintering using, 2787(N)
Microscopy, electron, 261, 1373
—, electron, study of phase separation by, 889
—, of nylon monofilaments, 1613
—, optical and electron, 2665
—, polarized light, hot-stage, 2165
Microscopy studies, on leather–polymer composites, 61
Microscopy, See also SEM, TEM, and optical microscopy
Microsphere-column method, for measurement of platelet adhesion to polymers, 4207
Microstructure of cation exchange membranes prepared by the paste method, 3175(E)
Microsyneresis, 3845
Microvoids, 2533
Microwave degradation, dielectric-loss-, of polymers, 1533
Microwave plasmas, surface modification of aromatic polyamides by, 2087
Mie theory, 1555
Migration of plasticizer, from PVC, 667
M_n, of PTFE irradiated with γ rays, 1373
$Mn(AcAc)_3$ as initiator, for grafting vinyl monomers onto wool, 3797
Mn(III) chelate-initiated graft polymerization of methyl methacrylate onto silk fibers, 2221
Mn^{3+}/thioglycollic acid, redox polymerization of MMA initiated by, 41
Mobility of polymer molecules, influence of filler particles and polymer structure on, 3099
Model compounds, for cross-linked poly(styryl pyridine), 1975
Modification, of PVC in solution or suspension, by nucleophilic substitution, 3295
Modulus, elastic, of PET, dependence on structure, 1877
—, high-, semicrystalline polymers of, continuous extrusion of, 395
—, tensile-torsional, of leather–polymer composites, 463
—, Young's, degradation of aliphatic polyesters measured by changes in, 3779
Moisture absorption, on epoxy resins, effect of network structure on, 3015
—, in permeable fiber polymer composites, 4069
Molecular mass distribution, 2783(N)
Molecular motion, of small molecules, in cellulose gels, studied by NMR, 3385
Molecular relaxations, multiple, of hot-drawn and quenched polymers above their glass transition temperatures, 2139
Molecular weight, degradation of aliphatic polyesters measured by changes in, 3779
—, effect of, on TGA, of polystyrene degradation, 3503(N)
—, in HCHO-urea condensation, average and distribution, 381
—, number-average, of γ-irradiated PTFE, 1373
—, in polyaddition reactions of EO and PO, 1059
Molecular weight distribution, of an unsaturated polyester, 4117
—, of cryogenically fractured PS, 1485
—, of nylon 4, 1135
—, simulation of, in preparation of nylon 6, 2153
Molecular weight fractionation, 4217
Molten polymer flow, heat transfer to, 765
Molten polymers, rheological behavior of, structural time dependency in, 1149
Molybden umtrioxide, as smoke retarder for PVC, 1167, 1191
MoO_3, effects on formation in degradation of PVC, 353
Morphological effects, on the bulk polymerization of trioxane in the solid state, by γ-radiation, 2485
Morphology, of IPNs, 177
—, of leather–polymer composites, 61
—, of nylon monofilament, twisted, changes in, 1613
—, of poly(vinyl chloride)–polyurethane blends, 2989
—, of PVC–polyurethane blends, 823
—, of rubber-modified epoxies, 889, 907
—, of suspension polymer, effect of suspension stabilizer on, 3205
Multicomponent polymer systems, contrast enhancement in, 1421(N)
Multilaminate slabs, transient sorption in, 2797(N)
Multiring diamines, polyimides from, 3805

Nafion perfluorinated ion-exchange polymer, effects of ionizing radiation on, 1519
Network structure, effect of, on moisture absorption of epoxy resins, 3015
Nickel(II) stearate–$(C_2H_5)_2AlCl$ catalyst, for polymerization of butadiene, 653
Nitrile rubber, carboxylated structure-property relations of, 4011
Nitroanilines, anodic polymerization of, 4247
Nitrocellulose, hydrogen bonding of 2,4-dinitrotoluene to OH groups in, 1739(N)
—, microbial attack of, 997
Nitrogen sorption/desorption isotherms, 3845
NMR, 3073
—, ^1H-, of cellulose hydrogels, 2545
—, ^1H, of urea–HCHO polymer, 747
—, ^1H-, of water in swollen sulfonic acid ionomers, 2625
—, pulse, analysis of water in polyHEMA by, 3719
—, pulsed, ^1H-, study of domain structure in polyurethanes by, 3689
—, relaxation, 2001
—, spectroscopy, 1073
—, study of molecular motion by, of small molecules, in cellulose gels, 3385
Non-Newtonian fluids, 785
Novolaks, mixtures with poly(2-methylpentene-1-sulfone), contrast in, 1421(N)

Nuclear magnetic relaxation studies, of water in polyHEMA, 3719
Nucleophilic substitution, modification of PVC by, 3295
Nusselt numbers, 765
Nylon 6, fibers, photo-oxidized, thermal properties of, 3729
—, grafting of acrylamide onto, 2593
—, grafting of MMA onto, 2437
—, grafting of polar monomers on, 3065
—, interaction of anhydrous FeCl3 with, 603
—, intrinsic birefringence of, 2573
—, γ-irradiated, ESR study of, 4317
—, membranes, permeation of acid dyes through, 3325
—, simulation of MWD and cyclic oligomer formation in preparation of, 2153
—, thermal diffusivity and conductivity of, 2325
—, water-permeable membranes, prepared by electron beam radiation-induced graft copolymerization, 3065
—, yarns, effects of processing conditions on, 713
Nylon 66, carboxyl-modified, reaction with KOH, 3305
—, degradation of, under soil burial conditions, 509
—, grafting of acrylic acid onto, reaction of product from, with KOH, 3305
—, wet spinning of, 3157
Nylon–ionomer pairs, coextruded, blends from reprocessed, 9
Nylon 4 membranes, synthesis and transport properties, 1135, 1907
Nylon monofilaments, oriented, twisted, morphological changes in, 1613

Oil–H_2O emulsions, effect of star-shaped block copolymers on, 343
Oils, nonideal, permeation of H_2O into containers containing, 373(N)
Olefinic sulfonic acid salts, elastomers containing ions from dienes copolymerized with, 1027
Oligo(ethylene oxide), as modifier of chalk filler for LDPE, 4047
Oligomer formation, cyclic, simulation of, in preparation of nylon 6, 2153
Optical anisotropic states, of films, 1383
Optical measurements, on zone annealed PET, 213
Optical microscopy, 2391
Optico-electric measurement of a running crack front, 2147
Organometallic polymers, biocidal slow release, 2967
Organotin epoxy polymers, glass-reinforced composites of, 1681
Organotin polymers, 97
Orientation, of amorphous chains and modulus, of highly oriented polypropylene, 49
—, effect of, on solvent-induced crystallization of PET, 1795
Orientation development, and mechanical properties of polystyrene films, 85
Oriented PET, biaxial, stress relaxation behavior in, 3317
Oriented polyester yarns, structural changes in, heat effect on, 3045
Oscillation frequency, 193
Osmometry, vapor phase, 381
Osmosis, reverse, ion-containing membranes for, 879
Osmotic pressures, of polymer solutions, prediction of, 3575
1,3,4-Oxadiazole copolymers, fibers from, 571
Oxidation, photo-induced, of nylon 6 fibers, 3729
—, photo-induced, of PPO and polysulfone, 3761
—, radiation-induced, of PPO and polysulfone, 3761
Oxidative degradation, of PVC, radiation-induced, 2947
—, radiation-induced, of polypropylene, 1361
—, thermal, of LDPE, 3409
Oxidized wool, chemically, electrical conductivity of, 2791(N)
Oxygen, dissolved in water, permeability of poly(α-amino acid) membranes to, 2117(N)
Oxygen index, for bromine-containing triazine flame retardants, 2959
Oxygen permeation, through FEP teflon and kapton polyimide, 2805(N)

^{32}P, radiation-induced polymerization of acrylamide by, 1105
PAN, See also polyacrylonitrile
Paper, wet strength additive for, 1431(N)
Parabanic acid, polymerization of HCHO with, 3819
Parabanic acid–formaldehyde polymerization, a reinvestigation of, 3819
Particles, polymeric, sintering of, 2787(N)
—, small in polymer melts, 579
Paste method, ion exchange membranes prepared by, microstructure of, 3175(E)
PC, See also polycarbonate
3-(p-Chlorophenyl)-1,1-dimethylurea, solubility and analysis of, in epoxy resins, 1837
PE, blends with PP, drawing behavior of, 3515(N)
—, branched, molten, rheological behavior of, 1149
—, degradation of, under soil burial conditions, 509
—, HD, deformation of, solid-state, 1309
—, HD, fatigue behavior of, 1085
—, HD, PP modified by, 2693
—, high density continuous extrusion of, 395
—, LD, rheological properties and processability of, 1343, 1427(N)
—, low density, chalk filled, liquid modified, 4047
—, medium-density, environmental stress crack growth in, 1049(N)
PE, See also polyethylene and polyolefins
Penetration of *p*-xylylene or chloro-*p*-xylylene vapor into small channels prior to polymerization, 2415
Pentacrythritol tetramethacrylate, poly(*n*-butyl acrylate) networks crosslinked by, 3977
Pentadecafluorooctylacrylate, copolymers of 2-methoxy-4-vinylphenol with, critical surface tension of, 423
Perfluoroethylene sulfonic acid, swollen, H_2O in, 2625
Perfluorosulfonic acid ion-exchange polymer, effect of ionizing radiation on, 1519
Permeability, gas of copolypeptide membranes, 1301
—, of poly-L-leucine and polyglutamic acid ester membranes, to oxygen dissolved in water, 2117(N)
—, of PVA membranes, 2935
—, of synthetic poly(α-amino acid) membranes to gases and water vapor, 2117(N)
Permeability coefficients, energy values for the transport, 1243
Permeation, of acid dyes, through nylon 6 membrane, 3325
—, of gases, through polymers, retardation of, 3933
—, of H_2O, into containers filled with nonideal oil, 373(N)
—, in membranes containing Schardinger cyclodextrin additives, 489
—, O_2, through FEP teflon and kapton polyimide, 2805(N)
—, vacuum, use of grafted PVA membranes in, 3223
—, of water, in high-temperature polyimides, 679
Permeation chromatography, hydrodynamic, of polymer latexes, 1567
Permeation of gases through modified polymer films, 2239
Peroxydiphosphate, as initiator in grafting of MMA onto cellulose, 3151
Peroxydiphosphate–ascorbic acid redox system, graft polymerization initiated by, 3511(N)
Peroxydiphosphate–fructose redox system, in graft polymerization of MMA on wool, 733
PET, flame retardant containing, pyrolysis of, 277
—, methylvinylpyridine grafted on, antistatic properties improved by alkylation, 1129
—, SO_3H group-containing, ion exchange in, 4087
PET, See also poly(ethylene terephthalate) and polyesters
PET fibers, SO_3H group-containing, ion exchange in, 4095
Phase domain sizes in IPNs, 743(N)
Phase separation, in carboxyl terminated butadiene-acrylonitrile rubber-modified epoxies, 907

—, investigated by electron microscopy, viscometry, and dynamic mechanical analysis, 889
—, in PVC membranes, 1039
—, in segmented urethane polymerization, 2067
Phase separation behavior, of rubber-modified epoxies, 2391
Phase transfer catalysts, in sulfonation of polymers, 3927
Phase transformation, 1485
Phenol–formaldehyde resorcinol polymer concrete, effect of cement filler on cure of, 1453
Phenolic antioxidants, solubility of, in polyolefins, 3543
Phenolphthalein carbonate, block polymers with dimethylsiloxane, LOI of, 847
p-Phenylene benzobisthiazole, polymers of, 291
m-Phenylenediacrylic acid, photosensitized solid-state reaction of, dry-process material from, 3505(N)
p-Phenylenediamine, condensation of imidobis(sulfuryl chloride) with, 3073
—, condensation of terephthaloyl chloride with, 1211
m-Phenylene polybenzimidazole interactions of, with organic solvents, 559
2,5-(*p*-Phenylene:vinylene)-1,3,4-oxadiazole copolymers, 571
Phosphorescence, in ethylene terephthalate–4,4′-biphenyldicarboxylate copolymers, 321
Phosphorous-containing cation exchangers, selective affinity of, 4161
Phosphorous-containing flame retardant systems, gas-phase inhibition reactions of, 3085
Phosphorous-containing Wofatit cation exchangers and their affinity toward selected cations, 4161
Photochemical rupture of microcapsules, 809
Photochemistry of polymeric systems, 1221, 1233
Photoconductivity, of poly(vinyl alcohol) films, with Fe^{3+} complexes, and ESR study of their structures, 1659
Photocrosslinking of polymers, containing cyanocinnamylydene–pyridinium groups, 1221
—, containing pyridinium-dicyanomethylide groups, 1233
Photodegradation, of PC, inhibition of, by Ce(III) overcoating, 2381
—, in poly(ethylene terephthalate–*co*–4,4′-biphenyldicarboxylate) copolymers, 321
—, of poly(ethylene terephthalate–*co*–4,4′-sulfonyldibenzoate) yarns, 701
Photo-induced polymerizations, initial rate of, dependence on initiator concentration, 3945(N)
Photo-oxidation of polyethylene, accelerated, additives effect on, 2917
Photo-oxidation of the surfaces of polyphenylene oxide and polysulfone, 3761
Photo-oxidative degradation, of poly-1-butene film, 2509
Photo-oxidized nylon 6 fibers, thermal properties of, 3729
"Photoresist test", 1233
Photosensitive polymers, 3505(N)
Photosensitization of copolymers, by dibutyl 4,4′-sulfonyldibenzoate, 701
Photosensitized solid-state reaction of *m*-phenylenediacrylic acid, dry-process recording material from, 3505(N)
Photosensitizer, 4-(sulphomethyl)benzil, Na salt, as, 521
Phthalic anhydride, polyester containing, MWD in, 4117
Phthaloyl chlorides, isomeric, interfacial polycondensation of, with 4,4′-di(mercaptomethyl)benzophenone, 1143
Pigmented coatings, 799
—, sintering of, 791
Plasma etching durability, of poly(methyl methacrylate), 1961
Plasma polymerization, protective film for plated magnetic disks, prepared by, 3707
Plasmas, microwave, surface modification of aromatic polyamides by, 2087
Plasma treatment, of glow discharge polymers, wettability affected by, 2205
Plastically deformed polycarbonate, correlation between the mechanical behavior and relaxation processes in, 2471
Plastic deformation, of CR39, on impact, 3623
Plasticization, of basic dyeable polyester fibers, ion exchange in effected by, 4095
Plasticizer, diffusion of, from plasticized PVC, 2315
—, migration from PVC into methanol, 667
Plastics, etched by chromium acids, 2097(N)
Plastic zones, crack-tip, in glassy polymers, 1919
Platelet adhesion, effect of crystallinity of condensation polymers on, 4207
—, to polyamides containing functional groups, 2293
PMMA, effect of C black on mobility of, 3099
PMMA, See also poly(methyl methacrylate)
Polarized light microscopy, hot-stage, 2165
Polarizing optical microscopy, 3355
Polar monomers, grafting of, on nylon 6, 3065
Polyacrylamide, films, photoconductivity of transition metal ion complexes with, 1659
—, hydrolytic degradation of, 2123
—, poly(ether urethane) and, IPN from, 1741
—, as polymeric γ dosimeter, 2181
—, solutions, partially hydrolyzed, flows through porous media, 3125
Polyacrylic acid, adiabatic compressibility of, 543
—, films, photoconductivity of transition metal ion complexes with, 1659
Polyacrylonitrile, dielectric relaxation of, 3599
Polyaddition reactions of ethylene and propylene oxide, 1059
Poly(allyl alcohol-co-styrene), blends of poly(ϵ-caprolactone) with, 3917
Polyamide fibers, radiation-induced grafting of 4(*N*-ethyl,*N*-2-acryloxyethyl)amino,4-nitro,azobenzene on, 619
Polyamide films, degradation of, under soil burial conditions, 509
Polyamide microcapsules, AIBN containing, 809
Polyamide quinoxaline polymer, electrical resistivity of, 1437(N)
Polyamides, aromatic, surface modification of, by microwave plasmas, 2087
—, carboxy-modified, reaction with KOH, 3305
—, functional group containing, cellular affinity of, 2293
—, semirigid chain, 1211
Polyamine, systems with hydantoin expoxide, water-soluble, as wet strength additive for paper, 1431(N)
Polyaniline coatings, anodic synthesis of, onto Fe sheets, 4247
Poly(5,5′-bibenzimidazol-2,2′-diyl-1,3-phenylene), interactions of, with organic solvents, 559
Poly(3,3-bis(chloromethyl)oxetane), 2-VP grafted on, RO membranes prepared from, 2897
Poly[3,3-bis(chloromethyl)oxetane], quarternized vinyl pyridines grafted to, reverse osmos, 879
Polyblends, polyurethane–PVC, property–composition dependence of, 823
—, weathering of, 3493
Polybutadiene, alone and with polystyrene, GPC of solutions of, 1295
—, carboxyl-terminated, partially neutralized, adhesives from systems containing, 1931
—, hydrogenated, blends with PS & PE, mechanical properties of, 1
Polybutadiene rubbers, network structure and properties of, effect of curing parameters on, 529
1,4-Polybutadienes, acyclic azoester modified, 4331(N)
Polybutene-1, thermal diffusivity and conductivity of, 2325
Poly(*n*-butyl acrylate), IPNs of PS with, 3283
—, networks of, rubber elasticity of, 3977
Poly(butylene terephthalate), thermal diffusivity and conductivity of, 2325
Polycaprolactone, polymerization of trioxane in mixtures with, 2665
—, urethane prepolymer from, electron beam cured, 3355

Poly(ε-caprolactone), blends of poly(allyl alcohol-co-styrene) with, 3917
—, degradation of, *in vivo*, 3779
Polycarbonate, from bisphenol-A, hot-drawn and quenched, molecular relaxations in, 2139
—, brominated, hydrolysis of, 1777
—, diffusion and induced crystallization in, 2975
—, flame retardant, hydrolysis of, 1777
—, glass-fiber-filled, hydrolysis of, 1777
—, glass fiber-reinforced, rheological properties of, 2347
—, hydrolysis of, 1777
—, photodegradation of, inhibition of, by Ce(III) overcoating, 2381
—, plastically deformed, mechanical behavior and relaxation processes in, 2471
—, strain-induced relaxations in, TSD current studies on, 2459
Polycarbonate–copolyester blends, miscible, 4233
Polycarbonate–PS, blends, melt, viscoelastic properties of, 499
Polycarbonate sheet, tensile properties of, effect of heat pretreatment and strain rate on, 431
Poly(2-chloroethyl acrylate), IPN's with poly(methyl methacrylate), 1465
Polychloroprene adhesives, modified by butylphenolic resins, initial bond strength in, 3699
Polycondensation, of urea with formaldehyde, 381
Polydiacetylene, bilayers, conduction in, 1605
Poly(diallyldimethylammonium chloride), polyion complexes from methemoglobin and, 2601
Poly(2,3-dichloro-1-propyl acrylate), blends of poly(glycidyl methacrylate–*co*–ethyl acrylate), 2001
Polydiene blocks, copolymers with polyoxirane blocks, effects on emulsions of, 343
Poly(diethyleneglycol dimethacrylate), glucoamylase immobilized on, radiation-induced, 687
Poly(*N,N'*-dimethylacrylamide), influence of tacticity and sorbed water on the material properties of, 2827
Poly(*N*-dimethylaminoethyl methacrylate), adiabatic compressibility of, 543
Poly(dimethylsiloxane), oligomeric, interaction of silica with, 833, 1015
Polydimethylsiloxane chains, vinyl-terminated, end-linking of, 1829
Polydisperse polymer standards, GPC calibration from, 2727
Polydispersity, effects of, on critical concentration of polymer solutions, 4299
—, in MMA suspension polymerization, 3909
—, parameters in urea-HCHO condensation, 381
Polyelectrolytes, polyion complexes from methemoglobin and, as CN^- exchanger, 2601
Polyester chain scission, by selective chemical site attack, 1257
Polyester-fiber composites, permeable, moisture absorption in, 4069
Polyester fibers, anionically modified, diffusion of cationic dye in, 643
—, anionically modified, ion exchange in, 4095
—, grafting of MMA onto, 2773(N)
—, surface characterization of, 2023
Polyesterimides and their isomers, synthesis and properties, 957
Polyester–polyether copolymers, segmented, structure-property relationships of, 2853
Polyesters, aliphatic, degradation of, *in vivo*, 3779
—, co-, blends with polycarbonate, miscible, 4233
—, glass-fiber reinforced, gas permeation through, retardation of, 3933
—, unsaturated, curing of, by triazinedithiols, 4335(N)
Polyester yarns, partially oriented, structural changes in, heat effect on, 3045
Poly(ether ester), blends of, with PVC, with and without poly(methyl acrylate), 3487
Polyether–polyester copolymers, segmented, structure-property relationships of, 2853
Poly(ether urethane), blends of, with Hytrel and PVC, 3467
—, blends of, with PVC, 3467
—, and polyacrylamide, IPN from, 1741
Poly(ethyl acrylate–*co*–glycidyl methacrylate), blends of poly(2,3-dichloro-1-propyl acrylate) with, 2001
Polyethylene, adhesion of glow discharge polymers to, 3333
—, adhesion of viscoelastic polymers to, 4193
—, blends with PS & SEBS, mechanical properties of, 1
—, branched, prediction of rheological behavior of, 1001
—, carbamate- and isocyanate modified, 249
—, chlorosulfonated, swollen, H_2O in, 2625
—, dielectric γ relaxation in, 27
—, extruded, heterogeneity in, 2763
—, HD, isobutane solubility in, 2279
—, high-melt-index, catalyst for, 2927
—, LD, thermo-oxidative degradation of, 3409
—, OH groups in, study of, 2053
—, photo-oxidation of, accelerated, additives effect on, 2917
—, radiation (γ-) crosslinked, permeation of gases through, 2239
—, solubility of phenolic antioxidants in, 3543
Poly(ethylene-co-propylene) rubber, PP modified by, 2693
Poly(ethylene glycol), elution volume of, in GPC, 2657
—, films, photoconductivity of transition metal ion complexes with, 1659
Poly(ethylene oxide-hydantoin)-poly(tetramethylene terephthalate), structure-property relationships of, 2853
Poly(ethylene terephthalate), aging studies on semicrystalline, 2813
—, biaxially oriented, stress relaxation behavior in, 3317
—, Case II swelling of, 2649
—, combustion and pyrolysis of, 3085
—, crystallization of, solvent-induced, 1795
—, crystallized by annealing, vibrational spectroscopic study of, 223
—, fibers, grafting of acrylic acid onto, 3245
—, fibers, grafting of MMA onto, 2773(N), 3253
—, fibers, surface characterization of, 2023
—, films, degradation of, under soil burial conditions, 509
—, grafting of MMA onto, 2109(N)
—, high modulus, 213
—, high strength, 213
—, reactor for, semibatch, 3179
—, sheets, axially drawn, constrained, properties of, 3435
—, strain-induced relaxations in, TSD current studies on, 2459
—, structure and properties of, effect of heat setting on, 1865, 1877
—, thermal diffusivity and conductivity of, 2325
—, yarn, photodegradation of, 701
—, zone annealed, properties and structure of, 1951
Poly(ethylene terephthalate–*co*–4,4'-sulfonyldibenzoate) yarn, photodegradation of, 701
Poly(ethylene terephthalate), See also PET
Poly(ethyl methacrylate), films of, sorption of CO_2 in, 159
Polyglutamic acid esters, permeability of membranes of, to oxygen dissolved in water, 2117(N)
Poly(glycidyl methacrylate–*co*–ethyl acrylate), blends of poly(2,3-dichloro-1-propyl acrylate) with, 2001
Poly(glycolic acid), hydrolytic degradation of, 1727
Polygonal channels, regular flow through, 3939(N)
Poly(hexamethylene terephthalamide), platelet adsorption on, 4207
Poly(2-hydroxyethyl methacrylate), glucoamylase immobilized on, radiation-induced, 687
—, hydrogels, analysis of water in, 3719
Polyimide/graphite fiber composities, effect of γ-radiation and electron bombardment on, 2061
Polyimide (kapton), O_2 permeation through, 2805(N)
Polyimides, aromatic, thermoplastic, 2679

—, cresylic acid solubility of, 3837
—, high-temperature, water permeation of, 679
—, from multiring diamines, 3805
—, structure–property relationships in, 3805
Polyion complexes, from methemoglobin and polyelectrolytes, as CN^- exchanger, 2601
Poly-L-leucine, permeability of membranes of, to oxygen dissolved in water, 2117(N)
Polymer-bound fungicides, 2403
Polymer concrete, effect of cement filler on cure of, 1453
Polymer–concrete composites, corrosion of, 1159
Polymer crystals, longitudinal growth of, 303
Polymeric composites, a novel route to, 2665
Polymeric gels, sulfonation of, phase transfer catalysts in, 3927
Polymeric particles, sintering of, 2787(N)
Polymerization, of diallyl phthalate, 3537
—, glow discharge, 3557
—, of methyl methacrylate, initiated by the redox system $Mn^{3\&}$/thioglycollic acid, 41
In Situ polymerization, in binary polymer/monomer mixtures, 2665
Polymerization reactor, continuous flow, stochastic modeling of, 3745
Polymer–leather composites, 61
—, mechanical properties of, 463
—, morphology and water absorptivities of, 61
Polymer melts, containing concentrated suspensions of small particles, spinning instability in, 579
Polymer plates, synthetic, with high surface energy, studies on, 2423
Polymers, See also individual monomers
Polymer solutions, critical concentration of, effects of polydispersity on, 4299
—, osmotic pressure of, 3575
Polymer structure, influence of filler particles and, on polymer molecule mobility, 3099
Poly(methyl methacrylate), See also PMMA
Poly(methyl acrylate), blends of, with PVC and poly(ether ester), 3487
Poly(methyl methacrylate), cast, sorption of CO_2 in, 159
—, hot-drawn and quenched, molecular relaxations in, 2139
—, interaction of, with dibutyl or dimethyl phthalate or poly(vinyl acetate), 4059
—, IPN's with poly(2-chloroethyl acrylate), 1465
—, plasma etching durability of, 1961
—, solvent diffusion in, 3735
Poly(4-methylpentene-1), thermal diffusivity and conductivity of, 2325
Poly(2-methylpentene-1-sulfone), mixtures with novolaks, contrast in, 1421(N)
Polyolefin films, degradation of, under soil burial conditions, 509
Polyolefins, solubility of phenolic antioxidants in, 3543
Polyol–PVC block copolymers, 3657
Polyoxirane blocks, copolymers with polydiene or polyvinyl blocks, effects on emulsions of, 343
Poly(oxymethylene), glass fiber-reinforced, 2879
—, polymerization of trioxane in mixtures with, 2665
—, properties of, 2743
—, γ-radiation-induced formation of, from trioxane, 2485
—, ultrahigh-modulus, 2879
Poly(oxypropylene diamine), complex containing, as hardener for epoxy resins, 3609
Poly-*p*-phenylene benzobisthiazole, fibers of, 291
Polyphenylene oxide, photooxidation of surfaces of, 3761
Poly(1,4-phenyleneterephthalamide), spinning of, 1211
Polypropylene, atactic, chlorinated, as plasticizer for PVC, 3213
—, atactic, gasification of, thermal, 1267
—, blends with PE, drawing behavior of, 3515(N)
—, determination of hindered amine additive in, by HPLC, 2479
—, effect of oven aging on, 1689
—, fibers, aging of, 2613
—, fibers, creep fracture of, effect of drawing on, 3565
—, fibers, radiation-induced grafting of 4-(*N*-ethyl,*N*-2-acryloxyethyl)amino,4-nitro,azobenzene on, 619
—, gasification of, thermal, 1267
—, γ-irradiation of fibers of, 1439
—, isotactic, gasification of thermal, 1267
—, oriented, relationship of orientation & modulus in, 49
—, radiation-induced oxidative degradation of, 1361
—, rubber-modified, 2693
—, sheet, elastic modulus and density of, during aging, 1579
—, solubility of phenolic antioxidants in, 3543
Poly(propylene-co-ethylene) rubber, PP modified by, 2693
Polystyrene, alone and with polybutadiene, GPC of solutions of, 1295
—, atactic, crystallization and ultradrawing of blends with isotactic PS, 2373
—, blends with PE & SEBS, mechanical properties of, 1
—, composites, drawn, properties of, 129
—, cryogenic fracturing of, 1485
—, degradation, TGA of, effect of molecular weight on, 3503(N)
—, effect of C black on mobility of, 3099
—, elution volume of, in GPC, 2657
—, filled, melts of, containing concentrated suspensions of small particles, spinning instability in, 579
—, films, orientation development of, 85
—, gels, as packing in GPC, 2657
—, IPNs of poly(*n*-butyl acrylate) with, 3283
—, isotactic, crystallization and ultradrawing of, and blends with atactic PS, 2373
—, isotactic, shear-induced crystallization in, 2841
—, as polymeric γ dosimeter, 2181
—, resin, chloromethylated, dithiocarbamate group containing, metal ion reactions with, 1475
—, rubber-modified, flame-retardant additive solubility in, 2229
—, solvent diffusion in, 3735
—, sulfonated, as polymerization initiator, 2639
—, TM analysis of T_g, T_{11} and T'_{11} transitions in, 2077
—, ultradrawing of, 2841
Poly(styrene-co-allyl alcohol), blends of poly(ϵ-caprolactone) with, 3917
Polystyrene–DVB membranes, macroporous, crenelated versus reticulated surfaces on, 591
Polystyrene latex-clay coatings, sintering of, 799
Polystyrene–polycarbonate blends, melt, viscoelastic properties of, 499
Poly(styryl pyridine), cross-linked, model compounds for, 1975
Polysulfone, photooxidation of surfaces of, 3761
—, strain-induced relaxations in, TSD current studies on, 2459
—, sulfonated, swollen, H_2O in, 2625
Polysulfone/graphite fiber composites, effect of γ-radiation and electron bombardment on, 2061
Polyterephthalimide of *p*-aminobenzhydrazide, ultrahigh modulus fibers from, 3643
Poly(tetrafluoroethylene), adhesion of glow discharge polymers to, 3333
—, grafting of acrylic acid on, membranes prepared by, 3871
Poly(tetramethylene oxide) blocks, copolymers containing poly(tetramethylene terephthalate) and, 4125
Poly(tetramethylene oxide) random block copolymers, dyeing behavior of, 4125
Poly(tetramethylene terephthalate), copolymers containing poly(tetramethylene oxide) blocks, 4125
Poly(tetramethylene terephthalate)-poly(EO-hydantoin), structure-property relationships of, 2853
Polyurea foaming process, metal salt–amine complexes as catalysts for, 3027

Polyurethane, –PVC blends, morphology of, 2989
—, study of domain structure in, by pulsed ^{1}H-NMR, 3689
—, thermal degradation of, model compounds for, 2781(N)
Polyurethane adhesive, polyblends containing, weathering of, 3493
Poly(urethane ether), polyacrylamide and, IPN from, 1741
Polyurethane–PVC blends, property–composition dependence of, 823
Poly(vinyl acetate), and copolymers, latexes of, surfactant interactions in, 1351
—, interaction of PMMA with, 4059
—, polyblends containing, weathering of, 3493
—, solvent diffusion in, 3735
Poly(vinyl acetate-co-vinyl chloride), polyblends containing, weathering of, 3493
Poly(vinyl acetate-co-VC), effect of C black on mobility of, 3099
Poly(vinyl alcohol), films, photoconductivity of transition metal ion complexes with, 1659
—, gels, borate crosslinked, properties of, 3895
—, grafting of monomers onto, 3223
—, membranes, radiation-crosslinked, permeability of, 2935
—, as polymeric γ dosimeter, 2181
Poly(vinyl alcohol sulfate), K^+ salt, polyion complexes from methemoglobin and, 2601
Polyvinyl blocks, copolymers with polyoxirane blocks, effects on emulsions of, 343
Poly(vinyl chloride), See also PVC
Poly(vinyl chloride), char formation in degradation of, 353
—, radiation-induced oxidative degradation of, 2947
Poly(vinyl chloride-co-vinyl acetate), polyblends containing, weathering of, 3493
Poly(vinyl chloride) membranes, semipermeable, 1039
Poly(vinyl chloride)–polyol $(AB)_x$ block copolymers, 3657
Poly(vinyl chloride)–polyurethane blends, morphology of, 2989
Poly(vinyl pyrrolidone), films, photoconductivity of transition metal ion complexes with, 1659
Poly(*N*-vinyl-2-pyrrolidone), adiabatic compressibility of, 543
Poly(*p*-xylylene) films, thickness of, as function of vapor penetration, 2415
Porosimetry, Hg, of DVB–styrene copolymers, 3845
Porous media, dilute polymer solution flow through, solvent effect on, 3125
Porous polymers, prepared by suspension copolymerization of styrene/divinylbenzene, 3845
Positive electron resists, dry etching durability of, 3395
Potassium persulfate–$Fe(NH_4)_2(SO_4)_2$ redox system, grafting on wool initiated by, 3789
Potential, electrical, in Schardinger cyclodextrin additives containing membranes, 489
Powdery copolymer of styrene–maleic anhydride–divinylbenzene, preparation of, 2113(N)
Power factor values, of cured epoxy resins, 979
PP, see also polypropylene and polyolefins
Precipitation, fractional, 381
Precipitation fractionation, by nonsolvent addition method, of an unsaturated polyester, 4117
Precipitation polymerization technique, radiation-induced, 2123
Preirradiation grafting onto poly(tetrafluoroethylene), kinetic study of, 3117
Pressure drop through tapered wide-slit dies, a revised version, 2801(N)
Processability, of branched polymers, 1343, 1427(N)
Propane, glow discharge polymerization of, 2197
Property–composition dependence, of polyurethane–poly(vinyl chloride) polyblends, 823
Propylene, copolymerization of butadiene with, alternating, coordination catalyst for, 2503
—, copolymerization of tetrafluoroethylene with, seeded, radiation-induced, 3455
—, glow discharge polymerization of, 2197, 2205
—, radiation-induced copolymerization of TFE with, 2751
Propylene acrylic acid copolymers, and salts of, effect of intermolecular interactions on melt rheology of, 449
Propylene oxide, polyaddition reactions of, molecular weights in, 1059
Protonic substrates, reaction with isocyanates, catalysis of, 3027
PS, See also polystyrene
PTFE, grafting of acrylic acid onto, 3117
—, γ-irradiated, M_n of, 1373
PTFE, See also poly(tetrafluoroethylene)
Pulping, chemicals, delignification in, 1623
Pulse NMR analysis of water, in poly(2-hydroxyethyl methacrylate), 3719
Pulse propagation meter, 1877
Purification, of polymers, through solvent addition, 1497
Push–pull extrusion, 1309
PVA, polyblends containing, weathering of, 3493
PVC, atactic PP as plasticizer for, 3213
—, blends of MMA grafted EPR or EPDR with, 2185
—, blends of, with Hytrel and poly(ether urethane), 3467
—, blends of, with poly(ether ester), with and without poly(methyl acrylate), 3487
—, blends of, with poly(ether urethane), 3467
—, grafting of nucleophiles onto, 3295
—, hydroxy-terminated, polyol–PVC block copolymers from, 3657
—, migration of plasticizer from, 667
—, modification of, by nucleophilic substitution, 3295
—, plasticized, simultaneous diffusion of solvent into and plasticizer out of, 2315
—, polyblends containing, weathering of, 3493
—, polymers and copolymers with vinyl acetate, effect of C black on mobility of, 3099
—, quarternized vinyl pyridines grafted to, reverse osmosis membranes containing, 879
—, radiation-induced crosslinking of, with trimethylolpropane trimethacrylate, 3669
—, smoke retarders for, 1167, 1191
—, UV absorbers, complexes with thermal stabilizers, efficiency effected by, 1735(N)
PVC, See also poly(vinyl chloride)
PVC–polyurethane blends, property–composition dependence of, 823
Pyridinium–cyanocinnamylydene groups, polymers containing, photocrosslinking of, 1221
Pyridinium-dicyanomethylide groups, polymers containing, photocrosslinking of, 1233
Pyrolysis, of PET, 3085
Pyrolysis of poly(ethylene terephthalate), role of flame retardants on products, 277
Pyromellitates, metal, effects on formation in degradation of PVC, 353
Pyrrolidonate catalyst, K, for anionic polymerization, 1135
2-Pyrrolidone, anionic polymerization of, 1135
Pyrrolidone–Zn–carboxylate complex with long chain diamine, as hardener for epoxy resins, 3609

Quantimet image analysis, 987
Quenched polymers, multiple molecular relaxations in, 2139
Quinoxaline polyamide polymer, electrical resistivity of, 1437(N)

Rabinowitsch correction, 3939(N)
Radiation, γ, crosslinked PE, permeation of gases through, 2239
—, γ-, effect of, on graphite fiber composites, 2061
—, γ-, polymeric dosimeter for, 2181
—, δ-, treated wool, electrical conductivity of, 2791(N)
Radiation, See also individual processes involved, e.g., polymerization, radiation-induced radiolysis

Radiation-induced, solid-state polymerization trioxane, morphological effects on, 2485
Radiation-induced copolymerization, of methyl chloride salt of *N,N*-dimethylaminoethyl methacrylate with acrylamide, 1585
—, of tetrafluoroethylene with propylene, seeded, 3455
Radiation-induced crosslinked PVA, permeability of, 2935
Radiation-induced crosslinking of poly(vinyl chloride) with trimethylolpropane trimethacrylate, 3669
Radiation-induced graft copolymerization, electron beam, 3065
Radiation-induced grafting, of acrylated azo dyes onto polymeric surfaces, 619
—, of acrylic acid, onto fluorine-containing polymers, 3117, 3871
—, of NVP, on woolen substrates, 521
—, of 2-VP on poly(3,3-bis(chloromethyl)oxetane), 2897
Radiation-induced graft polymerization, of AA or MAA onto PVA, 3223
Radiation-induced immobilization of glucoamylase on polymer surfaces, 687
Radiation-induced oxidation, of PPO and polysulfone, 3761
Radiation-induced oxidative degradation of isotactic polypropylene, 1361, 2947
β-Radiation induced polymerization of acrylamide, 1105
Radiation-induced seeded copolymerization of tetrafluoroethylene, with propylene, 2751
Radiation-initiated precipitation polymerization technique, 2123
Radiation induced polymerization, See also grafting, individual monomers and substrates
Radical desorption, in emulsion polymerization of water-soluble monomers, 17
Radius of gyration of voids, 4175
Raman spectroscopy, of annealed PET, 223
Rate, initial, of photoinitiated polymerization, dependence on initiator concentration, 3945(N)
Rate coefficient, for radical desorption in emulsion polymerization, 17
Rayleigh–Brillouin scattering, from reacting epoxy resins, comparison with torsional braid analysis, 2337
Reactive polymers, 411, 3205
Reactivity ratios, copolymerization, calculation of, 1117
—, at high conversions, for copolymerization of Bu and Et acrylates, 4081
Reactor, ester interchange, 3179
—, flow, continuous, polymerization in, stochastic modeling of, 3745
—, tubular, for polymerization, numerical simulation of, 1283
Reclamation of vulcanized rubber, by chemical degradation, 1417(N)
Recoil data, 129
Recording material, dry-process, from photosensitized solid-state reaction of *m*-phenylene diacrylic acid, 3505(N)
Recrystallization peats, 1485
Redox initiation, of graft copolymerization, by $Fe(NH_4)_2(SO_4)_2$–$K_2S_2O_8$ system, 3789
Redox initiator, LiBr–$K_2S_2O_8$ as, 1073
Redox polymerization, of acrylamide, adiabatic, 611
—, $Mn^{3\&}$/thioglycollic acid initiation of, for methyl methacrylate, 41
Redox system, in grafting of MMA onto silk, 775
Redox system initiated graft polymerization, 3511(N)
Reducing properties, of plastics etched in chromium acid solutions, 2097(N)
Reflection FTIR, 2023
Refractive index measurements, application of, to polymer analysis, 1383
Regenerated cellulose fiber, trimethylsilyl cellulose as precursor to, 3827
Reinforcement, of siloxane elastomers, by silica, 833
—, of siloxane elastomers, by silicas, 1015
Relaxation, dielectric γ, in PE, 27
—, dielectric, of polyacrylonitrile, 3599
α'-Relaxation, 2471
β-Relaxation, 2471
Relaxation processes, in plastically deformed PC, correlation with mechanical behavior, 2471
Relaxations, molecular, multiple, in hot-drawn and quenched polymers, 2139
—, strain-induced, in polymers, thermally stimulated depolarization current studies on, 2459
Relaxation spectrum, 1847
Reprocessed coextruded products, blends from, 9
Resist, positive electron, dry etching durability of, 3395
Resistivity, electrical, of a polyamide quinoxaline polymer, 1437(N)
Resolution, in column chromatography of polymer latexes, 1555, 1567
Resorcinol phenol–formaldehyde polymer concrete, effect of cement filler on cure of, 1453
Retardation, of gas permeation through polymers, 3933
Retarders, smoke, for PVC, 1167, 1191
Reticulated versus crenelated surfaces on macroporous polystyrene–divinylbenzene membranes, 591
Reverse osmosis membranes, ion-containing, 879, 2897
—, of nylon 4, 1907
Rheological and extrusion characteristics, of glass fiber-reinforced polycarbonate, 2347
Rheological behavior, of branched polyethylene, prediction of, from molecular structure, 1001
—, of molten polymers, structural time dependency in, 1149
Rheological measurements, on hydroxypropylcellulose, 2165
Rheological properties, of branched polymers, 1343, 1427(N)
—, of cyanoethylated starch, 171
Rheology, of IPNs, 177
Rheometer, cone-plate, 1149
Rheovibron, 1877, 2989
Rubber, carboxylated nitrile rubber, structure-property relations of, 4011
—, carboxyl-terminated liquid, partially neutralized, adhesives from systems containing, 1931
—, chlorinated, grafting of acrylate monomers onto, 2305
—, storage hardening in, 1511
—, styrene-butadiene, spontaneous ignition of, 2447
—, viscoelastic behavior of, effect of fillers on, 3772
—, vulcanized, reclamation of, 1417(N)
Rubber, ethylene-propylene, See also EPR
Rubber elasticity, of poly(*n*-butyl acrylate) networks formed with multifunctional crosslinkers, 3977
Rubber-modified epoxies, morphology and mechanical properties, 907
—, morphology and transitions, 889
Rubber-modified epoxy resins, phase separation behavior of, 2391
Rubber-modified polypropylene impact blends, 2693
Rubber-modified PS, flame-retardant additive solubility in, 2229
Rubbery products from castor oil tris(thioglycolate), 201
Running crack front in viscoelastic solid, 2147

S-Aminoethylated wools, MMA grafted on, 1073
Samuels two-phase model, 2573
Sand's equation, 643
SBR rubber, filled, void formation in, study of, 4175
S-Carboxymethylated wools, MMA grafted on, 1073
Schardinger cyclodextrin additives, membranes containing, 489
Schatzki type of motion, 3467
Schulz molecular weight distribution function, 4299
Scission, chain, polyester, 1257
SEBS, See also polybutadiene, hydrogenated
SEBS elastomer, IPN from, 177

SEC, tin specific, 2967
SEC, See also size exclusion chromatography
Secondary ion mass spectrometry, 2023
Second virial coefficients, prediction of, from intrinsic viscosities, 3583
Seeded copolymerization, of tetrafluoroethylene with propylene, radiation-induced by, 3455
SEM, 591, 1039, 1049(N), 2519, 2665, 2693, 2841
—, of adhesive bond strength, of allyl 2-cyanoacrylate, 1941
—, of degraded plastic films, 509
—, of 1,3,4-oxadiazole copolymers, 571
SEM, See also scanning electron microscopy
Semicrystalline polymers, characterization of, by automatic cross fractionation, 4217
Semi-1 IPNs, from poly(*n*-butyl acrylate) and PS, 3283
Semi-2 IPNs, from poly(*n*-butyl acrylate) and PS, 3283
Semipermeable membranes, PVC, 1039
Semirigid chain polyamide, poly(1,4-phenyleneterephthalamide), 1211
SEM studies, on leather–polymer composites, 61
—, of oriented PP, 49
Sensitized photoinitiated grafting of *N*-vinyl-2-pyrrolidone (NVP) to woolen substrates, 521
Shear-induced crystallization in isotactic polystyrene, 2841
Shearing history, influence of, on the rheological properties and processability of branched polymers, 1343, 1427(N)
Shear melt viscosity, 1001
Shear-viscous flow, analysis of, in "typical" elliptical dies, 3171(N)
Shrinkage and internal stress during curing of epoxide resins, 2265
Shrink-resist effectiveness, of polymers, applied to wool fabric, 4193
Silica, fumed, interaction of oligomeric poly(dimethylsiloxane) with, 833
—, fumed or precipated, interaction of oligomeric poly(dimethylsiloxane) with, 1015
Silicone block polymers, LOIs of, 847
Silk, fibers, grafting of MMA onto, Mn(III)-chelate initiated, 2221
—, grafting of methyl methacrylate onto, 3511(N)
—, grafting of MMA onto, 775
Siloxane elastomers, reinforcement of, by silica, 833, 1015
Simulation, of molecular weight distribution and cyclic oligomer formation, in the polymerization of nylon 6, 2153
—, numerical, of tubular polymerization reactor, 1283
Simulation model, for the emulsion copolymerization, of acrylonitrile and styrene, in azeotropic composition, 1327
Sintering, of latex particles, in pigmented coatings, 791, 799
—, of polymeric particles, study of, 2787(N)
$Si[OSi(CH_3)_2H]_4$, as end-linking agent for vinyl-terminated polydimethylsiloxane chains, 1829
Site attack, selective, polyester chain scission by, 1257
Size exclusion chromatography, See also SEC
Size exclusion chromatography, aqueous, 1705
Small-angle x-ray analysis, 2763
Smoke retarders, for PVC, 1167, 1191
Softening, thermal, of PP, 3947(N)
Sol–gel transition, 1623
Solid-state deformation illustrated with high density polyethylene, 1309
Solid-state photosensitized reaction of *m*-phenylenediacrylic acid, dry-process material from, 3505(N)
Solid-state polymerization, of trioxane, by γ-irradiation, morphological effects on, 2485
—, of trioxane, in binary polymer/monomer mixtures, 2665
Solubility, of isobutane, in two high-density polyethylene polymer fluffs, 2279
—, of phenolic antioxidants, in polyolefins, 3543
Solutions, polymer, from latexes, 1595
—, polymer, laminar dispersion of, in helical coils, 785
—, polymer, laminar flow of, axial dispersion in, 3475
Solution spinning, of a semirigid chain polymer, forming ultrahigh modulus fibers, 3643
Solvent absorption, in concentrated polymer solution, diffusion coefficient measurements by, 3311
Solvent diffusion, in amorphous polymers, 3735
Solvent effect, on dilute polymer solution flow through porous media, 3125
Solvent-induced crystallization, of poly(ethylene terephthalate), 1795
Solvents, diffusion of, into plasticized PVC, 2315
Sorption, Gibbs energies of, 559
—, transient, in multilaminate slabs, 2797(N)
—, of water, in cellulose hydrogels, 2561
—, of water, poly(*N,N'*-dimethylacrylamide) properties effected by, 2827
Sorption isotherm, for cationic dye in anionically modified polyester, 643
Sorption of CO_2, in solvent-cast poly(methyl methacrylate) and poly(ethyl methacrylate) films, 159
Space charge limited currents, in pure and iodinated cellulose acetate films, 1787
Specific volume, partial, of gel water, 2519
Spectroscopy, See also under IR, UV, Raman, NMR and laser
Spinline birefringences, 3955(N)
Spinning, instability, of polymer melts containing concentrates suspensions of small particles, 579
—, wet, of fibers, 3157
—, wet of liquid crystalline solutions, of cellulose acetate butyrate and cellulose triacetate, 3955(N)
Spontaneous ignition, of styrene-butadiene rubber, 2447
Stability, hydrolytic, of uncured epoxy resins, 2363
Stabilization, of ABS, with bound synergistic stabilizers, 2581
Stabilizer, suspension, effect of, on morphology of suspension polymer, 3205
—, synergistic, bound, ABS stabilization by, 2581
Starch, cyanoethylation of, 171
—, grafting of 2-butenyl acrylate on, 207
Star-shaped block copolymers, emulsifying activity in the water–oil emulsions, 343
Steady flow viscosity, 1847
4-Stilbazole (4-styrylpyridine), 1975
Stochastic modeling of polymerization in a continuous flow reactor, 3745
Storage, hardening, and "abnormal" groups in Guayule rubber, 1511
Strain-induced relaxations, in polymers, thermally stimulated depolarization current studies on, 2459
Strain measurements, fiber, 193
Strain rate, effect of, on tensile properties of polycarbonate sheet, 431
Stress, internal, in epoxy resins during curing of, 2265
Stress crack growth, environmental, in PE pipe, 1049(N)
Stress relaxation behavior, of biaxially oriented poly(ethylene terephthalate), 3317
Stress relaxation measurements, on filled SBR rubber, 4175
Stress–strain behavior, of poly-*p*-phenylene benzobisthiazole fibers, 291
Stress–strain characteristics, of poly(ethylene terephthalate) fibers, 1897
Stress-strain curves, 1727
Stress–strain measurements, on Instron model 1125, 3493
Stress–strain testing, of polymer films, hysteresis during, 4193
Structural time dependency, in the rheological behavior of molten polymers, 1149
Structure of suspension-polymerized styrene–divinylbenzene copolymers, 3845
Structure-property relationships, of an electron beam cured model urethane prepolymer, 3355

—, of carboxylated nitrile rubber, 4011
—, of segmented polyether–polyester copolymers, 2853
Styrene, acrylamide copolymerization with, in aqueous medium, 1637
—, acrylic copolymers with, adsorption chromatography of, 951
—, block polymers with dimethylsiloxane, LOI of, 847
—, copolymerization of acrylamide derivatives with, in aqueous media, 1649
—, copolymerization of, with tributyltin acrylate or methacrylate, 97
—, copolymerization with acrylonitrile, emulsion, 1327
—, copolymer of methacrylic acid & isoprene, ionomer from, IPN with, 177
—, copolymers containing, sulfonation of, 3927
—, copolymers containing, thermal degradation of, 4103
—, copolymers of maleic anhydride with, composites containing, 1681
—, copolymers with 4-vinylpyridine dicyanomethylide, photocrosslinkable, 1233
—, emulsion polymerization, emulsifier-free, 1675
—, emulsion polymerization of, with ionic comonomer, 1819
—, glow discharge polymerization of, 3557
—, grafting of, onto vinyl derivatives of cellulose, 3377
—, polymers containing methacrylic acid, butadiene and, IPNs based on, 141
—, ternary copolymerization of, involving tributyltin monomers, 97
Styrene–acrylamide copolymer latex, amphoteric latex prepared by modification of, 2015
Styrene–acrylonitrile copolymer, grafted on EPDM terpolymer, 261
Styrene–butadiene copolymerization, emulsion, modified by microemulsified mercaptans, 107
Styrene–butadiene rubbers, network structure and properties of, effect of curing parameters on, 529
—, spontaneous ignition of, 2447
Styrene/DVB copolymers, phosphorylated, cation exchangers from, 4161
—, suspension polymerized, formation and structure of, 3845
Styrene–maleic anhydride–DVB copolymer, preparation of fine powder, 2113(N)
Styrene sulfonic acid, $Na^{\oplus}$ salt, dienes copolymerized with, 1027
4-Styryl pyridine, (4-stilbazole), deuterated and undeuterated, 1975
Substitution, nucleophilic, modification of PVC by, 3295
Sulfonate-containing acrylamide copolymers, adsorption of, on Na kaolinite, 2123
Sulfonated polysulfone, swollen, H_2O in, 2625
Sulfonated poly(*N*-vinylcarbazole-co-DVB), cation exchange resin from, 1719
Sulfonated PS, as polymerization initiator, 2639
Sulfonation of copolymers, graft copolymers and polymeric gels using phase transfer catalysts, 3927
Sulfonic acid groups, in basic dyeable polyester fibers, ion exchange by, 4095
—, in basic dyeable polyester, ion exchange on, 4087
Sulfonic acid salts, olefinic, elastomers containing ions from dienes copolymerized with, 1027
Sulfur, as crosslinking agent for carboxylated nitrile rubber, 4011
4-(Sulphomethyl)benzil, Na salt, as radiation polymerization sensitizer, 521
Superstructure, of high-modulus and high-strength PET fiber prepared by zone annealing, 1951
Surface characterization, of polyester fibers, 2023
Surface coating properties, of *N,N'*-bis(methoxymethyl) urea-based air-drying resins, 4035
Surface property modification of aromatic polyamides by microwave plasmas, 2087
Surface tension, critical, of fluorinated acrylic vinyl guaiacol copolymers, 423
Surfactant interactions, in poly(vinyl acetate) and poly(vinyl acetate–butyl acrylate) latexes, 1351
Suspension and emulsion polymerization, studies on, 1675
Suspension polymer, morphology of, effect of suspension stabilizer on, 3205
Suspension polymerization of methyl methacrylate, 3909
Suspension polymerized styrene–DVB copolymers, formation and structure of, 3845
Suspension stabilize, effect of, on morphology of suspension polymer, 3205
Swelling, Case II, of PET, 2649
Swelling and mechanical properties, of cellulose hydrogels, 2519, 2533, 2545, 2561
Synergism, in silicone block polymers, enhancement of LOI by, 847, 861
—, in smoke retardation, 1167
Synergistic stabilizers, bound, ABS stabilization by, 2581

Tack of adhesive films, 3699
Tack properties, of acyclic azoester modified PB's, 4331(N)
Tacticity, poly(*N,N'*-dimethylacrylamide) properties effected by, 2827
Taffy process, for epoxy resin synthesis, 2783(N)
Tapered dies, pressure drop through, 2801(N)
Taylor's dispersion model, 3475
Teflon, O_2 permeation through, 2805(N)
TEM, 2205
—, of glow discharge polymers, 2197
TEM, See also transmission electron microscopy
Tensile creep measurements, 1373
Tensile elongation, of aged PP, 1689
Tensile force–elongation curves for oriented PS films, 85
Tensile moduli, of leather–polymer composites, 463
Tensile properties, of drawn PS composites, 129
—, of PET, and their dependence on structure, 1897
Tensile strain rate, effect of, on mechanical properties of constrained axially drawn PET sheets, 3435
Tensile strength, 4059
Tension, interfacial, of suspension stabilizers, effect of, on polymer morphology, 3205
Terephthaloyl chloride, condensation of *p*-phenylenediamine with, 1211
Termination rate constant, in MMA suspension polymerization, 3909
Tetracyanoethylene oxide, crosslinkable polymers from reaction of pyridine containing polymers with, 1233
Tetraethylene glycol dimethacrylate, poly(*n*-butyl acrylate) networks crosslinked by, 3977
Tetrafluoroethylene, copolymerization of propylene with, seeded, radiation-induced, 3455
—, radiation-induced copolymerization of propylene with, 2751
2,2,3,3-Tetrafluoropropyl methacrylate, copolymer with CR-39, light-focusing rod from, 2907
Tetraglycidyl (methylene dianiline), hydrolytic stability of, 2363
Texturing, surface, adhesive joint strength enhancement by, 1759
TGA, 603, 1439, 2959, 3073, 4103, 4233
—, of adhesive bond strength, of allyl 2-cyanoacrylate, 1941
—, of PS degradation, effect of molecular weight on, 3503(N)
TGA, See also thermogravimetric analysis
Thermal analysis, of oriented PP, 49
Thermal and photo-oxidative degradation of poly-1-butene film in the presence of zinc thiopicoline anilide, 2509
Thermal conductivity, of crystalline polymers, 2325
Thermal degradation, of acrylic copolymers, 4103
—, of polyurethanes, model compounds for, 2781(N)
—, of synthetic polymers, 1267
Thermal diffusivity and conductivity of crystalline polymers, 2325
Thermally stimulated depolarization current, See also TSD

Thermally stimulated depolarization current studies, on strain-induced relaxations in polymers, 2459
Thermal optical analysis, of flame-retardant additive solubility in high-impact PS, 2229
Thermal properties, of photo-oxidized nylon 6 fibers, 3729
Thermal softening, of PP, 3947(N)
Thermochemical analysis, of adhesive bond strength, of allyl 2-cyanoacrylate, 1941
Thermogravimetry, dynamic, of 1,3,4-oxadiazole copolymers, 571
Thermomechanical analysis, of T_g and T T_g transitions in polystyrene, 2077
—, of biaxially oriented PET, 3317
Thermo-oxidative degradation, of LDPE close to industrial processing, 3409
Thermoplastic aromatic polyimides high-temperature reactive, 2679
Thickness monitor, investigation of glow discharge polymerization using, 3557
Thio-ene formulation, polymers coated with, gas permeation retardation in, 3933
Thioglycollic acid/$Mn^{3\&}$, redox polymerization of MMA initiated by, 41
Thiols, triazine , curing of unsaturated polyesters by, 4335(N)
Thiopicoline anilide, Zn, degradation of poly-1-butene film in presence of, 2509
Thiourea–H_2O_2 redox system, in grafting of MMA onto silk, 775
Tin, organo-, polymers containing, 97
Titanate catalysts, chromic, for high-melt-index polyethylene, 2927
TMA, of photo-oxidized nylon 6 fibers, 3729
TMA, See also thermomechanical analysis
TOA, See also thermal optical analysis
Toluene-2,4-diisocyanate, plasma polymerized films of, 3707
Torsional braid analysis, of reacting epoxy resins, comparison with Rayleigh–Brillouin scattering, 2337
Torsional moduli, of leather–polymer composites, 463
Torsion pendulum, 3895
Tortuous diffusion, 489
Transient sorption in multilaminate slabs, 2797(N)
Transition in PS, TM analysis of, 2077
Transition metal ions, complexes with polymer films, photoconductivity of, 1659
Tg transitions in PS, TM analysis of, 2077
Transport, through cellulosic gels and membranes, from an aqueous phase, 4135
—, water, through asymmetric membranes, 1243
Transport membrane for anions, active, 4149
Transport properties, of nylon 4 membranes, 1135, 1907
Triazine dithiols, curing of unsaturated polyesters by, 4335(N)
Triazines, bromine-containing, flame retardants from, 2959
Tribenzylamine moieties, in PET, chain scission selective at, 1257
Triblock copolymer elastomer, IPN of ionomeric plastic and, 177
Tributyltin acrylate or methacrylate, copolymerization studies with, 97
Tributyltin 3,5-diaminobenzoate, DGEBA cured by, composites containing, 1681
Tributyltin esters, of maleic anhydride copolymers, composites containing, 1681
Tributyltin methacrylate, copolymers with MMA, characterization of, by SEC, 2967
Trifluorethylmethacrylate, copolymers of vinyl guaiacol with, critical surface tension of, 423
Triglycidyl (4-aminophenol), hydrolytic stability of, 2363
Trimellitic acid anhydride, reaction product with aminobenzoic acid, polyesterimides from, 957
Trimethylolpropane diallyl ether, condensates of *N,N'*-bis(methoxymethyl) urea with, 4035
Trimethylolpropane trimethacrylate, poly(*n*-butyl acrylate) networks crosslinked by, 3977
—, radiation-induced crosslinking of, with PVC, 3669
Trimethylsilyl cellulose, as precursor to regenerated cellulose fiber, 3827
Trioxane, polymerization of, by γ-irradiation, morphological effects on, 2485
—, solid-state polymerization of, in mixtures with polycaprolactone or poly(oxymethylene), 2665
Trithiol, See castor oil tris (thioglycolate)
Trommsdorff effect, 2751
TSD, See also thermally stimulated depolarization current
TSD current studies, on plastically deformed PC, 2471
Tubular polymerization reactor, numerical simulation of, 1283
Turbidimetric titration, 381

Ultradrawing, of polystyrene, by solid-state coextrusion, 2841
Ultradrawing and crystallization, of isotactic polystyrene and blends with atactic polystyrene, 2373
Ultrafiltration membranes, of nylon 4, 1907
—, partially permeable, characteristics of, 3007
Ultrahigh modulus fibers, formed by solution spinning semirigid chain polymer, 3643
Ultrahigh-modulus poly(oxymethylenes), manufacture of, by die drawing, 2879
Unsaturated polyesters, curing of, by triazine dithiols, 4335(N)
—, MWD in, 4117
Urea, carbamate reaction of cellulose with, 2103(N)
—, formaldehyde condensation with, 381
Urea–formaldehyde polymer cure, study of, by IR, 747
Urea resins, air-drying, 4021, 4035
Urethane polymerization, segmented, phase separation in, 2067
Urethane prepolymers, electron beam cured, 3355
UV absorbers and thermal stabilizers in PVC, complexes of, efficiency of UV absorbers effected by, 1735(N)
UV absorbers in PVC, complexes with thermal stabilizers, efficiency effected by, 1735(N)
UV spectroscopy, 1221

V^{+5}, as graft copolymerization initiator, 2773(N)
Vanadium (V) ion-induced grafting of methyl methacrylate onto cotton cellulose, 149
Vapor absorption, 2001
Vapor pressure osmometry, 4117
Vapor sorption, of DVB–styrene copolymers, 3845
Vibrational spectroscopic study, of poly(ethylene terephthalate) crystallized by annealing in the oriented state, 223
Vinyl acetate, copolymerization of pentachlorophenyl acrylate with, 2403
—, emulsion polymerization of, radical desorption in, 17
—, grafting of, onto reduced wool, 3789
—, grafting of, onto wool, 3797
—, polymerization of, sulfonated polystyrene as initiator in, 2639
Vinyl acetate latexes of polymers & copolymers of, solutions from, 1595
Vinylbenzyl chloride, modification of cellulose by, PS grafted on product from, 3377
Vinyl benzylsulfonic acid, Na salt, emulsion polymerization of styrene with, 1819
N-Vinylcarbazole, copolymer with DVB, sulfonated, cation exchange resin from, 1719
Vinyl chloride, emulsion polymerization of, radical desorption in, 17
2,5-(Vinylene:*p*-phenylene)-1,3,4-oxadiazole copolymers, 571
Vinylidene chloride, copolymers containing, thermal degradation of, 4103
Vinyl monomers, grafting of, onto modified cotton, 3995
2-Vinyl pyridine, grafting of, on poly(3,3-bis(chloromethyl)oxetane, RO membranes prepared from, 2897
4-Vinylpyridine, polymers and copolymers of, 1221

4-Vinylpyridine dicyanomethylide, copolymers with styrene, photocrosslinkable, 1233
Vinylpyridines, grafted on poly[3,3-bis(chloromethyl)oxetane], quarternized, reverse osmosis membranes containing, 879
—, grafted on PVC, quarternized, reverse osmosis membranes containing, 879
N-Vinyl-2-pyrrolidone, grafting of, on wool, radiation induced, 521
Vinyl-terminated polydimethylsiloxane chains, end-linked, 1829
Viral coefficients, of dilute suspensions of rigid spheres, 3575
Viscoelastic behavior, dynamic mechanical, in polymer solids, 4307
—, of rubbers, effect of fillers on, 3773
Viscoelastic measurements, dynamic, during fatigue process, 1085
Viscoelastic parameters, for poly(ethylene terephthalate) fibers, 1885
Viscoelastic polymers, adhesion of, to wool and polyethylene, 4193
Viscoelastic properties, of polystyrene–polycarbonate blends in melt, 499
Viscoelastic solid, running crack front in, 2147
Viscometry, 3073
—, dilute, 4233
—, study of phase separation by, 889
Viscosity, of cyanoethylated starch solutions, 171
—, intrinsic, 2123
—, intrinsic, of γ-irradiated PP, 1439
—, intrinsic, of 1,3,4-oxadiazole copolymers, 571
—, intrinsic, second virial coefficients predicted from, 3583
—, measurements, 2391
—, measurements intrinsic, 4087
—, phase separation determined by, 2067
—, sheer melt, of branched PE, 1001
Viscosity behavior, of dilute solutions of xanthan gum, 2099(N)
Viscosity–shear rate function, 2347
Viton GLT/fluoroalkylene ether silicate blends, as low temperature flexible elastomers, 3965
Void formation, in a filled SBR rubber, determined by small-angle x-ray scattering, 4175
von Mises yield criteria, 1919
Vulcanized rubber, reclamation of, 1417(N)

Water, in polyHEMA hydrogels, analysis of, 3719
Water absorption, on keratin fibers, mechanical properties during, 193
Water absorptivities, of leather–polymer composites, 61
Water–oil emulsions, effect of star-shaped block copolymers on, 343
Water-permeable membranes, from nylon 6, 3065
Water permeation of polymer films, high-temperature polyimides, 679
Water-soluble copolymers, 1705
Water-soluble hydantoin epoxide/polyamine system, as a wet-strength additive for paper, 1431(N)
Water sorption, poly(*N,N'*-dimethylacrylamide) properties effected by, 2827
Water transport through asymmetric membranes, 1243
Water vapor, retardation of permeation of, through polyester resin, thio-ene formulation coated, 3933
WAXS, 2763, 2841
WAXS, See also wide angle x-ray scattering
Weathering of some polyblends, 3493
Wet-spun acrylic fibers, drawn, properties of, 1813
Wettability, of glow discharge polymers, 2205
Wide-angle x-ray diffraction, 603
Wide-angle x-ray scattering, of hydroxypropylcellulose, 2165
Wide angle x-ray scattering analysis, 1613
Wide angle x-ray scattering, See also WAXS
Wide-slit tapered dies, pressure drop through, 2801(N)
Wilhelmy method, 2023
Williams, Landel, and Ferry equation, 3565
Winding speed, effects of, on nylon 6 crystalline structure, 713
WLF equation, 129, 629
Wofatit cation exchangers, P-containing, selective affinity of, 4161
Wood, mercerization, of cellulose in, 1275
Wool, adhesion of viscoelastic polymers to, 4193
—, chemically modified, grafting of MMA on, 1073
—, grafting of NVP on, radiation induced, 521
—, grafting of vinyl monomers onto, 3797
—, graft of MMA on, 733
—, heat effect on IR study of, 921
—, δ-irradiated and chemically oxidized, electrical conductivity of, 2791(N)
—, reduced, redox initiated grafting of vinyl acetate or methyl acrylate onto, 3789

Xanthan gum, viscosity behavior of solutions of, 2099(N)
X-ray, 213, 1777, 3045
X-ray, See also SAXS, and WAXS
X-ray analysis, small- and wide-angle, 2763
X-ray diffraction, 1989
—, of cryogenically fractured PS, 1485
—, of 1,3,4-oxadiazole copolymers, 571
X-Ray diffraction analyses, of regenerated cellulose, 3827
X-ray diffraction measurements, on drawn acrylic fibers, 1813
X-ray measurements, on PC hydrolysis products, 1777
—, on zone annealed PET, 213
X-ray microscopy, of films of PTFE–*g*-acrylic acid, 3871
X-ray scattering, low-angle, void formation in filled SBR rubber determined by, 4175
—, wide angle, of nylon monofilaments, 1613
X-ray studies, of oriented PP, 49
p-Xylylene vapor, penetration of, into small channels, before polymerization, 2415

Yamamoto's integral constitutive equation, 1847
Yarns, crimped, image and dynamic mechanical analysis of, 987
Young's modulus, degradation of aliphatic polyesters measured by changes in, 3779
—, of graphite fiber composites subjected to γ-radiation or electron bombardment, 2061

Zinc peroxide, as crosslinking agent for carboxylated nitrile rubber, 4011
Zinc thiopicoline anilide, degradation of poly-1-butene film in presence of, 2509
Zisman's plots, 2205
Zn–pyrrolidone–carboxylate complex with long chain diamine, as hardener for epoxy resins, 3609
Zone annealed PET, properties and structure of, 1951
Zone annealing, of PET, 213
Zone drawing, of PET, 213

Journal of Applied Polymer Science
Information for Contributors

1. Manuscripts for publication that have not been published elsewhere, books for review, and all correspondence regarding papers prior to their acceptance should be sent to H. Mark, Polytechnic Institute of New York, 333 Jay Street, Brooklyn, NY 11201 or P. Weiss, Department of Chemistry, Oakland University, Rochester, MI 48063. Manuscripts for submission may also be sent to the other members of the Editorial Board (refer to the inside back cover of an issue). All other correspondence should be addressed to the publisher, Journal Production Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10016.

2. The Editors desire to receive manuscripts based on original research in any phase of the chemistry or physics of large molecules which have a practical applicability. It is the preference of the Editors that papers be published in the English language. However, if the author desires that his paper be published in French or German, it is necessary that a particularly complete and comprehensive English synopsis be furnished.

3. Manuscripts should be submitted in triplicate (one *original*, two carbon copies), typed *double space* throughout, on a *heavy* grade of paper, with margins of 2.54 cm (1 in.) on both sides.

4. Authors should supply up to five (5) keywords or phrases which best characterize the manuscript.

5. A short synopsis (maximum length 200 words) of the main contributions in the paper is *required*. This synopsis should be carefully prepared, for it is automatically the source of most abstracts. A short summary of the whole paper, not the conclusions alone, should form the synopsis.

6. The paper should be reasonably subdivided into sections and, if necessary, subsections. Please refer to any issue of this journal for examples.

7. Authors are cautioned to *type*—wherever possible—all mathematical and chemical symbols, equations, and formulas. If these must be hand-written, please write clearly and leave ample space above and below for printer's marks; please use only ink. All Greek or unusual symbols should be identified in the margin the first time they are used. Please distinguish in the margins of the manuscript between capital and small letters of the alphabet wherever confusion may arise (e.g., k, K, κ). Please underline with a wavy line all vector quantities. Use fractional exponents to avoid root signs.

   The nomenclature sponsored by the International Union of Pure and Applied Chemistry is requested for chemical compounds. Chemical bonds should be correctly placed, and double bonds clearly indicated. Valence is to be indicated by superscript plus and minus signs.

   The use of SI units is preferred.

8. The references should be numbered consecutively in the order of their appearance and should be complete, including authors' initials and—for unpublished lectures or symposia—the title of the paper, the date, and the name of the sponsoring society. Please compile references on a separate sheet at the end of the manuscript. Abbreviations of journal titles should conform to the practices of *Chemical Abstracts*.

9. Please supply numbers and titles for all tables. All table columns should have an explanatory heading.

10. **All figures must be submitted in a form suitable for reproduction.** Good glossy photographs are required for halftone reproductions. For line drawings (graphs, etc.), the figures must be drawn clearly with India ink on heavy white paper, Bristol board, drawing linen, or coordinate paper with a very light blue background. The India ink lettering of graphs must be large, clear, and "open" so that letters and numbers do not fill in when reduced for publication. It is the usual practice to submit drawings that are twice the size of the final engravings; the maximum final size of figures for this journal is 11.43 × 19.05 cm (4.5 × 7.5 in.). It is the author's responsibility to obtain written permission to reproduce material which has appeared in another publication. If in doubt about the preparation of illustrations suitable for reproduction, please consult the publisher at the address given above in paragraph *1* and ask for a sample drawing. Poor quality artwork will lead to delay in publication.

11. Please supply legends for all figures and compile these on a separate sheet.

12. Senior authors will receive 50 reprints of their articles without charge. Additional reprints can be ordered and purchased by filling out the form attached to the proofs. *This journal does not carry a page charge for contribution.*

13. Since a new U.S. copyright law became effective January 1978, the transfer of copyright from author to publisher, heretofore implicit in the submission of a manuscript, must now be explicitly transferred to enable the publisher to assure maximum dissemination of the author's work. A copy of the transfer agreement to be used for the *Journal of Applied Polymer Science* follows. Additional copies are available from the Editor, or authors may photocopy the agreement from the journal. A copy of that agreement, executed and signed by the author, is now required with each manuscript submission. A manuscript can not be accepted for publication without the signed agreement. (If the article is a "work made for hire," the agreement must be signed by the employer.)

Journal of Applied Polymer Science

Volume 26, 1981

Editors: H. MARK

P. WEISS

European Editor: A. LEDWITH

Advisory Board:

J. C. ARTHUR, JR.
Metairie, Louisiana
R. F. BOYER
Midland, Michigan
J. H. BRADBURY
Canberra, Australia
E. CERNIA
Rome, Italy
H. CHERDRON
Frankfurt, Germany
S. L. COOPER
Madison, Wisconsin
W. COOPER
Birmingham, England
H. W. COOVER, JR.
Kingsport, Tennessee
N. S. ENIKOLOPIAN
Moscow, USSR
Z. G. GARDLUND
Warren, Michigan
T. W. GEORGE
Raleigh, North Carolina
J. K. GILLHAM
Princeton, New Jersey
M. A. GOLUB
Moffet Field, California
H. B. HOPFENBERG
Raleigh, North Carolina
F. E. KARASZ
Amherst, Massachusetts
J. L. KARDOS
St. Louis, Missouri
M. KRYSZEWSKI
Lodz, Poland
M. LEWIN
Jerusalem, Israel
D. J. METZ
Upton, New York
M. MORTON
Akron, Ohio
N. OGATA
Tokyo, Japan
J. A. PARKER
Moffet Field, California
D. R. PAUL
Austin, Texas
N. A. PEPPAS
West Lafayette, Indiana
R. H. PETERS
Manchester, England
QUIAN BAOGONG
People's Republic of China
B. RANBY
Stockholm, Sweden
L. REBENFELD
Princeton, New Jersey
F. RODRIGUEZ
Ithaca, New York
R. SALOVEY
Los Angeles, California
L. VALTASAARI
Otaniemi, Finland
G. L. WILKES
Blacksburg, Virginia
H. L. WILLIAMS
Toronto, Ontario
N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science,* monthly, *Applied Polymer Symposia,* irregularly. Published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1981 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright law without the permission of the copyright owner is unlawful.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1982): $325.00 per volume. Postage and handling outside USA: $38.00 by surface; $185.00 by air. Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Applied Polymer Science

Contents

Volume 26, 1981

ISSUE NO. 1, JANUARY 1981

Mechanical Properties of HDPE–PS–SEBS Blends
C. R. Lindsey, D. R. Paul, and J. W. Barlow 1

Blends From Reprocessed Coextruded Products
C. R. Lindsey, J. W. Barlow, and D. R. Paul 9

Rate Coefficient for Radical Desorption in Emulsion Polymerization
M. Nomura and M. Harada 17

Dielectric γ Relaxation in Polyethylene at Low Temperature
Y. Sato 27

Polymerization of Methyl Methacrylate Initiated by the Redox System Mn^{3+}/Thioglycollic Acid
R. K. Samal, G. V. Suryanarayan, G. Panda, D. P. Das, and M. C. Nayak 41

Relationship between Orientation of Amorphous Chains and Modulus in Highly Oriented Polypropylene
K. Yamada, M. Kamezawa, and M. Takayanagi 49

Polymer–Leather Composites. III. Morphology and Water Absorptivities of Selected Acrylic Polymer–Leather Composite Materials
E. F. Jordan, Jr., R. J. Carroll, M. V. Hannigan, B. Artymyshyn, and S. H. Feairheller 61

Uniaxial and Biaxial Orientation Development and Mechanical Properties of Polystyrene Films
K. Matsumoto, J. F. Fellers, and J. L. White 85

Organotin Polymers. IV. Binary and Ternary Copolymerizations of Tributyltin Acrylate and Methacrylate with Styrene, Allyl Methacrylate, Butyl Methacrylate, Butyl Acrylate, and Acrylonitrile
N. A. Ghanem, N. N. Messiha, N. E. Ikladious, and A. F. Shaaban 97

Modification of Emulsion Polymerizations with Microemulsions of Mercaptans
C. A. Uraneck and E. Clark 107

Dimensional Stability and Tensile Properties of Drawn Polystyrene Composites
L. Nicodemo, A. Apicella, and L. Nicolais 129

Interpenetrating Polymer Networks Based on Ionically Crosslinked Polymers: Reacidification and Annealing as Morphological Variables
D. L. Siegfried, D. A. Thomas, and L. H. Sperling 141

Pentavalent Vanadium Ion-Induced Grafting of Methyl Methacrylate onto Cotton Cellulose
M. I. Khalil, M. H. El-Rafie, and A. Hebeish 149

High-Pressure Sorption of Carbon Dioxide in Solvent-Cast Poly (methyl Methacrylate) and Poly(ethyl Methacrylate) Films
W. J. Koros, G. N. Smith, and V. Stannett 159

Chemical Modification of Starch. II. Cyanoethylation
A. Hebeish, I. Abd El-Thalouth, and M. A. El-Kashouti 171

Thermoplastic Interpenetrating Polymer Networks of a Triblock Copolymer Elastomer and an Ionomeric Plastic. I. Rheology and Morphology
D. L. Siegfried, D. A. Thomas, and L. H. Sperling 177

Dynamic Mechanical Properties of Keratin Fibers during Water Absorption and Desorption
G. D. Danilatos and R. Postle 193

Rubbery Products from Castor Oil Tris(thioglycolate)—A New Polythiol
N. D. Ghatge and R. A. N. Murthy 201

Grafting of 2-Butenyl Acrylate onto Starch
T. P. Abbott and C. James 207

Preparation of High-Modulus and High-Strength Poly(ethylene Terephthalate) Fiber by Zone Annealing
T. Kunugi, A. Suzuki, and M. Hashimoto 213

Vibrational Spectroscopic Study of Poly(ethylene Terephthalate) Crystallized by Annealing in the Oriented State
G. M. Venkatesh, P. J. Bose, and A. H. Khan 223

Synthesis and Polymerization of Aliphatic Bisnadimides
D. A. Scola and M. P. Stevens 231

Preparation and Reactions of Carbamate-Modified Polyethylene
R. R. Gallucci 249

Acrylonitrile–Styrene Copolymer Grafted onto Ethylene–Propylene–Diene Terpolymer
M. Morimoto 261

Copolymerization of Glycidylmethacrylate–Methylmethacrylate–Divinylbenzene in Cyclohexane
Y. Mizutani, K. Kusukoto, and Y. Kagiyama 271

Combustion and Pyrolysis of Poly(ethylene Terephthalate). I. The Role of Flame Retardents on Products of Pyrolysis
M. E. Bednas, M. Day, K. Ho, R. Sander, and D. M. Wiles 277

Macrostructure and Mechanical Behavior of Fibers of Poly-*p*-Phenylene Benzobisthiazole
S. R. Allen, A. G. Filippov, R. J. Farris, and E. L. Thomas 291

Longitudinal Growth of Polymer Crystals from Flowing Solutions. VIII. Mechanism of Fiber Formation on Rotor Surface
J. C. M. Torfs and A. J. Pennings 303

Synthesis, Photodegradation, and Energy Transfer in a Series of Poly(ethylene Terephthalate–*co*–4,4′-Biphenyldicarboxylate) Copolymers
J. A. Dellinger and C. W. Roberts 321

Star-Shaped Block Copolymers. IV. Emulsifying Activity in Water–Oil Emulsions
Huynh-Ba Gia, R. Jérôme, and Ph. Teyssié 343

Char Formation in Polyvinyl Chloride. III. Mechanistic Aspects of Isothermal Degradation of PVC Containing Some Dehydrochlorination/Charring Agents
S. K. Brauman 353

NOTE

Permeation into Containers Filled with Nonideal Oil
C. M. Thompson 373

Information for Contributors 379

ISSUE NO. 2, FEBRUARY 1981

Kinetics of Polycondensation of Urea with Formaldehyde. Molecular Weight Distribution, Average Molecular Weight, and Polydispersity Parameters
S. Katuščák, M. Tomáš, and O. Schiessl 381

Continuous Extrusion of High-Modulus Semicrystalline Polymers
D. M. Bigg, M. M. Epstein, R. J. Fiorentino, and E. G. Smith 395

Reactive Polymers. XXXII. Effect of Composition of Polymerization Feed on Morphology and Some Physical Properties of Macroporous Suspension Copolymers Glycidyl Methacrylate–Ethylene Dimethacrylate
D. Horák, Z. Pelzbauer, M. Bleha, M. Ilavský, F. Švec, and J. Kálal 411

Copolymerization of 2-Methoxy-4-Vinylphenol with Fluorinated Acrylic Monomers: Water-Repellent Properties of Copolymer
K. Ito, K. Kodaira, and Y. Ōnishi 423

Effect of Heat Pretreatment and Strain Rate on Tensile Properties of Polycarbonate Sheet
M. Yokouchi and Y. Kobayashi 431

Hydrolysis of Copolyesters Containing Aromatic and Aliphatic Ester Blocks of Lipase
Y. Tokiwa and T. Suzuki 441

Influence of Intermolecular Interactions on the Melt Rheology of a Propylene–Acrylic Acid Copolymer and its Salts
R. A. Weiss and P. K. Agarwal 449

Polymer–Leather Composites. IV. Mechanical Properties of Selected Acrylic Polymer–Leather Composites
E. F. Jordan, Jr., B. Artymyshyn, and S. H. Feairheller 463

Synthetic Membranes Containing Schardinger Cyclodextrin Additives
C. H. Lee 489

Viscoelastic Properties of Polystyrene–Polycarbonate Blends in Melt
Yu. S. Lipatov, V. F. Shumsky, A. N. Gorbatenko, Yu. N. Panov, and L. S. Bolotnikova 499

Deterioration of Plastic Films under Soil Burial Conditions
G. Colin, J. D. Cooney, D. J. Carlsson, and D. M. Wiles 509

Sensitized Photoinitiated Grafting of *N*-Vinyl-2-Pyrrolidone (NVP) to Woolen Substrates
P. Barker, J. T. Guthrie, M. J. Davis, A. A. Godfrey, and P. N. Green 521

Effect of Curing Temperature and Curing System on Network Structure and Technical Properties of Polybutadiene and Styrene–Butadiene Rubber
A. K. Bhowmick and S. K. De 529

Adiabatic Compressibility of Polyelectrolytes: The Influence of Solvents on Ionic and Nonionic Polymers
P. Roy-Chowdhury and M. S. Kirtiwar 543

Interactions of Organic Solvents with Aromatic Heterocyclic Polymers. I. *m*-Phenylene Polybenzimidazole
K. C. B. Dangayach, K. A. Karim, and D. C. Bonner 559

Fibers from 2,5-(*p*-Phenylene:Vinylene)-1,3,4-Oxadiazole Copolymers
S. K. Varma, C. K. Geetha, B. L. Khandelwal, and I. K. Varma 571

Elongational Flow and Melt-Spinning Instability of Concentrated Suspensions of Small Particles in Polymer Melts
J. L. White and H. Tanaka 579

Reticulated Versus Crenelated Surfaces on Macroporous Polystyrene–Divinylbenzene Membranes
D. K. Swatling, J. A. Manson, D. A. Thomas, and L. H. Sperling 591

Interaction of Anhydrous Ferric Chloride with Nylon 6
Li-Chung Chao and Eng-Pi Chang 603

Adiabatic Polymerization of Acrylamide Using a Persulfate-Bisulfite Redox Couple
K. Pohl and F. Rodriguez 611

Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. I. Grafting of 4-(*N*-Ethyl, *N*-2-Acryloxethyl)Amino, 4′-Nitro, Azobenzene onto Polyamide and Polypropylene Fibers
I. R. Bellobono, F. Tolusso, E. Selli, S. Calgari and A. Berlin 619

Free Volume Theory of Diffusion: Method of Predicting Activation Energies of Diffusion for Gases in Elastomers
R. Kosiyanon and R. McGregor 629

Diffusion with Simultaneous Immobilization in Polymer–Dye Systems. I. Diffusion of the Cationic Dye Anilana Red BL in the Anionically Modified Polyester Fiber Dilana
B. Ostrowska, A. Narębska, and H. Krzystek 643

Polymerization of Butadiene in Toluene with Nickel(II) Stearate–Diethyl Aluminum Chloride Catalyst. II. Kinetic Study
D-H. Lee and C. C. Hsu 653

A New Approach to the Study of Plasticizer Migration from PVC into Methanol
D. Messadi, J-M. Vergnaud, and M. Hivert 667

Water Permeation of Polymer Films. III. High-Temperature Polyimides
E. Sacher and J. R. Susko 679

Immobilization of Glucoamylase on Polymer Surface by Radiation-Induced Polymerization of Glass-Forming Monomers at Low Temperatures
M. Yoshida and I. Kaetsu 687

Synthesis of and Photodegradation in a Series of Poly(ethylene Terephthalate–*co*–4,4′-Sulfonyldibenzoate Yarns
W. C. Stuckey and C. W. Roberts 701

Effects of Winding Speed, Drawing and Heating on the Crystalline Structure of Nylon 6 Yarns
H. M. Heuvel and R. Huisman 713

Grafting Vinyl Monomers onto Wool Fibers. VIII. Graft Copolymerization of Methyl Methacrylate onto Wool Using Peroxydiphosphate–Fructose Redox System
P. L. Nayak, S. Lenka, and M. Y. Mishra 733

NOTES

Synthesis of High-Molecular-Weight Polymer of Methyl Chloride Salt of *N,N*-Dimethylaminoethyl Methacrylate by Radiation-Induced Polymerization at High Pressure
I. Ishigaki, T. Okada, T. Sasuga, M. Takehisa, and S. Machi 741

Theoretical Phase Domain Sizes in IPNs and Related Materials
J. Michel, S. C. Hargest, and L. H. Sperling 743

ISSUE NO. 3, MARCH 1981

Investigation of Urea–Formaldehyde Polymer Cure by Infrared
G. E. Myers 747

Heat Transfer to Molten Polymer Flow in Tubes
E. E. Agur, and J. Vlachopoulos 765

Grafting Vinyl Monomers onto Silk Fibers. X. Graft Copolymerization of Methyl Methacrylate onto Silk Using Hydrogen Peroxide–Thiourea Redox System
G. Panda, N. C. Pati, and P. L. Nayak 775

Laminar Dispersion of Polymer Solutions in Helical Coils
D. Singh and K. D. P. Nigam 785

Dry Sintering of Latex Particles in Pigmented Coatings. I. Influence on Coating Structure and Properties
P. Lepoutre and B. Alince 791

Sintering of Latex Particles in Pigmented Coatings. II. Influence of the Latex Particle Size
B. Alince and P. Lepoutre 799

Photochemical Rupture of Microcapsules: A Model System
E. Mathiowitz, A. Raziel, M. D. Cohen, and E. Fischer 809

Property–Composition Dependence of Polyurethane–Poly(vinyl Chloride) Polyblends
N. K. Kalfoglou 823

Reinforcement of Siloxane Elastomers by Silica. Chemical Interactions between an Oligomer of Poly(dimethylsiloxane) and a Fumed Silica
G. Berrod, A. Vidal, E. Papirer, and J. B. Donnet 833

Limiting Oxygen Indices of Silicone Block Polymers
R. P. Kambour, H. J. Klopfer, and S. A. Smith 847

Flammability Resistance Synergism in BPA Polycarbonate–Silicone Block Polymers
R. P. Kambour 861

Novel Ion-Containing Reverse Osmosis Membranes. I. Preparation and Selected Properties
E. Bittencourt, V. Stannett, J. L. Williams, and H. B. Hopfenberg 879

Rubber-Modified Epoxies. I. Transitions and Morphology
L. T. Manzione, J. K. Gillham, and C. A. McPherson 889

Rubber-Modified Epoxies. II. Morphology and Mechanical Properties
L. T. Manzione, J. K. Gillham, and C. A. McPherson 907

Infrared Study of the Effect of Heat on Wool
M. A. Moharram, T. Z. Abdel-Rehim, and S. M. Rabie 921

Poly(methyl Methacrylate)–Cellulose Nitrate Copolymers. I. Preparation
B. M. Badran, S. Sherif, and A. A. Abu-Sedira 933

Poly(methyl Methacrylate)–Cellulose Nitrate Copolymers. II. Physical and Mechanical Properties
B. M. Badran, S. Sherif, Sh. T. El-Sheltawi, and A. A. Abu-Sedira 941

High-Performance Column Adsorption Chromatography of Random Copolymers Styrene–Acrylics
M. Danielewicz and M. Kubin 951

Synthesis and Properties of Polyesterimides and their Isomers
S. Maiti and S. Das 957

Metal Acetylacetonates as Latent Accelerators for Anhydride-Cured Epoxy Resins
J. D. B. Smith 979

Dynamic Mechanical Analysis and Image Analysis Characterization of Crimped Yarns
D. C. Felty and T. Murayama 987

Microbial Attack of Nitrocellulose
B. W. Brodman and M. P. Levine 997

Prediction of Rheological Behavior of Branched Polyethylene from Molecular Structure
B. H. Bersted, J. D. Slee, and C. A. Richter 1001

Reinforcement of Siloxane Elastomers by Silicas. Comparison between Fumed and Precipitated Silicas in their Interactions with an Oligomer of Poly(dimethylsiloxane)
G. Berrod, A. Vidal, E. Papirer, and J. B. Donnet 1015

Preparation of Ion-Containing Elastomers by Emulsion Copolymerization of Dienes with Olefinic Sulfonic Acid Salts
B. Siadat, B. Oster, and R. W. Lenz 1027

Wet Poly(vinyl Chloride) Membrane
S. Hirose, E. Yasukawa, and T. Nose 1039

NOTE

Environmental Stress Crack Growth in Medium-Density Polyethylene Pipe
A. Lustiger, R. L. Markham, and M. M. Epstein 1049

Information for Contributors 1057

ISSUE NO. 4, APRIL 1981

Practical and Theoretical Molecular Weights in Polyaddition Reactions of Ethylene and Propylene Oxide
A. Penati, C. Maffezzoni, and E. Moretti 1059

Graft Polymerization of Methyl Methacrylate onto Chemically Modified Wools using LiBr–$K_2S_2O_8$ Redox System as Initiator
J. Niezette, R. Geurts, and R. Erilli 1073

Analysis of Fatigue Behavior of High-Density Polyethylene Based on Dynamic Viscoelastic Measurements during the Fatigue Process
A. Takahara, K. Yamada, T. Kajiyama, and M. Takayanagi 1085

Effect of Container Diameter on β-Radiation-induced Polymerization of Acrylamide
S. Verma, C. D. Callihan, and R. C. McIlhenny 1105

A Method of Calculating Copolymerization Reactivity Ratios
J-F. Kuo and C-Y. Chen 1117

Improving Antistatic Properties of Poly(methylvinylpyridine)–Poly(ethylene Terephthalate) Graft Copolymers via Alkylation
M. F. El-Shahed, S. E. Shalaby, and A. Hebeish 1129

Investigations on Nylon 4 Membranes. Synthesis and Transport Properties. I. Synthesis of Nylon 4 Polymer
R. Y. M. Huang, U. Y. Kim, J. M. Dickson, D. R. Lloyd, and C. Y. Peng 1135

Linear Polythioesters. IV. The Effect of Hydrogen Chloride Acceptor on Interfacial Polycondensation of 4,4′-Di(mercaptomethyl)benzophenone with Isomeric Phthaloyl Chlorides
W. Podkoscielny and A. Kultys 1143

Structural Time Dependency in the Rheological Behavior of Molten Polymers
J. M. Dealy and Wm. K.-W. Tsang 1149

Corrosion of Polymer–Concrete Composites in Hydrochloric Acid at Elevated Temperature
R. S. Yeo, A. N. Zeldin, and L. E. Kukacka 1159

Metal Smoke Retarders for Poly(vinyl Chloride)
W. J. Kroenke 1167

The Functional Role of Molybdenum Trioxide as a Smoke Retarder Additive in Rigid Poly(vinyl Chloride)
R. P. Lattimer and W. J. Kroenke 1191

Studies on the Semirigid Chain Polyamide—Poly (1,4-Phenyleneterephthalamide)
B. Jingsheng, Y. Anji, Z. Shengqing, Z. Shufan, and H. Chang 1211

Photochemistry of Polymeric Systems. III. Photocrosslinking of Polymers and Copolymers Including Cyanocinnamylydene–Pyridinium Groups
C. Roucoux, C. Loucheux, and A. Lablache-Combier 1221

Photochemistry of Polymeric Systems. IV. Photocrosslinking of Copolymers Including Pyridinium Dicyanomethylide Groups
J.-J. Cottart, C. Loucheux, and A. Lablache-Combier 1233

Water Transport Mechanisms through Asymmetric Membranes
E. G. Cerrella and H. A. Massaldi 1243

Polyester Chain Scission by Selective Chemical Site Attack
M. J. Hogsed, B. A. Carlson, and S. B. Maerov 1257

Studies on Thermal Degradation of Synthetic Polymers. XV. Estimation of the Product Yield on the Basis of Intensity Function for Thermal Gasification of Isotactic and Atactic Polypropylenes
T. Sawaguchi, K. Suzuki, T. Kuroki, and T. Ikemura 1267

On the Mechanism of the Mercerization of Cellulose in Wood
J.-F. Revol and D. A. I. Goring 1275

Numerical Simulation of a Tubular Polymerization Reactor
D. Lynch and C. Kiparissides 1283

Effect of Concentration and Second Polymer on Elution Volumes in Gel Permeation Chromatography
V. Narasimhan, R. Y. M. Huang, and C. M. Burns 1295

Gas Permeability of Copolypeptide Membranes Composed of γ-Methyl L-glutamate and γ-Benzyl L-glutamate
N. Minoura, Y. Fujiwara, and T. Nakagawa 1301

Push–Pull Extrusion: A New Approach for the Solid-State Deformation Illustrated with High Density Polyethylene
T. Shimada, A. E. Zachariades, M. P. C. Watts, and R. S. Porter 1309

Simulation Model for the Emulsion Copolymerization of Acrylonitrile and Styrene in Azeotropic Composition
C-C. Lin, H.-C. Ku, and W-Y. Chiu 1327

Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. IV. Capillary Flow and Die Swell of Low-Density Polyethylene
M. Rokudai and T. Fujiki 1343

Surfactant Interactions in Poly(vinyl Acetate) and Poly(vinyl Acetate–butyl Acrylate) Latexes
B. R. Vijayendran, T. Bone, and C. Gajria 1351

Radiation-Induced Oxidative Degradation of Isotactic Polypropylene
E. A. Hegazy, T. Seguchi, K. Arakawa, and S. Machi 1361

Evaluation of Number-Average Molecular Weight of Poly(tetrafluoroethylene) Irradiated with γ Rays
M. Takenaga and K. Yamagata 1373

Application of Refractive Index Measurements to Polymer Analysis
R. J. Samuels 1383

NOTES

Grafting Vinyl Monomers onto Cellulose. III. Graft Copolymerization of Methyl Methacrylate onto Cellulose using Acetylacetonato Manganese(III) Complex
A. K. Tripathy, S. Lenka, and P. L. Nayak 1413

Reclamation of Vulcanized Rubber by Chemical Degradation. XV. Degradation of Vulcanized Synthetic Isoprene by the Phenylhydrazine–Iron(II) Chloride System
N. Kawabata, B. Okuyama, and S. Yamashita 1417

Contrast Enhancement in Multicomponent Polymer Systems
M. J. Bowden 1421

Influence of Shearing History on the Rheological Properties and Processability of Branched Polymers. V. Effect of Molecular Structural Parameters on Die Swell of Low-Density Polyethylenes
M. Rokudai 1427

A Water-Soluble Hydantoin Epoxide/Polyamine System as a Wet-Strength Additive for Paper
S. H. Eldin and H. Tlach 1431

Electrical Resistivity of Polyamide Quinoxaline Polymer
R. W. Warfield and J. V. Duffy 1437

ISSUE NO. 5, MAY 1981

Gamma Irradiation of Polypropylene Fibers in the Presence of Carbon Tetrachloride
G. Ramanan, M. H. Rao, and K. N. Rao 1439

Catalytic Effect of a Portland Cement Filler on the Cure of Water-Compatible Resorcinol Phenol–Formaldehyde Polymer Concrete
T. Sugama, L. E. Kukacka, and W. Horn 1453

Mechanical Behavior of Gradient Polymers
G. C. Martin, E. Enssani, and M. Shen 1465

Reaction with Metal Ions of Chloromethylated Polystyrene Resin Containing Dithiocarbamate Group
K. Hiratani, Y. Onishi, and T. Nakagawa 1475

Cryogenic Crushing of Polystyrene
S. Vivatpanachart, H. Nomura, and Y. Miyahara 1485

Measuring Diffusion Coefficients by Hygroelasticity
G. Marom and L. J. Broutman 1493

Polymer Purification through Solvent Addition: Physical Implications and Modeling of Separation Units
S. Carrà, M. Morbidelli, E. Santacesaria, and G. Niederjaufner 1497

Storage Hardening and "Abnormal" Groups in Guayule Rubber
J. L. Angulo-Sanchez, L. L. Jimenez-Valdez and E. Campos-Lopez 1511

Effects of Ionizing Radiation on the Perfluorosulfonic Acid Ion Exchange Polymer
E. N. Balko and J. T. Chaklos 1519

Kinetics of Dielectric-Loss Microwave Degradation of Polymers: Lignin
R. Wai-Chun Chan and B. B. Krieger 1533

Resolution in Column Chromatography of Polymer Latexes. I. The Light Scattering Behavior of Polystyrene and Its Effect on Signal Resolution in HDC
D. J. Nagy, C. A. Silebi, and A. J. McHugh 1555

Resolution in Column Chromatography of Polymer Latexes. II. A Comparison of Porous and Nonporous Packing Systems
D. J. Nagy, C. A. Silebi, and A. J. McHugh 1567

Rapid Measurements of Elastic Modulus and Density in Polypropylene Sheet During Aging
J. S. Baum and J. M. Schultz 1579

Synthesis of Cationic Flocculant by Radiation-Induced Copolymerization of Methyl Chloride Salt of *N,N*-Dimethylaminoethyl Methacrylate with Acrylamide in Aqueous Solution. II. Copolymerization at Higher Monomer Concentration
I. Ishigaki, H. Fukuzaki, T. Okada, T. Okada, J. Okamoto, and S. Machi ... 1585

Polymer Solutions from Latexes
C-S. Wong and F. Rodriguez 1595

Conduction in Polydiacetylene Bilayers
D. R. Day and J. B. Lando 1605

Morphological Changes in Twisted Nylon Monofilament
M. Kurokawa, N. Nohara, and T. Konishi 1613

Delignification and Delegation: Analogy in Chemical Kinetics
J. F. Yan and D. C. Johnson 1623

Copolymerization of Styrene with Acrylamide in an Emulsifier-Free Aqueous Medium
Y. Ohtsuka, H. Kawaguchi, and Y. Sugi 1637

Copolymerization of Styrene with Acrylamide Derivatives in an Emulsifier-Free Aqueous Medium
H. Kawaguchi, Y. Sugi, and Y. Ohtsuka 1649

Photoconductivity of Poly(vinyl Alcohol) Films with Fe^{3+} Complexes and ESR Study of their Structures
O. Sumita, A. Fukuda, and E. Kuze 1659

Studies on Suspension and Emulsion. XLVI. Emulsifier-Free Emulsion Polymerization of Styrene in Acetone–Water
M. Okubo, A. Yamada, S. Shibao, K. Nakamae, and T. Matsumoto 1675

Glass-Reinforced Composites of Antifouling Organotin Epoxy Polymers
R. V. Subramanian and R. S. Williams 1681

Effect of Oven Aging on Polypropylene
M. G. Wyzgoski 1689

Water-Soluble Copolymers. I. Synthesis of Model Dextran-*g*-Polyacrylamides by $Fe(II)/H_2O_2$ Initiation and Characterization by Aqueous Size Exclusion Chromatography
C. L. McCormick and L. S. Park 1705

Cation Exchange Resin from Sulfonated *N*-Vinylcarbazole and Divinylbenzene Copolymer
M. Biswas and G. C. Mishra 1719

Hydrolytic Degradation of Polyglycolic Acid: Tensile Strength and Crystallinity Study
C. C. Chu 1727

Notes

Effect of Formation of Yellow-Colored Complexes of UV Absorbers and PVC Thermal Stabilizers on Efficiency of Action of UV Absorbers
J. Wypych and Z. Pokorski 1735

Hydrogen Bonding of 2,4-Dinitrotoluene to Unesterified Hydroxyl Groups in Nitrocellulose
B. W. Brodman, N. Lampner, and M. P. Devine 1739

ISSUE NO. 6, JUNE 1981

Gradient Interpenetrating Polymer Networks. I. Poly(ether Urethane) and Polyacrylamide IPN
M. Dror, M. Z. Elsabee, and G. C. Berry 1741

Enhancement of Adhesive Joint Strength by Surface Texturing
W. V. Chang and J. S. Wang 1759

Hydrolysis of Polycarbonate to Yield BPA
H. E. Bair, D. R. Falcone, M. Y. Hellman, G. E. Johnson, and P. G. Kelleher ... 1777

Space Charge Limited Currents in Pure and Iodinated Cellulose Acetate Films
A. Kumar and R. Nath ... 1787

The Effects of Orientation and Crystallinity on the Solvent-Induced Crystallization of Poly(ethylene Terephthalate). I. Sorption- and Diffusion-Related Phenomena
H. Jameel, J. Waldman, and L. Rebenfeld ... 1795

Influence of Drawing Speed on Some Properties of Acrylic Fibers
A. I. Stoyanov and V. P. Krustev ... 1813

Emulsion Polymerization of Styrene with Ionic Comonomer in the Presence of Methanol
Y. Chonde and I. M. Krieger ... 1819

Model Networks of End-Linked Polydimethylsiloxane Chains. XII. Dependence of Ultimate Properties on Dangling-Chain Irregularities
A. L. Andrady, M. A. Llorente, M. A. Sharaf, R. R. Rahalkar, J. E. Mark, J. L. Sullivan, C. U. Yu, and J. R. Falender ... 1829

Dicyandiamide Analysis and Solubility in Epoxy Resins
G. L. Hagnauer and D. A. Dunn ... 1837

Application of a Constitutive Equation to Polymer Melts
R. N. Shroff and M. Shida ... 1847

The Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. I. Structural Changes
V. B. Gupta and S. Kumar ... 1865

The Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. II. The Elastic Modulus and Its Dependence on Structure
V. B. Gupta and S. Kumar ... 1877

The Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. III. Anelastic Properties and Their Dependence on Structure
V. B. Gupta and S. Kumar ... 1885

The Effect of Heat Setting on the Structure and Mechanical Properties of Poly(ethylene Terephthalate) Fiber. IV. Tensile Properties Other Than Modulus and Their Dependence on Structure
V. B. Gupta and S. Kumar ... 1897

Investigations on Nylon 4 Membranes: Synthesis and Transport Properties. II. Transport Properties of Nylon 4 Polymer Membranes
R. Y. M. Huang, U. Y. Kim, J. M. Dickson, D. R. Lloyd, and C. Y. Peng ... 1907

Crack-Tip Plastic Zones in Glassy Polymers under Small-Scale Yielding
E. E. Gdoutos ... 1919

Adhesive Properties of Systems of Partially Neutralized Carboxyl-Terminated Liquid Rubber–Anhydride–Bisepoxide
H. Matsuda and H. Dohi ... 1931

Assessment of the Adhesive Bond Properties of Allyl 2-Cyanoacrylate
D. L. Kotzev, T. C. Ward, and D. W. Wright ... 1941

Mechanical Properties and Superstructure of High-Modulus and High-Strength PET Fiber Prepared by Zone Annealing
T. Kunugi, A. Suzuki, and M. Hashimoto ... 1951

Plasma Etching Durability of Poly(methyl Methacrylate)
K. Harada ... 1961

Characterization of Cured Polystyrylpyridine by Model Compounds
M.-T. S. Hsu, M. L. Rosenberg, J. A. Parker, and A. H. Heimbuch ... 1975

Effects of Structural Features of Cotton Cellulose on Enzymatic Hydrolysis
B. Focher, A. Marzetti, M. Cattaneo, P. L. Beltrame, and P. Carniti 1989

Compatibility in a Blend of Poly(2,3-Dichloro-1-Propyl Acrylate) and Poly(glycidyl Methacrylate–*co*–Ethyl Acrylate)
D. D. Davis, G. N. Taylor, and T. K. Kwei 2001

Preparation of Amphoteric Latex by Modification of Styrene–Acrylamide Copolymer Latex
H. Kawaguchi, H. Hoshino, and Y. Ohtsuka 2015

Surface Characterization of Polyester Fibers
G. Gillberg and D. Kemp 2023

A Study on Hydroxyl Groups in Polyethylene
Y. Sato, M. Hoshino, and F. Ebisawa 2053

Effect of 1.33 MeV γ Radiation and 0.5 MeV Electrons on the Mechanical Properties of Graphite Fiber Composites
R. E. Fornes, J. D. Memory, and N. Naranong 2061

Onset of Phase Separation in Segmented Urethane Polymerization
J. M. Castro, F. López-Serrano, R. E. Camargo, C. W. Macosko, and M. Tirrell 2067

Thermomechanical Analysis of T_g and $T > T_g$ Transitions in Polystyrene
S. E. Keinath and R. F. Boyer 2077

Surface Property Modification of Aromatic Polyamides by Microwave Plasmas
M. R. Wertheimer and H. P. Schreiber 2087

NOTES

Reducing Properties of Plastics Etched in Chromium Acid Solutions
M. Sălkauskas and D. Kimtienė 2097

Atypical Viscosity Behavior of Dilute Solutions of Xanthan Gum
R. A. Gelman and H. G. Barth 2099

Partially Carbamate Reaction of Cellulose with Urea
Y. Nozawa and F. Higashide 2103

Grafting Vinyl Monomers onto Polyester Fibers. I. Graft Copolymerization of Methyl Methacrylate onto PET Using Hexavalent Chromium
A. K. Tripathy, M. K. Mishra, S. Lenka, and P. L. Nayak 2109

Preparation of Fine Powdery Copolymer of Styrene–Maleic Anhydride–Divinylbenzene
Y. Mizutani and S. Matsuoka 2113

Permeability of Poly-L-leucine and Polyglutamic Acid Ester Membranes to Oxygen Dissolved in Water
N. Minoura, Y. Fujiwara, and T. Nakagawa 2117

ISSUE NO. 7, JULY 1981

Adsorption Characteristics of Polyacrylamide and Sulfate-Containing Polyacrylamide Copolymers on Sodium Kaolinite
A. F. Hollander, P. Somasundaran, and C. C. Gryte 2123

Multiple Molecular Relaxations of Hot-Drawn and Quenched Polymers above Their Glass Transition Temperatures
T. Kato and N. Yanagihara 2139

Local Disturbances Preceding a Running Crack Front in a Viscoelastic Solid
A. Kobayashi, M. Munemura, and N. Ohtani 2147

Simulation of Molecular Weight Distribution and Cyclic Oligomer Formation in the Polymerization of Nylon 6
S. K. Gupta, C. D. Naik, P. Tandon, and A. Kumar 2153

Hydroxypropylcellulose, a Thermotropic Liquid Crystal: Characteristics and Structure Development in Continuous Extrusion and Melt Spinning
K. Shimamura, J. L. White, and J. F. Fellers 2165

Polymer Gamma Dosimeter
W. H. Chung 2181

Grafting of Methyl Methacrylate on EPR and EPDR: Impact Properties of Polyvinyl Chloride–Grafted Polymer Blends
E. Beati, M. Pegoraro, and M. Briano 2185

Adhesion of Glow Discharge Polymers
A. K. Sharma, F. Millich, and E. W. Hellmuth 2197

Wettability of Glow Discharge Polymers
A. K. Sharma, F Millich, and E. W. Hellmuth 2205

Electric Strength of Epoxide Resins and Its Relation to the Structure
T. Takahama, O. Hayashi, and F. Sato 2211

Trivalent Manganese Chelate-Initiated Graft Copolymerization of Methyl Methacrylate onto Silk Fibers
R. K. Samal, G. V. Suryanarayana, P. C. Dash, G. Panda, D. P. Das, and M. C. Nayak 2221

Rubber-Modified Polystyrene Impact as a Function of Flame-Retardant Additive Solubilization
W. E. Sprenkle and J. H. Southern 2229

Permeation of Gases through Modified Polymer Films. V. Permeation and Diffusion of Helium, Nitrogen, Methane, Ethane, and Propane through γ-Ray Crosslinked Polyethylene
R. W. Macdonald and R. Y. M. Huang 2239

Shrinkage and Internal Stress during Curing of Epoxide Resins
M. Shimbo, M. Ochi, and Y. Shigeta 2265

Solubility of Isobutane in Two High-Density Polyethylene Polymer Fluffs
W. R. Parrish 2279

Cellular Affinity of Polyamides Having Various Functional Groups. I. Platelet Adhesion
N. Ogata, K. Sanui, H. Tanaka, Y. Takahashi, Y. Sakurai, T. Akaike, T. Okano, and K. Kataoka 2293

Grafting of Acrylate Monomers onto Chlorinated Rubber
K. Kaleem, C. R. Reddy, and S. Rajadurai 2305

Simultaneous Diffusion of Benzyl Alcohol into Plasticized Poly(vinyl Chloride) and of Plasticizer from Polymer into Liquid
D. Messadi and J. M. Vergnaud 2315

Thermal Diffusivity and Conductivity of Crystalline Polymers
C. L. Choy, E. L. Ong, and F. C. Chen 2325

Rayleigh–Brillouin Scattering from Reacting Epoxy Resins: Comparison with Torsional Braid Analysis
S. Kondo, T. Igarashi, and T. Nakamura 2337

Rheological and Extrusion Characteristics of Glass Fiber-Reinforced Polycarbonate
B. A. Knutsson, J. L. White, and K. B. Abbas 2347

Hydrolytic Stability of Some Uncured Epoxy Resins
P. J. Pearce, R. G. Davidson, and C. E. M. Morris 2363

Ultradrawing and Crystallization of Isotactic Polystyrene and Blends with Atactic Polystyrene
L.-H. Wang and R. S. Porter 2373

Inhibition of Photoinitiated Degradation of Polycarbonate by Cerium(III) Overcoating
A. J. Klein, H. Yu, and W. M. Yen 2381

Phase Separation Behavior of Rubber-Modified Epoxies
T. T. Wang and H. M. Zupko 2391

Copolymerization of Pentachlorophenyl Acrylate with Vinyl Acetate and Ethyl Acrylate. Polymer-Bound Fungicides
C. U. Pittman, Jr. and G. A. Stahl 2403

Penetration of *p*-xylylene Vapor into Small Channels Prior to Polymerization
D. J. Broer and W. Luijks 2415

Studies on Synthetic Polymer Plates with High Surface Energy. I. Diallyl Phthalate-Unsaturated Carboxylic Acid System
Y. Ohtsuka, N. Kaneko, and F. Takami 2423

Grafting Vinyl Monomers into Nylon-6. II. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 by Hexavalent Chromium Ion
P. L. Nayak, S. Lenka, M. K. Mishra, and A. K. Tripathy 2437

Spontaneous Ignition of Styrene-Butadiene Rubber
H. W. Emmons 2447

Thermally Stimulated Depolarization Current Studies on Strain-Induced Relaxations in Polymers
J. Hong and J. O. Brittain 2459

Correlation between the Mechanical Behavior and Relaxation Processes in the Plastically Deformed Polycarbonate
J. Hong and J. O. Brittain 2471

Determination of the Hindered Amine Additive CGL-144 in Polypropylene by High-Performance Liquid Chromatography
J. F. Schabron and D. Z. Bradfield 2479

Morphological Effects on the Bulk Polymerization of Trioxane in the Solid State by γ-Radiation
G. Kiss, K. Kiss, A. J. Kovacs, and J. C. Wittman 2485

Information for Contributors 2501

ISSUE NO. 8, AUGUST 1981

Improved Coordination Catalyst for the Alternating Copolymerization of Butadiene and Propylene
W. Wieder and J. Witte 2503

Thermal and Photo-Oxidative Degradation of Poly-1-butene Film in the Presence of Zinc Thiopicoline Anilide
R. Chandra 2509

Swelling and Mechanical Properties of Cellulose Hydrogels. I. Preparation, Characterization, and Swelling Behavior
L. Westman and T. Lindström 2519

Swelling and Mechanical Properties of Cellulose Hydrogels. II. The Relation between the Degree of Swelling and the Creep Compliance
L. Westman and T. Lindström 2533

Swelling and Mechanical Properties of Cellulose Hydrogels. III. Temperature Effects on the Swelling and Compliance Levels Studied by Dilatometry and ^{1}H-NMR Spectroscopy
L. Westman and T. Lindström 2545

Swelling and Mechanical Properties of Cellulose Hydrogels. IV. Kinetics of Swelling in Liquid Water
L. Westman and T. Lindström 2561

Intrinsic Birefringence of Nylon 6
E. Balcerzyk, W. Kozłowski, E. Wesołowska, and W. Lewaskiewicz 2573

Stabilization of ABS with Bound Synergistic Stabilizers Added as Masterbatches
E. G. Kolawole and G. Scott 2581

Graft Copolymerization of Acrylamide onto Nylon 6 Using Quinquevalent Vanadium Ion
M. K. Mishra, S. Lenka, and A. K. Tripathy 2593

On the Function of the Polyion Complex of Methemoglobin and Polyelectrolytes as Cyanide Ion Exchanger
E. Kokufuta, N. Watanabe, and I. Nakamura 2601

Physical Aging of Drawn Polypropylene Fibers
C. P. Buckley and M. Habibullah 2613

The State of Water in Swollen Ionomers Containing Sulfonic Acid Salts
N. Sivashinsky and G. B. Tanny 2625

Polymerization of Ethyl Methacrylate, Methyl Methacrylate, and Vinyl Acetate Using Sulfonated Polystyrene as the Initiator
J. Y. Olayemi and I. O. Adeoye 2639

Case II Swelling of Poly(ethylene Terephthalate) in Organic Solvents
T. Haga 2649

Change in GPC Elution Volume of Polymers by Adsorption onto Porous Glass as Column Packing
K. Nakamura and R. Endo 2657

In Situ Polymerization in Binary Polymer/Monomer Mixtures: A Novel Route to Polymeric Composites
G. Kiss, A. J. Kovacs, and J. C. Wittman 2665

High-Temperature Reactive Thermoplastic Aromatic Polyimides
B. A. Reinhardt and F. E. Arnold 2679

Structure and Properties of Rubber-Modified Polypropylene Impact Blends
F. C. Stehling, T. Huff, C. S. Speed, and G. Wissler 2693

Mechanisms of Degradation of Cotton and Effects of Mercerization-Stretching upon the Course of These Mechanisms. V. Weathering
A. Hebeish, N. Y. Abou-Zeid, E. A. El-Kharadly, A. T. El-Aref, E. Allam, S. Shalaby, and E. A. El-Alfy 2713

Simple Methods of Gel Permeation Chromatography Calibration Developed from One or Two Polydisperse Polymer Standards
P. Szewczyk 2727

Polymerization of Formaldehyde and the Physical Properties of the Polymerization Products. I
S. Ishida 2743

Radiation-Induced Seeded Copolymerization of Tetrafluoroethylene with Propylene. II. Kinetic Analysis
H. Watanabe, J. Okamoto, and S. Machi 2751

Formation and Peculiarities of Heterogeneity in Polyethylene Samples Obtained by Extrusion
Yu. S. Lipatov, V. V. Shilov, and Yu. P. Gomza 2763

NOTES

Grafting Vinyl Monomers onto Cellulose. V. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using a Hexavalent Chromium Ion
M. K. Mishra, A. K. Tripathy, S. Lenka, and P. L. Nayak 2769

Grafting Vinyl Monomers onto Polyester Fibers. II. Graft Coplymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Fibers Using a Pentavalent Ion
S. Lenka, P. L. Nayak, M. K. Mishra, and A. K. Tripathy 2773

Critical Comments to "Thermal Degradation of Polyurathanes. Model Compounds"
A. Ballistreri, S. Foti, P. Maravigna, G. Montaudo, and E. Scamporrino 2781

Kinetics of Epoxy Resgin Synthesis on the Basis of GPC Measurements
L. Antal, L. Füzes, G. Samay, and L. Csillag 2783

Observation and Analysis Technique for Studying Sintering of Polymeric Particles
N. Rosenzweig and M. Narkis 2787

Electrical Conductivity of δ-Irradiated and Chemically Oxidized Wool
M. A. Moharram, M. M. Abou Sekkina, and S. M. Rabie 2791

Transient Sorption in Multiaminate Slabs: Calculation of Diffusant Concentrations and Mass Fractions in Model Systems
T. C. Chen and H. G. Spencer 2797

Pressure Drop Through Tapered Wide-Slit Dies. A Revised Version
R. S. Lenk and R. A. Frenkel 2801

Oxygen Permeation Through FEP Teflon and Kapton Polyimide
W. J. Koros, J. Wang, and R. M. Felder 2805

Information for Contributors 2811

ISSUE NO. 9, SEPTEMBER 1981

Physical Aging Studies of Semicrystalline Poly(ethylene Terephthalate)
M. R. Tant and G. L. Wilkes 2813

Influence of Tacticity and Sorbed Water on the Material Properties of Poly(*N*,*N*′-Dimethylacrylamide)
Y. Mohajer, G. L. Wilkes, and J. E. McGrath 2827

Ultradrawing of Polystyrene by Solid-State Coextrusion: Shear-Induced Crystallization in Isotactic Polystyrene
B. Appelt and R. S. Porter 2841

Structure–Property Relationships of a New Series of Segmented Polyether–Polyester Copolymers
P. C. Mody, G. L. Wilkes, and K. B. Wagener 2853

Manufacture of Ultrahigh-Modulus Poly(oxymethylenes) by Die Drawing
P. S. Hope, A. Richardson, and I. M. Ward 2879

Novel Ion-Containing Reverse Osmosis Membranes. II. Reverse Osmosis Properties
E. Bittencourt, V. Stannett, H. B. Hopfenberg, and J. L. Williams 2897

Studies on the Light-Focusing Plastic Rod. IX. Chemical Composition of the Copolymer Rod-Diethylene Glycol Bis(allyl Carbonate) with 2,2,3,3-Tetrafluoropropyl Methacrylate
Y. Ohtsuka and Y. Terao 2907

Accelerated Photo-Oxidation of Polyethylene. II. Further Evaluation of Selected Additives
L. J. Taylor and J. W. Tobias 2917

Chromic Titanate Catalysts for High-Melt-Index Polyethylene by the Particle-Form Process
R. E. Hoff, T. J. Pullukat, and M. Shida 2927

Selective Permeability of PVA Membranes. I. Radiation-Crosslinked Membranes
M. G. Katz and T. Wydeven, Jr. 2935

Radiation-Induced Oxidative Degradation of Poly(vinyl Chloride)
E.-S. A. Hegazy, T. Seguchi, and S. Machi 2947

Some Theoretical Aspects of Bromine-Containing Triazine Flame Retardants
L. H. Chance 2959

Characterization by Tin-Specific Size Exclusion Chromatography of the Free Radical Copolymerization of Tributyltin Methacrylate and Methyl Methacrylate
E. J. Parks, F. E. Brinckman, C. E. Mullin, D. M. Andersen, and V. J. Castelli 2967

Diffusion and Induced Crystallization in Polycarbonate
R. A. Ware, S. Tirtowidjojo, and C. Cohen 2975

Morphology and Properties of Poly(vinyl Chloride)–Polyurethane Blends
C. B. Wang and S. L. Cooper 2989

Initial Flux and Rejection Characteristics of Partially Permeable Ultrafiltration Membranes
A. G. Waters and A. G. Fane 3007

The Effect of Network Structure on Moisture Absorption of Epoxy Resins
Y. Diamant, G. Marom, and L. J. Broutman 3015

Catalysis of the Reaction between Isocyanates and Protonic Substrates. I. Metal Salt–Amine Complexes as Catalysts in the Polyurea Foaming Process
J. M. Borsus, R. Jérôme and Ph. Teyssié 3027

Structural Changes in Partially Oriented Polyester Yarns Subjected to Dry and Wet Heat
J. O. Warwicker and S. G. Graham 3045

Nylon 6 Water-Permeable Membranes Prepared by Electron Beam Radiation-Induced Graft Copolymerization
Y. Haruvy and A. L. Rajbenbach 3065

Condensation Products from Imidobis(sulfuryl Chloride)
D. Argyropoulos and R. S. Lenk 3073

Combustion and Pyrolysis of Poly(ethylene Terephthalate). II. A Study of the Gas-Phase Inhibition Reactions of Flame Retardant Systems
M. Day, T. Suprunchuk, and D. M. Wiles 3085

The Influence of Filler Particles and Polymer Structure on the Mobility of Polymer Molecules
G. J. Howard, and R. A. Shanks 3099

Block Copolymers Obtained by Free Radical Mechanism. II. Butyl Acrylate and Methyl Methacrylate
B. Z. Gunesin and I. Piirma 3103

Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. I. Kinetic Study of Preirradiation Grafting onto Poly(tetrafluoroethylene)
E.-S. A. Hegazy, I. Ishigaki, and J. Okamoto 3117

Flows of Dilute Hydrolyzed Polyacrylamide Solutions in Porous Media under Various Solvent Conditions
F. Durst, R. Haas, and B. U. Kaczmar 3125

Grafting Vinyl Monomers onto Cellulose. IV. Graft Copolymerization of Methyl Methacrylate onto Modified Cellulose using Peroxydiphosphate as the Initiator
S. Lenka, P. L. Nayak, and M. K. Mishra 3151

Fundamental Analysis of the Dynamics, Mass Transfer, and Coagulation in Wet Spinning of Fibers
J. L. White and T. A. Hancock 3157

NOTE

Flow in Elliptical Channels
R. S. Lenk 3171

ERRATUM

Microstructure of Cation Exchange Membranes Prepared by the Paste Method
Y. Mizutani and M. Nishimura 3175

Information for Contributors 3177

ISSUE NO. 10, OCTOBER 1981

Modeling of Poly(ethylene Terephthalate)) Reactors. I. A Semibatch Ester Interchange Reactor
K. Ravindranath and R. A. Mashelkar 3179

Reactive Polymers. XXXIII. The Influence of the Suspension Stabilizer on the Morphology of a Suspension Polymer
D. Horák, Z. Pelzbauer, F. Švec, and J. Kálal 3205

Chlorinated Atactic Polypropylene as a Plasticizer for Poly(vinyl Chloride)
Y. N. Sharma, S. Satish, and I. S. Bhardwaj 3213

Separation of Liquid Mixtures by Using Polymer Membranes. III. Grafted Poly(vinyl Alcohol) Membranes in Vaccuum Permeation and Dialysis
V. Shantora and R. Y. M. Huang 3223

H_2O_2-Induced Graft Polymerization of Acrylic Acid on Poly(ethylene Terephthalate) Fibers
A. Hebeish, S. E. Shalaby, and A. M. Bayazeed 3245

Graft Polymerization of Methyl Methacrylate on Poly(ethylene Terephthalate) Fibers Using H_2O_2 as Initiator
A. Hebeish, S. E. Shalaby, and A. M. Bayazeed 3253

Analysis of the Impurities in Industrial ϵ-Caprolactam. Hypothesis of Formation
L. G. Jodra, A. Romero, F. García-Ochoa, and J. Aracil 3271

Poly(*n*-butyl Acrylate)/Polystyrene Interpenetrating Polymer Networks and Related Materials. III. Effect of Grafting Level and Molecular Weight in Semi-2 IPNs
J. K. Yeo, L. H. Sperling, and D. A. Thomas 3283

Modification of Polyvinylchloride in Solution or Suspension by Nucleophilic Substitution
S. Marian and G. Levin 3295

Rate Characteristics for the Reaction of Carboxyl-Modified Polyamide with Potassium Hydroxide
E. M. Healy, A. O. Ramsley, and M. L. Herz 3305

Diffusion Coefficient Measurements by Solvent Absorption in Concentrated Polymer Solution
C. H. Hansen 3311

Stress Relaxation Behavior of Biaxially Oriented Poly(ethlylene Terephthalate)
J. M. Hawthorne 3317

Dual Permeation of Acid Dyes through Nylon 6 Membrane
T.-M. Tak, T. Sasaki, J. Komiyama, and T. Iijima 3325

Adhesion of Glow Discharge Polymers to Metals and Polymers
N. Inagaki and H. Yasuda 3333

Synthesis and Characterization of Mica–Vinyl Graft Copolymers
K. Panduranga Rao, E. P. Kanniappan, K. S. Jayaraman, K. T. Joseph, and Y. Nayudamma 3343

Structure-Property Relationships of an Electron Beam Cured Model Urethane Prepolymer
E. Joseph, G. Wilkes, and K. Park 3355

Synthesis of Some Vinyl Derivatives of Cellulose and Their Grafting Copolymerization with Styrene
A. Akelah and D. C. Sherrington 3377

Molecular Motion of Small Molecules in Cellulose Gels Studied by NMR
B. Nyström, M. E. Moseley, W. Brown, and J. Roots 3385

Dry Etching Durability of Positive Electron Resists
K. Harada 3395

Thermo-Oxidative Degradation of Low-Density Polyethylene Close to Industrial Processing Conditions
A. Hoff and S. Jacobsson 3409

Distribution of Polymer Deposition in Glow Discharge Polymerization in a Capacitively Coupled System
N. Inagaki and H. Yasuda 3425

Effect of Tensile Strain Rate on the Mechanical Properties of Constrained-Uniaxially and Simultaneous-Biaxially Drawn Poly(ethylene Terephthalate) Sheets
M. Yokouchi, J. Mori, and Y. Kobayashi 3435

Influence of External Environments on Fracture Toughness of Epoxy Resin
K. Mizutani and T. Iwatsu 3447

Radiation-Induced Seeded Copolymerization of Tetrafluoroethylene with Propylene. I. Effects of Agitation and Dose Rate
H. Watanabe, M. Ito, J. Okamoto, and S. Machi 3455

Binary and Ternary Blends of Poly(vinyl Chloride), Hytrel, and a Polyurethane
D. J. Hourston and I. D. Hughes 3467

Axial Dispersion in Laminar Flow of Polymer Solutions through Coiled Tubes
A. K. Saxena and K. D. Nigam 3475

Polymeric Systems for Acoustic Damping. III. Blends of Poly(vinyl Chloride), Segmented Poly(ether Ester), and Poly(methyl Acrylate)
D. J. Hourston and I. D. Hughes 3487

Natural and Accelerated Weathering of Some Polyblends
D. Feldman 3493

NOTES

Effect of Molecular Weight on Various TGA Methods in Polystyrene Degradation
H. Nishizaki and K. Yoshida 3503

Dry-Process Recording Material by Use of Photosensitized Solid-State Reaction of *m*-Phenylenediacrylic Acid
F. Nakanishi, H. Nakanishi, M. Kato, M. Tawata, and S. Hattori 3505

Grafting Vinyl Monomers onto Silk Fibers. XIV. Graft Copolymerization of Methyl Methacrylate onto Silk Using Peroxydiphosphate–Ascorbic Acid Redox System
A. K. Pradhan, G. Panda, N. C. Pati, P. L. Nayak 3511

Drawing Behavior of Polyethylene–Polypropylene Blends
P. Robson, G. J. Sandilands, and J. R. White 3515

Information for Contributors 3523

ISSUE NO. 11, NOVEMBER 1981

Catalyzed Polymerization of Cycloolefins
C. P. Tsonis 3525

Polymerization of Diallyl Phthalate at High Temperatures
M. I. Strumik, W. Królikowski, and M. Jankowska 3537

Solubility of Phenolic Antioxidants in Polyolefins
N. C. Billingham, P. D. Calvert, and A. S. Manke 3543

The Initial and Terminating Stage of Glow Discharge Polymerization Investigated by Thickness Monitor
N. Inagaki and H. Yasuda 3557

Effect of Drawing on Creep Fracture of Polypropylene Fibers
A. Takaku 3565

Prediction of Osmotic Pressures of Polymer Solutions
C. M. Kok and A. Rudin 3575

Prediction of Second Virial Coefficients from Intrinsic Viscosities
C. M. Kok and A. Rudin 3583

Effect of Heat Treatment on Dielectric Relaxation of Polyacrylonitrile: Reversible Thermally Induced Structural Change
A. K. Gupta, R. P. Singhal, and V. K. Agarwal 3599

A New Epoxy Resin/Hardener System with Variable Processing and End Properties
S. H. Eldin, F. Stockinger, F. Lohse, and G. Rihs 3609

Impact Testing of a Thermosetting Polymer (Allyl Diglyol Carbonate—CR39)*
V. R. Howes, J. M. Goldsmid, R. K. Silk, and A. V. Were 3623

Biodegradation of Gelatin-*g*-Poly(ethyl Acrylate) Copolymers
G. S. Kumar, V. Kalpagam, and U. S. Nandi, and V. N. Vasantharajan 3633

Solution Spinning of a Semirigid Chain Polymer Forming Ultrahigh Modulus Fibers
B. Valenti, G. C. Alfonso, A. Ciferri, P. Giordani, and G. Marrucci 3643

Poly(vinyl Chloride)–Polyol(AB)$_x$ Block Copolymers: Synthesis, Characterization, and Mechanical Properties
J. J. Laverty and Z. G. Gardlund 3657

The Radiation Crosslinking of Poly(vinyl Chloride) with Trimethylolpropane Trimethacrylate. I. Dose Dependence and the Effects of Thermal Treatment
T. N. Bowmer, D. D. Davis, T. K. Kwei, and W. I. Vroom 3669

Study of Domain Structure in Linear and Crosslinked Polyurethanes Using Pulsed Proton NMR
R. A. Assink and G. L. Wilkes 3689

Factors Affecting Initial Bond Strength in Solvent-Based Contact Adhesives
J. Kozakiewicz, B. Kujawa- Penczek, P. Penczek, and K. Puton 3699

Plasma Polymerized Protective Films for Plated Magnetic Disks
K. Harada 3707

Thermal and Pulse NMR Analysis of Water in Poly(2-hydroxyethyl Methacrylate)
Y. K. Sung, D. E. Gregonis, M. S. John, and J. D. Andrade 3719

Thermal Properties of Photo-Oxidized Nylon 6 Fibers
Y. Fujiwara and S. H. Zeronian 3729

Solvent Diffusion in Amorphous Polymers
S. T. Ju, H. T. Liu, J. L. Duda, and J. S. Vrentas 3735

Stochastic Modeling of Polymerization in a Continuous Flow Reactor
R. Nassar, J. R. Too, and L. T. Fan 3745

Photooxidation of the Surfaces of Polyphenylene Oxide and Polysulfone
J. Peeling and D. T. Clark 3761

Effect of Fillers on the Viscoelastic Behavior of Rubbers
B. Stenberg and J. F. Jansson 3773

Aliphatic Polyesters. I. The Degradation of Poly(ϵ-caprolactone) *In Vivo*
C. G. Pitt, F. I. Chasalow, Y. M. Hibionada, D. M. Klimas, and A. Schindler 3779

Grafting onto Wool. XI. Graft Copolymerization of Poly(vinyl Acetate) and Poly(methyl Acrylate) onto Reduced Wool in Presence of Potassium Presulfate–Ferrous Ammonium Sulfate (KPS—FAS) System as Redox Initiator
B. N. Misra, R. Dogra, I. K. Mehta, and K. D. Gill 3789

Grafting onto Wool. XIV. Graft Copolymerization of Vinyl Monomers by Use of $Mn(AcAc)_3$ as an Initiator
B. N. Misra, D. S. Sood, and R. K. Sharma 3797

Polyimide Structure–Property Relationships. III. Polyimides from Multi-Ring Diamines
V. L. Bell, L. Kilzer, E. M. Hett, and G. M. Stokes 3805

A. Reinvestigation of Parabanic Acid–Formaldehyde Polymerization
P. E. Cassidy, N. C. Fawcett, and R. W. Thomas 3819

Trimethylsilyl Cellulose as Precursor to Regenerated Cellulose Fiber
G. K. Cooper, K. R. Sandberg, and J. F. Hinck 3827

Cresylic Soluble Polyimides
H. Sheffer 3837

The Formation and Structure of Suspension-Polymerized Styrene–Divinylbenzene Copolymers
G. J. Howard and C. A. Midgley 3845

Study on Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. II. Properties of Membrane Obtained by Preirradiation Grafting onto Poly(tetrafluoroethylene)
E.-S. A. Hegazy, I. Ishigaki, A. Rabie, A. M. Dessouki, and J. Okamoto 3871

Effect of a Methyl Substituent in the Polymerization–Crosslinking Treatment of Cotton with NMMA and NMA
F. F. Shih and S. P. Rowland 3885

Mechanical Properties of Borate Crosslinked Poly(vinyl Alcohol) Gels
A. T. Y. Cheng and F. Rodriguez 3895

Suspension Polymerization of Methyl Methacrylate. I. Modeling of Reaction Kinetics
C. C. Lin and Y.-F. Wang 3909

Miscible Blends of Poly(styrene-co-Allyl Alcohol) with Poly-ϵ-caprolactone
R. S. Barnum, S. H. Goh, D. R. Paul, and J. W. Barlow 3917

Sulfonation Studies of Copolymers, Graft Copolymers, and Polymeric Gels Using Phase Transfer Catalysts
S. Paul and B. Rånby 3927

Covercoat Retardation of Permeation through Sheet Molding Compound
T. E. Graedel and J. P. Franey 3933

NOTES

Flow thorough Regular Polygonal Channels
R. A. Frenkel and R. S. Lenk 3939

Dependence of Initial Rate on Initial Initiator Concentration in Photoinitiated Polymerizations
M. G. Joshi 3945

Cyclic Fatigue and Thermal Softening of Polypropylene
Y. W. Mai 3947

Wet Spinning of Liquid Crystalline Solutions of Cellulose Acetate Butyrate and Cellulose Triacetate
J. Bheda, J. F. Fellers, and J. L. White 3955

Information for Contributors 3963

ISSUE NO. 12, DECEMBER 1981

Fluoroalkylene Ether Silicate/Viton GLT Blends: An Approach toward Improved Low Temperature Flexibility
A. A. Shaffer and R. E. Cochoy 3965

Rubber Elasticity of Poly (*n*-butyl Acrylate) Networks Formed with Multifunctional Crosslinkers
J. K. Yeo, L. H. Sperling, and D. A. Thomas 3977

Graft Copolymerization of Vinyl Monomers on Modified Cottons. XVIII. Grafting of Methyl Methacrylate and Acrylonitrile on Cotton Treated with *N*-Methylol Crosslinking Agents using Tetravalent Cerium as Initiator
A. Hebeish, M. M. El-Rafie, M. A. El-Kashioti, and F. El-Sisi 3995

Structure-Property Relations of Carboxylated Nitrile Rubber
S. K. Chakraborty, A. K. Bhowmick, and S. K. De 4011

Novel Oxidatively Drying Urea Resin. I. Drying Properties of Urea Resins Prepared from *N,N'*-Bis(methoxymethyl) Urea and Alcohols Containing Allyl Ether Groups
H. Toivonen 4021

Novel Oxidatively Drying Urea Resin. II. Surface Coating Properties of *N,N'*-Bis (methoxymethyl) Urea-Based Air-Drying Resins
H. Toivonen 4035

Low-Density Polyethylene Filled with Chalk and Liquid Modifier
R. Kaliński, A. Galeski, and M. Kryszewski 4047

Three-Stage Interaction of Dimethyl Phthalate, Dibutyl Phthalate, and Poly(vinyl Acetate) with Poly(methyl Methacrylate)
J. Y. Olayemi and N. A. Oniyangi 4059

Moisture Absorption Phenomenon in Permeable Fiber Polymer Composites
R. M. V. G. K. Rao, N. Balasubramanian, and M. Chanda 4069

Semicontinuous Emulsion Copolymerization of Ethyl Acrylate and Butyl Acrylate at High Conversions
J. Šňupárek, Jr. and K. Káspar 4081

The Accessibility of Sulphonic Acid Groups in Basic Dyeable Polyester Fibers. I. The Prevention of Fiber Hydrolysis during Dyeing
W. Ingamells, S. H. Lilou, and R. H. Peters 4087

The Accessibility of Sulphonic Acid Groups in Basic Dyeable Polyester Fibers. II. The Influence of Plasticization on the Ion Exchange Process
W. Ingamells, S. H. Lilou, and R. H. Peters 4095

Study of the Thermal Degradation of Acrylic Copolymers
M. Tomescu, I. Demetrescu, and E. Segal 4103

Molecular Weight Distribution of an Unsaturated Polyester
A. Kaštánek, J. Zelenka and K. Hájek 4117

Copolyester Studies. VII. The Dyeing Behavior of Undrawn Fibers Derived from Tetramethylene Terephthalate: Poly(tetramethylene Oxide) Random Block Copolymers
C. M. Boussias, R. H. Peters, and R. H. Still 4125

Transport from an Aqueous Phase through Cellulosic Gels and Membranes
W. Brown and R. M. Johnsen 4135

Active Transport Membrane for Anions. III. Effect of Crown Ether and Tautomeric Functional Groups
N. Ogata, K. Sanui, and H. Fujimura 4149

Synthesis of Phosphorus-Containing Wofatit Cation Exchangers and Their Affinity toward Selected Cations
R. Bogoczek and J. Surowiec 4161

Void Formation in a Filled SBR Rubber Determined by Small-Angle X-Ray Scattering
S. Kaneko, J. E. Frederick, and D. McIntyre 4175

The Adhesion of Viscoelastic Polymers to Wool and Polyethylene
B. O. Bateup and I. Souren 4193

Effect of Crystallinity of Condensation Polymers on Platelet Adhesion
N. Ogata, K. Sanui, H. Tanaka, Y. Takahashi, E. Kitamura, Y. Sakurai, T. Okano, K. Kataoka, and T. Akaike 4207

Development of Automatic Cross Fractionation: Combination of Crystallizability Fractionation and Molecular Weight Fractionation
S. Nakano and Y. Goto 4217

Chemistry of Miscible Polycarbonate–Copolyester Blends
W. A. Smith, J. W. Barlow, and D. R. Paul 4233

Anodic Synthesis of Polyaniline Coatings onto Fe Sheets
G. Mengoli, M. T. Munari, P. Bianco, and M. M. Musiani 4247

Cure Kinetics of a Low Epoxide/Hydroxyl Group-Ratio Bisphenol A Epoxy Resin–Anhydride System by Infrared Absorption Spectroscopy
G. C. Stevens 4259

Cure Kinetics of a High Epoxide/Hydroxyl Group-Ratio Bisphenol A Epoxy Resin–Anhydride system by Infrared Absorption Spectroscopy
G. C. Stevens 4279

Effects of Polydispersity on Critical Concentration of Polymer Solutions
K. K. Chee 4299

Continuous Measurement of Dynamic Tensile Mechanical Properties in Polymer Solids over a Wide Range of Frequencies. I. An Instrument with Driving Force of 15 kgwt and Frequency Range 10^{-3}–10^{2} Hz
M. Yokouchi and Y. Kobayashi 4307

Electron Spin Resonance Study of γ-Irradiated Nylon 6
S. Takigami, I. Matsumoto, and Y. Nakamura 4317

NOTES

Acyclic Azoester Modification of 1, 4-Polybutadienes. II. Green Strength and Tack Properties
J. W. Spiewak, L. A. Bryant, and D. N. Schulz 4331

Study on Triazine Thiols. II. Curing Reaction of Unsaturated Polyesters by 6-Dibutylamino-1,3,5-triazine-2,4-dithiol
K. Mori and Y. Nakamura 4335

Author Index 4341

Subject Index 4355

Information for Contributors 4377

Volume Title Page i

Volume Contents iii